New York State Examination in Grade 8 Intermediate Level Science

2013 Field Test Analysis, Equating Procedure, and Scaling of Operational Test Forms

Technical Report

Prepared for the New York State Education Department
by Pearson

December 2013

Copyright

Developed and published under contract with the New York State Education Department by Pearson.

Copyright © 2013 by the New York State Education Department.

Table of Contents

Table of Contents i

List of Tables iii

List of Figures iii

Section I: Introduction 1

PURPOSE 1

Section II: Field Test Analysis 1

FILE PROCESSING AND DATA CLEANUP 2

CLASSICAL ANALYSIS 2

Item Difficulty 3
Item Discrimination 3
Test Reliability 4
Scoring Reliability 4
Inter-Rater Agreement 5
Constructed-Response Item Means and Standard Deviations 6
Intraclass Correlation 6
Weighted Kappa 7

ITEM RESPONSE THEORY (IRT) AND THE CALIBRATION AND EQUATING OF THE FIELD TEST ITEMS 7

Item Calibration 9
Item Fit Evaluation 10

DIFFERENTIAL ITEM FUNCTIONING 11

The Mantel Chi-Square and Standardized Mean Difference 11
Multiple-Choice Items 13
The Odds Ratio 13
The Delta Scale 13
DIF Classification for MC Items 14
DIF Classification for CR Items 14

Section III: Equating Procedure 15

RANDOMLY EQUIVALENT GROUP EQUATING DESIGN 15

Section IV: Scaling of Operational Test Forms 17

References 20

Appendix A: Classical Item Analysis 22

Appendix B: Inter-Rater Consistency – Point Differences Between First and Second Reads 35

Appendix C: Additional Measures of Inter-Rater Reliability and Agreement 39

Appendix D: Partial-Credit Model Item Analysis 45

Appendix E: DIF Statistics 54

Appendix F: Operational Test Maps 63

Appendix G: Scoring Tables 66

List of Tables

Table 1. Need/Resource Capacity Category Definitions 1
Table 2. Classical Item Analysis Summary 4
Table 3. Test and Scoring Reliability 5
Table 4. Criteria to Evaluate Mean-Square Fit Statistics 10
Table 5. Partial-Credit Model Item Analysis Summary 11
Table 6. DIF Classification for MC Items 14
Table 7. DIF Classification for CR Items 14
Table 8. Initial Mean Abilities and Equating Constants..... 17

List of Figures

Figure 1. 2 × t Contingency Table at the kth of K Levels. 12

Section I: Introduction

PURPOSE

The purpose of this report is to document the psychometric properties of the New York State Examination in Grade 8 Intermediate Level Science. In addition, this report documents the procedures used to analyze the results of the field test and to equate and scale the operational test forms.

Section II: Field Test Analysis

In May 2013, prospective items for the New York State Examination in Grade 8 Intermediate Level Science were field tested. The results of this testing were used to evaluate item quality. Only items with acceptable statistical characteristics can be selected for use on operational tests.

Representative student samples for participation in this testing were selected to mirror the demographics of the student population that is expected to take the operational test. The Need/Resource Capacity Categories in Table 1 were used as variables in the sampling plan.

Table 1. Need/Resource Capacity Category Definitions

Need/Resource Capacity (N/RC) Category	Definition
High N/RC Districts: New York City	New York City
Large Cities	Buffalo, Rochester, Syracuse, Yonkers
Urban/Suburban	All districts at or above the 70th percentile on the index with at least 100 students per square mile or enrollment greater than 2500
Rural	All districts at or above the 70th percentile on the index with fewer than 50 students per square mile or enrollment of fewer than 2500
Average N/RC Districts	All districts between the 20th and 70th percentiles on the index
Low N/RC Districts	All districts below the 20th percentile on the index
Charter Schools	Each charter school is a district

FILE PROCESSING AND DATA CLEANUP

The assessment utilizes both multiple-choice (MC) and constructed-response (CR) item types in order to more fully assess student ability. Multiple field test (FT) forms were given during this administration to allow for a large number of items to be field tested without placing an undue burden on the students participating in the field test; each student only took a small subset of the items being field tested. The NYSED handled all scanning of the MC responses and scoring of the CR responses along with the composition of the student data file in-house and with other external vendors. After all scoring and scanning activities had been completed and the student data file built, it was supplied to Pearson and contained student MC responses and CR scores. In addition, the NYSED also created and supplied a test map file that documented the items on each of the FT forms and a student data file layout that contained the position of every field within the student data file. Upon receipt of these files, Pearson staff checked the data, test map, and layout for consistency. Any anomalies were referred back to the NYSED for resolution. After these had been resolved and corrected as necessary final processing of the data file took place. This processing included the identification and deletion of invalid student test records through the application of a set of predefined exclusion rules[1]. The original student data file received from the NYSED contained 13,851 records; the final field test data file contained 13,785 records.

Within the final data file used in the field test analyses MC responses were scored according to the item keys contained in the test map; correct responses received a score of 1 while incorrect responses received a score of 0. CR item scores were taken directly from the student data file, with the exception that out-of-range scores were assigned scores of 0. For Item Response Theory (IRT) calibrations, blanks (i.e., missing data; not omits) were also scored as 0.

In addition to the scored data, the final data file also contained the unscored student responses and scores. Unscored data was used to calculate the percentage of students who selected the various answer choices for the MC items or the percentage of students who received each achievable score point for the CR items. The frequency of students leaving items blank was also calculated. The scored data were used for all other analyses.

CLASSICAL ANALYSIS

Classical Test Theory assumes that any observed test score x is composed of both true score t and error score e. This assumption is expressed as follows:

$$x = t + e$$

[1] These exclusion rules flagged records without both an MC and a CR component, records with invalid or out-of-range form numbers, records without any responses, and duplicate records. These records were dropped prior to analysis.

All test scores are composed of both a true and an error component. For example, the choice of test items or administration conditions might influence student responses, making a student's observed score higher or lower than the student's true ability would warrant. This error component is random and uncorrelated with (i.e., unrelated to) the student's true score. Across an infinitely large number of administrations, the mean of the error scores would be zero. Thus, the best estimate of a student's true score for any test administration (or their expected score given their [unobservable] true level of ability or true score) is that student's observed score. This expectation is expressed as follows:

$$E(x) = t$$

Item difficulties, point-biserial correlations, reliability estimates, and various statistics related to rater agreement have been calculated and are summarized in the following section.

Item Difficulty

Item difficulty is typically defined as the average of scores for a given item. For MC items, this value (commonly referred to as a p-value) ranges from 0 to 1. For CR items, this value ranges from 0 to the maximum possible score. In order to place all item means on a common metric (ranging from 0 to 1), CR item means were divided by the maximum points possible for the item.

Item Discrimination

Item discrimination is defined as the correlation between a score on a given test question and the overall raw test score. These correlations are Pearson correlation coefficients. For MC items, it is also known as the point-biserial correlation.

Table 2 presents a summary of the classical item analysis for each of the field test forms. The first three columns from the left identify the form number, the number of students who took each form, and the number of items on each field test form, respectively. The remaining columns are divided into two sections (i.e., item difficulty and discrimination). Recall that for CR items, item means were divided by the maximum number of points possible in order to place them in the same metric as the MC items. Seven items had difficulties that were greater than 0.90 and nine items had correlations that were less than 0.25. In addition to the summary information provided in Table 2, further classical item statistics are provided in Appendix A.

Table 2. Classical Item Analysis Summary

Form	N-Count	No. of Items	Item Difficulty			Item Discrimination		
			<0.50	0.50 to 0.90	>0.90	<0.25	0.25 to 0.50	>0.50
401	958	30	6	24	0	1	20	9
402	909	21	8	12	1	2	17	2
403	938	21	9	10	1	0	14	6
404	929	21	6	14	1	0	15	6
405	941	21	6	15	0	0	14	7
406	934	21	5	15	1	1	15	5
407	910	25	5	17	0	0	16	6
408	916	24	7	17	0	0	21	3
409	887	25	5	14	1	2	15	3
410	924	24	7	16	0	0	12	11
411	916	20	5	15	0	0	12	8
412	886	21	3	16	0	0	16	3
413	911	20	9	10	1	1	15	4
414	922	20	9	10	1	1	15	4
415	904	21	7	11	0	1	11	6

For some forms, the item counts in the “Item Difficulty” and “Item Discrimination” columns may not sum to the value in the “No. of Items” column due to DNS (Do Not Score) items.

Test Reliability

Reliability is the consistency of the results obtained from a measurement with respect to time or between items or subjects that constitute a test. As such, test reliability can be estimated in a variety of ways. Internal consistency indices are a measure of how consistently examinees respond to items within a test. Two factors influence estimates of internal consistency: (1) test length and (2) homogeneity of the items. In general, the more items on the examination, the higher the reliability and the more similar the items, the higher the reliability.

Table 3 contains the internal consistency statistics for each of the field test forms under the heading “Test Reliability.” These statistics ranged from 0.708 to 0.850. It should be noted that operational tests generally are composed of more items and would be expected to have higher reliabilities than do these field test forms.

Scoring Reliability

One concern with CR items is the reliability of the scoring process (i.e., consistency of the score assignment). These items must be read by scorers who assign scores based on a comparison between the rubric and student responses. Consistency between scorers is a critical part of the reliability of the assessment. To track scorer consistency, approximately 10% of the test booklets are scored a second time (these

are termed “second read scores”) and compared to the original set of scores (also known as “first read scores”).

As an overall measure of scoring reliability, the Pearson correlation coefficient between the first and second scores for all CR items with second read scores was computed for each form. This statistic is often used as an overall indicator of scoring reliability, and it generally ranges from 0 to 1. Table 3 contains these values in the column headed “Scoring Reliability.” They ranged from 0.832 to 0.956, indicating a high degree of reliability.

Table 3. Test and Scoring Reliability

Form Number	Test Reliability	Scoring Reliability
401	0.850	NA
402	0.708	0.898
403	0.794	0.917
404	0.803	0.840
405	0.827	0.832
406	0.783	0.872
407	0.815	0.846
408	0.786	0.888
409	0.746	0.956
410	0.843	0.917
411	0.814	0.902
412	0.761	0.842
413	0.763	0.881
414	0.754	0.848
415	0.770	0.834

Scoring reliability was not able to be calculated for Form 401 as it was composed exclusively of MC items.

Inter-Rater Agreement

For each CR item, the difference between the first and second reads was tracked and the number of times each possible difference between the scores occurred was tabulated. These values were then used to calculate the percentage of times each possible difference occurred. When examining inter-rater agreement statistics, it should be kept in mind that the maximum number of points per item varies, as shown in the “Score Points” column. Blank cells in the table indicate out-of-range differences (e.g., it is impossible for two raters to differ by more than one point in their scores on an item with a maximum possible score of one; cells in the table other than −1, 0, and 1 would therefore be blanked out).

Appendix B contains the proportion of occurrence of these differences for each CR item. Although most items had a maximum point value of one, one item had a maximum

point value of two. While all scores for the two-point item were either exact or adjacent matches, it (the two-point item) had a higher incidence of adjacent (as opposed to exact) matches than did most of the other (one-point) items. Appendix C contains additional summary information regarding the first and second reads, including the percentage of first and second scores that were exact or adjacent matches. Nonadjacent scores were not possible for the one-point items.

Constructed-Response Item Means and Standard Deviations

Appendix C also contains the mean and standard deviation of the first and second scores for each CR item. While there were minimal differences between the standard deviation statistics, the largest difference between the item means for the first and second read scores was 0.1.

Intraclass Correlation

In addition, Appendix C contains the intraclass correlations for the items. These correlations are calculated using a formulation given by Shrout and Fleiss (1979). Specifically, they described six different models based on various configurations of judges and targets (in this case, papers that are being scored). For this assessment, the purpose of the statistic is to describe the reliability of single ratings, and each paper is scored by two judges who are randomly assigned from the larger pool of judges, and who score multiple papers. This description fits their "Case 1." Further, they distinguish between situations where the score assigned to the paper is that of a single rater versus that when the score is the mean of k raters. Since the students' operational scores are those from single (i.e., the first) raters, the proper intraclass correlation in this instance is termed by Shrout and Fleiss as "ICC(1,1)." It will be referred to herein simply as the "intraclass correlation" (ICC).

While the ICC is a bona fide correlation coefficient, it differs from a regular correlation coefficient in that its value remains the same regardless of how the raters are ordered. A regular Pearson correlation coefficient would change values if, for example, half of the second raters were switched to the first position, while the ICC would maintain a consistent value. Because the papers were randomly assigned to the judges, ordering is arbitrary, and thus the ICC is a more appropriate measure of reliability than the Pearson correlation coefficient in this situation. The ICC ranges from zero (the scores given by the two judges are unrelated) to one (the scores from the two judges match perfectly); negative values are possible but rare, and have essentially the same meaning as values of zero. It should also be noted that the ICC can be affected by low degrees of variance in the scores being related, similar to the way that regular Pearson correlation coefficients are affected. ICCs for items where almost every examinee achieved the same score point (e.g., an extremely easy dichotomous item where almost every examinee was able to answer it correctly) may have a low or negative ICC even though almost all ratings by the judges matched exactly.

McGraw and Wong (1996, Table 4, p. 35) state that the ICC can be interpreted as "the degree of absolute agreement among measurements made on randomly selected objects. It estimates the correlation of any two measurements." Since it is a correlation

coefficient, its square indicates the percent of variance in the scores that is accounted for by the relationship between the two sets of scores (i.e., the two measurements). In this case, these scores are those of the pair of judges. ICC values greater than 0.60 indicate that at least 36% (0.60^2) of the variation in the scores given by the raters is accounted for by variations in the responses to the items that are being scored (e.g., variations in the ability being measured) rather than by variations caused by a combination of differences in the severity of the judges, interactions between judge severity and the items, and random error (e.g., variations exterior to the ability being measured). It is generally preferred that items have ICCs at this level or higher. Ten items had ICCs below 0.60. However, of these 10 items four were extremely easy items with a high degree of agreement between the raters. Because they were very easy dichotomous items, they consequently had low degrees of variance (very few responses were incorrect), and their ICCs were affected so as to indicate spuriously low levels of agreement. Consistent with other information provided in the table, these values indicate a high to very high level of scoring reliability for most of the items in the field test.

Weighted Kappa

Weighted Kappa (Cohen, 1968) was also calculated for each item, based on the first and second reads, and is included in Appendix C as well. This statistic is an estimate of the agreement of the score classifications over and above that which would be expected to occur by chance. Similar to the ICC, its value can range between zero (the scores given by the judges agree as often as would be expected by chance) and one (scores given by the judges agree perfectly). In addition, negative values are possible but rare, and have the same interpretation as zero values. One set of guidelines for the evaluation of this statistic is (Fleiss, 1981):

- $k > 0.75$ denotes excellent reproducibility
- $0.4 < k \leq 0.75$ denotes good reproducibility
- $0 < k \leq 0.4$ denotes marginal reproducibility

The results show excellent reproducibility between the first and second reads for all but 33 items, and good reproducibility for all but one item (and that one item had limited variance, and so probably has good or excellent reproducibility that is being masked by its limited range of variance). The scoring reliability analyses offer strong evidence that the scoring of the CR items was performed in a highly reliable manner with good or excellent reproducibility for all items (with the possible exception of the item with the lowest value of kappa).

ITEM RESPONSE THEORY (IRT) AND THE CALIBRATION AND EQUATING OF THE FIELD TEST ITEMS

While classical test theory-based statistical measures are useful for assessing the suitability of items for operational use (i.e., use as part of an assessment used to measure student ability and thus having real-world consequences for students, teachers, schools, and administrators), their values are dependent on both the psychometric properties of the items and the ability distributions of the samples upon

which they are based. In other words, classical test theory based statistics are *sample-dependent statistics*.

In contrast, Item Response Theory (IRT) based statistics are not dependent on the sample over which they are estimated—they are invariant across different samples (Hambleton, Swaminathan, & Rogers, 1991; Lord, 1980). This invariance allows student ability to be estimated on a common metric even if different sets of items are used (as with different test forms over different test administrations).

The process of estimating IRT-based item parameters is referred to as "item calibration," and the placing of these parameters on a common metric or scale is termed "equating." While one reason for the field testing of items is to allow their suitability for use in the operational measurement of student ability to be assessed, the data resulting from field testing is also used to place items on the scale of the operational test (i.e., they are equated to the operational metric). Once items are on this common metric, any form composed of items from this pool can be scaled (the process through which scale score equivalents for each achievable raw score are derived) and the resulting scale scores will be directly comparable to those from other administrations, even though the underlying test forms are composed of different sets of items.

There are several variations of IRT that differ mainly in the way item behavior is modeled. The New York State Examination in Grade 8 Intermediate Level Science uses the Rasch family of IRT statistics (Rasch, 1980; Masters, 1982) for calibration, scaling, and equating.

The most basic expression of the Rasch model is in the item characteristic curve. It conceptualizes the probability of a correct response to an item as a function of the ability level and the item's difficulty. The probability of a correct response is bounded by "1" (certainty of a correct response) and "0" (certainty of an incorrect response). The ability scale is theoretically unbounded. In practice, the ability scale ranges from approximately −4 to +4 logits. The relationship between examinee ability θ, item difficulty D_i, and probability of answering the item correctly P_i is shown in the equation below.

$$P_i(\theta) = \frac{\exp(\theta - D_i)}{1 + \exp(\theta - D_i)}$$

Examinee ability (θ) and item difficulty (D_i) are on the same scale. This is useful for certain purposes. An examinee with an ability level equal to the item difficulty will have a 50% chance of answering the item correctly; if his or her ability level is higher than the item difficulty, then the probability of answering the item correctly is commensurately higher, and the converse is also true.

The Rasch Partial Credit Model (PCM) (Masters, 1982) is a direct extension of the dichotomous one-parameter IRT model above. For an item involving *m* score

categories, the general expression for the probability of achieving a score of *x* on the item is given by

$$P_x(\theta) = \frac{\exp[\sum_{k=0}^{x}(\theta - D_k)]}{\sum_{h=0}^{m}\exp[\sum_{k=0}^{h}(\theta - D_k)]}$$

where

$$D_0 \equiv 0.0$$

In the above equation, *Px* is the probability of achieving a score of *x* given an ability of θ; *m* is the number of achievable score points minus one (note that the subscript *k* runs from 0 to *m*); and D_k is the step parameter for step *k*. The steps are numbered from 0 to the number of achievable score points minus one, and step 0 (D_0) is defined as being equal to zero. Note that a four-point item, for example, usually has five achievable score points (0, 1, 2, 3, and 4), thus the step numbers usually mirror the achievable point values.

According to this model, the probability of an examinee scoring in a particular category (step) is the sum of the logit (log-odds) differences between θ and D_k of all the completed steps, divided by the sum of the differences of all the steps of an item. Thissen and Steinberg (1986) refer to this model as a divide-by-total model. The parameters estimated by this model are m_i -1 threshold (difficulty) estimates and represent the points on the ability continuum where the probability of the examinee achieving score m_i exceeds that of m_{i-1}. The mean of these threshold estimates is used as an overall summary of the polytomous item's difficulty.

If the number of achievable score points is one (i.e., the item is dichotomous), then the PCM reduces to the basic Rasch IRT model for dichotomous items. This means that dichotomous and polytomous items are being scaled using a common model and therefore can be calibrated, equated, and scaled together. It should be noted that the Rasch model assumes that all items have equal levels of discrimination and that there is no guessing on MC items. However, it is robust to violations of these assumptions, and items that violate these assumptions to a large degree are usually flagged for item-model misfit.

Item Calibration

When interpreting IRT item parameters, it is important to remember that they do not have an absolute scale—rather, their scale (in terms of mean and standard deviation) is purely arbitrary. It is conventional to set the mean of the item difficulties to zero when an assessment is scaled for the first time. Rasch IRT scales the theta measures in terms of *logits*, or "log-odds units." The length of a logit varies from test to test, but generally the standard deviation of the item difficulties of a test scaled for the first time will be somewhere in the area of 0.6–0.8. While the item difficulties are invariant with respect to one another, the absolute level of difficulty represented by their mean is dependent on the overall difficulty of the group of items with which it was tested. In addition, there is

no basis for assuming that the difficulty values are normally distributed around their mean—their distribution depends solely upon the intrinsic difficulties of the items themselves. Thus, if a particularly difficult set of items (relative to the set of items originally calibrated) was field tested, their overall mean would most probably be greater than zero, and their standard deviation would be considerably less than one. In addition, they would most probably not be normally distributed.

Rasch item difficulties generally range from −3.0 to 3.0, although very easy or difficult items can fall outside of this range. Items should not be discounted solely on the basis of their difficulty. A particular topic may require either a difficult or an easy item. Items are usually most useful if their difficulty is close to a cut score, as items provide the highest level of information at the ability level equal to their difficulty. Items with difficulties farther away from the cuts provide less information about students with abilities close to the cut scores (and, hence, are more susceptible to misclassification), but are still useful. In general, items should be selected for use based on their content, with their Rasch difficulty being only a secondary consideration.

Item Fit Evaluation

The INFIT statistic is used to assess how well items fit the Rasch model. Rasch theory models the probability of a student being able to answer an item correctly as a function of the student's level of ability and the item's difficulty, as stated previously. The Rasch model also assumes that items' discriminations do not differ, and that the items are not susceptible to guessing. If these assumptions do not hold (if, for example, an item has an extremely high or low level of discrimination), then the item's behavior will not be well modeled by Rasch IRT. Guidelines for interpretation of the INFIT statistic are taken from Linacre (2005) and can be found in Table 4 below.

Table 4. Criteria to Evaluate Mean-Square Fit Statistics

INFIT	Interpretation
>2.0	Distorts or degrades the measurement system
1.5–2.0	Unproductive for construction of measurement, but not degrading
0.5–1.5	Productive for measurement
<0.5	Unproductive for measurement, but not degrading. May produce misleadingly good reliabilities and separations

INFIT is an information-weighted fit statistic, which is more sensitive to unexpected behavior affecting responses to items near the person's measure (or ability) level. In general, values near 1.0 indicate little distortion of the measurement system, while values less than 1.0 indicate observations are too predictable (redundancy, model overfit). Values greater than 1.0 indicate unpredictability (unmodeled noise, model underfit).

Table 5 contains a summary of the analysis for each of the field test forms. The first column from the left lists the form numbers. The next two columns list the number of students who participated and the number of items on each field test form, respectively. The following columns show the frequency of items at three levels of difficulty (easier

items with a Rasch difficulty <−2.0, moderate items with a Rasch difficulty between −2.0 and 2.0, and more difficult items with a Rasch difficulty >2.0) and frequencies of item misfits as classified in the preceding table. Most of the items (302 out of 320; 15 items were DNS status items) fell within the moderate −2.0 to +2.0 difficulty range, and there were no items with an INFIT statistic outside the range most productive for measurement. Item level results of the analysis can be found in Appendix D.

Table 5. Partial-Credit Model Item Analysis Summary

Form	N-Count	No. of Items	Rasch			INFIT			
			<−2.0	−2.0 to 2.0	>2.0	<0.5	0.5 to 1.5	1.5 to 2.0	>2.0
401	950	30	0	30	0	0	30	0	0
402	909	21	0	19	2	0	21	0	0
403	929	21	1	16	3	0	20	0	0
404	921	21	1	19	1	0	21	0	0
405	924	21	0	20	1	0	21	0	0
406	927	21	1	19	1	0	21	0	0
407	902	25	0	22	0	0	22	0	0
408	913	24	0	23	1	0	24	0	0
409	879	25	0	19	1	0	20	0	0
410	910	24	0	23	0	0	23	0	0
411	905	20	0	19	1	0	20	0	0
412	873	21	0	19	0	0	19	0	0
413	904	20	1	18	1	0	20	0	0
414	921	20	1	19	0	0	20	0	0
415	899	21	0	17	1	0	18	0	0

For some forms, the item counts in the “Rasch” and “INFIT” columns may not sum to the value in the “No. of Items” column due to DNS (Do Not Score) items. Also, “N-Count” does not include students with zero or perfect scores.

DIFFERENTIAL ITEM FUNCTIONING

Differential Item Functioning (DIF) occurs when members of a particular group have a different probability of success than members of another group with the same level of ability for reasons unrelated to the academic skill or construct being measured. For example, items testing English grammar skills may be more difficult for LEP students as opposed to non-LEP students, but such differences are likely due to the fact that the item measures an academic skill related to English language proficiency. Such items would not be considered to be functioning differentially.

The Mantel Chi-Square and Standardized Mean Difference

The Mantel χ^2 is a conditional mean comparison of the ordered response categories for reference and focal groups combined over values of the matching variable score. “Ordered” means that a response earning a score of “1” on an item is better than a

response earning a score of “0” or “2” is better than “1,” and so on. “Conditional,” on the other hand, refers to the comparison of members from the two groups who received the same score on the matching variable, i.e., the total test score in our analysis.

Group	Item Score				Total
	y_1	y_2	…	y_T	
Reference	n_{R1k}	n_{R2k}	…	n_{Rtk}	n_{R+k}
Focal	n_{F1k}	n_{F2k}	…	n_{Ftk}	n_{F+k}
Total	n_{+1k}	n_{+2k}	…	n_{+tk}	n_{++k}

Figure 1. 2 × t Contingency Table at the kth of K Levels.

Figure 1 (from Zwick, Donoghue, & Grima, 1993) shows a 2 × *t* contingency table at the kth of *K* levels, where *t* represents the number of response categories and *k* represents the number of levels of the matching variable. The values $y_1, y_2, \ldots y_T$ represent the *t* scores that can be gained on the item. The values n_{Ftk} and n_{Rtk} represent the numbers of focal and reference groups who are at the kth level of the matching variable and gain an item score of y_t. The “+” indicates the total number over a particular index (Zwick et al., 1993). The Mantel statistic is defined as the following formula:

$$Mantel\chi^2 = \frac{\left(\sum_k F_k - \sum_k E(F_k)\right)^2}{\sum_k Var(F_k)}$$

in which F_k represents the sum of scores for the focal group at the kth level of the matching variable and is defined as follows:

$$F_k = \sum_t y_t n_{Ftk}$$

The expectation of F_k under the null hypothesis is

$$E(F_k) = \frac{n_{F+k}}{n_{++k}} \sum_t y_t n_{Ftk}$$

The variance of F_k under the null hypothesis is as follows:

$$Var(F_k) = \frac{n_{R+k} n_{F+k}}{n_{++k}^2 (n_{++k} - 1)} \left[(n_{++k} \sum_t y_t^2 n_{+tk}) - (\sum_t y_t n_{+tk})^2 \right]$$

Under *H0*, the Mantel statistic has a chi-square distribution with one degree of freedom. In DIF applications, rejecting *H0* suggests that the students of the reference and focal groups who are similar in overall test performance tend to differ in their mean performance on the item. For dichotomous items the statistic is identical to the Mantel-Haenszel (MH) (1959) statistic without the continuity correction (Zwick et al., 1993).

A summary statistic to accompany the Mantel approach is the standardized mean difference (SMD) between the reference and focal groups proposed by Dorans and Schmitt (1991). This statistic compares the means of the reference and focal groups, adjusting for differences in the distribution of the reference and focal group members

across the values of the matching variable. The SMD has the following form:

$$SMD = \sum_k p_{Fk} m_{Fk} - \sum_k p_{Fk} m_{Rk}$$

in which

$$p_{Fk} = \frac{n_{F+k}}{n_{F++}}$$

is the proportion of the focal group members who are at the kth level of the matching variable;

$$m_{Fk} = \frac{1}{n_{F+k} \sum_t y_t n_{Ftk}}$$

is the mean item score of the focal group members at the kth level; and m_{Rk} is the analogous value for the reference group. As can be seen from the equation above, the SMD is the difference between the unweighted item mean of the focal group and the weighted item mean of the reference group. The weights for the reference group are applied to make the weighted number of the reference-group students the same as in the focal group within the same level of ability. A negative SMD value implies that the focal group has a lower mean item score than the reference group, conditional on the matching variable.

Multiple-Choice Items

For the MC items, the MH odds ratio (converted to the ETS delta scale [D]) is used to classify items into one of three categories of DIF.

The Odds Ratio

The odds of a correct response (proportion passing divided by proportion failing) are *P/Q* or *P/(1−P)*. The *odds ratio* is the odds of a correct response of the reference group divided by the odds of a correct response of the focal group. For a given item, the odds ratio is defined as follows:

$$\alpha_{MH} = \frac{P_r/Q_r}{P_f/Q_f}$$

and the corresponding null hypothesis is that the odds of getting the item correct are equal for the two groups. Thus, the odds ratio is equal to 1:

$$\alpha_{MH} = \frac{P_r/Q_r}{P_f/Q_f} = 1$$

The Delta Scale

To make the odds ratio symmetrical around zero with its range being in the interval −∞ to +∞, the odds ratio is transformed into a log odds ratio according to this equation:

$$\beta_{MH} = \ln(\alpha_{MH})$$

This simple natural logarithm transformation of the odds ratio is symmetrical around zero. This DIF measure is a signed index; a positive value signifies DIF in favor of the reference group, a negative value indicates DIF in favor of the focal group, and zero has the interpretation of equal odds of success on the item. β_{MH} also has the advantage of a linear relationship to other interval scale metrics (Camilli & Shepard, 1994). β_{MH} is placed on the ETS delta scale (D) using the following equation:

$$D = -2.35\beta_{MH}.$$

DIF Classification for MC Items

Table 6 depicts DIF classifications for MC items. Classification depends on the delta (D) value and the significance of its difference from zero ($p < 0.05$). The criteria are derived from those used by the National Assessment of Educational Progress (Allen, Carlson, & Zalanak, 1999) in the development of their assessments.

Table 6. DIF Classification for MC Items

Category	Description	Criterion
A	No DIF	D not significantly different from zero or $\|D\| < 1.0$
B	Moderate DIF	$1.0 \leq \|D\| < 1.5$ or not otherwise A or C
C	High DIF	D is significantly different from zero and $\|D\| \geq 1.5$

DIF Classification for CR Items

The SMD is divided by the total group item standard deviation to obtain an effect-size value for the SMD (ES_{SMD}). The value of ES_{SMD} and the significance of the Mantel χ^2 statistic ($p < 0.05$) then are used to determine the DIF category of the item as depicted in Table 7 below.

Table 7. DIF Classification for CR Items

Category	Description	Criterion
AA	No DIF	Non-significant Mantel $\chi 2$ or $\|ES_{SMD}\| \leq 0.17$
BB	Moderate DIF	Significant Mantel χ^2 and $0.17 < \|ES_{SMD}\| \leq 0.25$
CC	High DIF	Significant Mantel χ^2 and $0.25 < \|ES_{SMD}\|$

Reliable DIF results are dependent on the number of examinees in both the focal and reference groups. Clauser and Mazor (1998) state that a minimum of 200 to 250 examinees per group are sufficient to provide reliable results. Some testing organizations require as many as 300 to 400 examinees per group (Zwick, 2012) in some applications. For field testing, the sample sizes were such that only comparisons based on gender (e.g., males vs. females) were possible. Even for gender, sample sizes were only moderately large, and so the results should be interpreted with caution.

The DIF statistics for gender are shown in Appendix E. MC items in DIF categories “B” and “C” and CR items in categories “BB” and “CC” were flagged. These flags are shown in the “DIF Category” column (“A” and “AA” category items will have blank cells here). The “Favored Group” column indicates which gender is favored for items that are flagged.

Section III: Equating Procedure

Students particpating in the 2013 field test administration for the New York State Examination in Grade 8 Intermediate Level Science received one of 15 test forms (numbered 401–415). Form 401 was the anchor form for the equating and was an intact form that had been administered in the prior year. Because the form had been previously administered, its items had known parameters on the operational scale. The remaining test forms were composed of items that had not been administered to New York State students. Test forms were spiraled within classrooms, so that students had an equal chance of receiving any of the 15 forms, depending solely on their ordinal position within the classroom. In essence, students were randomly assigned to test forms, forming randomly equivalent groups taking each of the forms. Appendices A and D (with the classical and Rasch IRT item level statistics) may be consulted to determine the characteristics of the items (e.g., item type and maximum number of points possible) that made up each form.

RANDOMLY EQUIVALENT GROUP EQUATING DESIGN

The equating analyses were based on the assumption that the groups taking the different forms had equivalent ability distributions and means. Given the random assignment of forms to examinees, this was a reasonable assumption. The initial step in the analyses was to calibrate all forms, both the anchor form and the remaining field test forms. All forms were calibrated using Winsteps, version 3.60 (Linacre, 2005).

The anchor form calibration began with all anchor item difficulty parameters fixed to their known values from the previous year. Because it is possible for item parameters to "drift" (shift their difficulties relative to one another), a stability check was integrated into the analysis.

Winsteps provides an item level statistic, termed "displacement." Linacre (2011, p. 545) describes this statistic as:

> …the size of the change in the parameter estimate that would be observed in the next estimation iteration if this parameter was free (unanchored) and all other parameter estimates were anchored at their current values. For a parameter (item or person) that is anchored in the main estimation, (the displacement value) indicates the size of disagreement between an estimate based on the current data and the anchor value.

This statistic was used to identify items with difficulties that had shifted, relative to the difficulties of the other items on the form. After the intial calibration run, the Winsteps displacement values for all anchor form items were examined for absolute values greater than 0.30. If present, the item with the largest absolute displacement value was removed from anchored status but remained on the test form. Its difficulty value was subsequently reestimated relative to the difficulties of the remaining anchored items.

The Winsteps calibration was then rerun with the reduced anchor set, after which the displacement values were again checked for absolute values in excess of 0.30. If another was found, it was also removed from anchored status and the calibration rerun. This iterative procedure continued until all anchored items had displacements of 0.30 or less. Three items were identified as having drifted for the 2013 analyses.

After a stable anchor item set had been identified, the mean of the ability estimates of the students who took the anchor form was computed[2]. This mean ability was then used as the target ability for the forms with the field test items. Because the groups taking the different forms were randomly equivalent and thus had the same mean ability, adjustment of the parameters of the field test items on any form to values that produced an ability distribution for students who had taken the form with a mean equal to the target ability from the anchor form would result in the parameters for the field test items on that form being equated to the scale of the anchor form, which was also the operational scale.

The equated mean ability estimate for Form 401 was 0.70. This value became the target mean ability estimate for the field test forms.

At this point in the analyses, the calibration of the anchor form was complete. The next step was the initial calibration of the field test forms. This was a “free” calibration, meaning that the item parameters were not constrained in any way. This initial calibration produced a set of Rasch difficulty parameters for the items on each form. Also produced as a part of the Winsteps calibration was a set of person ability estimates for each form.

The next step was the computation of an equating constant for each form. Under Rasch IRT, if all of the difficulty parameters on a form have a constant added to them, the ability estimates for examinees will also be changed from their previous values by the amount represented by that constant. Therefore, to adjust the item difficulty parameters such that the mean of the ability distribution is set equal to the target mean ability from the anchor form, an equating constant was calculated for each field test form by subtracting the field test form mean ability from the target mean ability. This value was then added to the Rasch difficulty parameter of all items on the field test form. These adjusted values were then used as anchors for a second Winsteps calibration of the field test form. The mean of the person ability values from this second calibration was computed and compared to the target mean. If the anchored field test mean ability differed from the target mean ability by 0.005 or more, then an additional equating constant was computed using the difference between the mean ability from the field test form anchored run and the target mean ability, and another anchored run was completed. This process continued until all adjusted field test form mean abilities were within the 0.005 tolerance limit around the targeted mean ability. The final equating constant for any field test form was the sum of the constants from each anchored round

[2] Because under Rasch IRT the ability of students with extreme scores (either zero or perfect scores) cannot be exactly computed (they are equal to $-\infty$ and $+\infty$, respectively), they were excluded from this and all other analyses for both the anchor and other field test forms.

for that form. At this point, with the adjusted mean abilities for the field test forms all equal (within the specified limits) to the target abilities, all of the adjusted field test item parameters and the anchor item parameters were on the common operational scale, and thus could be used in any subsequent operational administration. The initial mean abilities and final equating constants for the field test forms can be found in Table 8.

Table 8. Initial Mean Abilities and Equating Constants

Form Number	Mean Ability	Constant
402	0.58	0.12
403	0.33	0.36
404	0.80	−0.09
405	0.88	−0.17
406	0.65	0.05
407	0.72	−0.02
408	0.45	0.25
409	0.68	0.02
410	0.65	0.05
411	0.49	0.20
412	0.77	−0.06
413	0.50	0.19
414	0.40	0.29
415	0.04	0.63

Section IV: Scaling of Operational Test Forms

Operational test items were selected based on content coverage, content accuracy, and statistical quality. The sets of items on each operational test conformed to the coverage determined by content experts working from the learning standards established by the New York State Education Department and explicated in the test blueprint. Each item's classical and Rasch statistics were used to assess item quality. Items were selected to vary in difficulty to accurately measure students' abilities across the ability continuum. Appendix F contains the 2013 operational test maps for the June administration.

The examination has two cut scores which are set at the scale scores of 65 and 85. One of the primary considerations during test construction was to select items so as to minimize changes in the raw scores corresponding to these two scale scores. Maintaining a consistent mean Rasch difficulty level from administration to administration facilitates this. For this assessment, the target value for the mean Rasch difficulty was set at 0.068. It should be noted that the raw scores corresponding to the

scale score cut scores may still fluctuate even if the mean Rasch difficulty level is maintained at the target value due to differences in the distributions of the Rasch difficulty values amongst the items from administration to administration.

The relationship between raw and scale scores is explicated in the scoring tables for each administration. These tables can be found in Appendix G, and cover the June, administration. These tables are the end product of the following scaling procedure.

The assessment is equated back to a base scale that is held constant from year to year. Specifically, it is equated to the base scale through the use of a calibrated item pool. The Rasch difficulties from the items' initial administration in a previous year's field test are used to equate the scale for the current administration to the base administration. For this exam, the base administration was the May 2006 administration. Scale scores from the 2013 administration are on the same scale and can be directly compared to scale scores on all previous administrations back to and including the May 2006 administration.

When the base administration was concluded, the initial raw score to scale score relationship was established. Four raw scores were fixed at specific scale scores. Scale scores of 0 and 100 were fixed to correspond to the minimum and maximum possible raw scores. In addition, a standard setting had been held to determine the passing and passing with distinction cut scores in the raw score metric. The scale score points of 65 and 85 were set to correspond to those raw score cuts. A third degree polynomial is required in order to fit a line exactly to four arbitrary points (e.g., the raw scores corresponding to the four critical scale scores of 0, 65, 85, and 100). The general form of this best-fitting line is:

$$SS = m_3 * RS^3 + m_2 * RS^2 + m_1 * RS + m_0$$

where SS is the scaled score, RS is the raw score, and m_0 though m_3 are the transformation constants that convert the raw score into the scale score (please note that m_0 will always be equal to zero in this application since a raw score of zero corresponds to a scale score of zero). The above relationship and the values of m_1 to m_3 specific to this subject were then used to determine the scale scores corresponding to the remainder of the raw scores on the examination. This initial relationship between the raw and scale scores became the base scale.

The Rasch difficulty parameters for the items on the base form were then used to derive a raw score to Rasch student ability (theta score) relationship. This allowed the relationship between the Rasch theta score and the scale score to be known, mediated through their common relationship with the raw scores.

In succeeding years, each test form was selected from the pool of items that had been tested in previous years' field tests, each of which had known Rasch item difficulty parameter(s). These known parameters were used to construct the relationship between the raw and Rasch theta scores for that particular form. Because the Rasch

difficulty parameters are all on a common scale, the Rasch theta scores were also on a common scale with previously administered forms. The remaining step in the scaling process was to find the scale score equivalent for the Rasch theta score corresponding to each raw score point on the new form using the theta to scale score relationship established in the base year. This was done via linear interpolation.

This process results in a relationship between the raw scores on the form and the overall scale scores. The scale scores corresponding to each raw score are then rounded to the nearest integer for reporting on the conversion chart (posted at the close of each administration). The only exceptions are for the minimum and maximum raw scores and the raw scores that correspond to the scaled cut scores of 65 and 85.

The minimum (zero) and maximum possible raw scores are assigned scale scores of 0 and 100, respectively. In the event that there are raw scores less than the maximum with scale scores that round to 100, their scale scores are set equal to 99. A similar process is followed with the minimum score; if any raw scores other than zero have scale scores that round to zero, their scale scores are instead set equal to one.

With regard to the cuts, if two or more scale scores round to either 65 or 85, the lowest raw score's scale score is set equal to a 65 or 85 and the scale scores corresponding to the higher raw scores are set to 66 or 86 as appropriate. If no scale score rounds to either of these two critical cuts, then the raw score with the largest scale score that is less than the cut is set equal to the cut. The overarching principle when two raw scores both round to either scale score cut is that the lower of the raw scores is always assigned to be equal to the cut so that students are never penalized for this ambiguity.

The New York State Examination in Grade 8 Intermediate Level Science is composed of both a written and a lab (or performance) component. The lab portion remains constant from year to year, while the written component is refreshed with each successive administration. Only the written component was addressed in the present report. Students taking the assessment receive two scale scores, one from each of the two components. The scale score from the performance component is similar to that from the written component in that it ranges from 0 to 100, and was subjected to a standard setting that determined the raw score points that were fixed to the scale scores of 65 and 85. A student's final scale score on the assessment is a weighted sum of his or her written and performance scale scores and is determined via the following formula:

$$SS_{Total} = 0.15*SS_{Performance} + 0.85*SS_{Written}$$

Where SS_{Total} is the total scale score and $SS_{Performance}$ and $SS_{Written}$ are the scale scores from the performance and written components of the test, respectively.

References

Allen, N. L., Carlson, J. E., & Zalanak, C. A. (1999). *The NAEP 1996 technical report.* Washington, DC: National Center for Education Statistics.

Clauser, B. E., & Mazor, K. M. (1998). Using statistical procedures to identify differentially functioning test items. *Educational Measurement: Issues and Practice, 17*(1), 31–44.

Cohen, J. (1968). Weighted kappa: Nominal scale agreement with provision for scaled disagreement or partial credit. *Psychological Bulletin, 70*, 213–220.

Cronbach, L. J. (1951). Coefficient alpha and the internal structure of tests. *Psychometrika, 16*(3), 297–334.

Dorans, N. J., & Schmitt, A. P. (1991). *Constructed-response and differential item functioning: A pragmatic approach* (ETS Research Report No. 91-49). Princeton, NJ: Educational Testing Service.

Fleiss, J. L. (1981). *Statistical methods for rates and proportions. 2nd ed.* New York: John Wiley.

Hambleton, R. K, Swaminathan, H., & Rogers, H. J. (1991). *Fundamentals of item response theory.* Newbury Park, CA: Sage Publications, Inc.

Linacre, J. M. (2005). WINSTEPS Rasch measurement computer program and manual (PDF file) v 3.60. Chicago: Winsteps.com

Linacre, J. M. (2011). *A user's guide to WINSTEPS MINISTEP Rasch-model computer programs: Program manual 3.73.0* (PDF file). Chicago: Winsteps.com

Lord, F. M. (1980). *Applications of item response theory to practical testing problems.* Hillsdale, NJ: Lawrence Erlbaum Associates.

Masters, G. N. (1982). A Rasch model for partial credit scoring. *Psychometrika, 47*, 149–174.

McGraw, K. O., & Wong, S. P. (1996). Forming inferences about some intraclass correlation coefficients. *Psychological Methods, 1*(1), 30-46.

Rasch, G. (1980). *Probabilistic models for some intelligence and attainment tests*. Chicago, IL: University of Chicago Press.

Shrout, P. E., & Fleiss, J. L. (1979). Intraclass correlations: uses in assessing rater reliability. *Psychological Bulletin, 86*, 420-428.

Thissen, D., & Steinberg, L. (1986). A taxonomy of item response models. *Psychometrika, 51,* 567–577.

Zwick, R. (2012). *A review of ETS differential item functioning assessment procedures: Flagging rules, minimum sample size requirements, and criterion refinement* (ETS Research Report No. 12-08). Princeton, NJ: Educational Testing Service.

Zwick, R., Donoghue, J. R., & Grima, A. (1993). Assessment of differential item functioning for performance tasks. *Journal of Educational Measurement, 30*, 233–251.

Appendix A: Classical Item Analysis

In the following table, “Max” is the maximum number of possible points. “N-Count” refers to the number of student records in the analysis. “Alpha” contains Cronbach's Coefficient α (since this is a test [form] level statistic, it has the same value for all items within each form). For MC items, “B” represents the proportion of students who left the item blank, and “M1” through “M4” are the proportions of students who selected each of the four answer choices. For CR items, “B” represents the proportion of students who left the item blank, and “M0” through “M4” are the proportions of students who received scores of 0 through 4. “Mean” is the average of the scores received by the students. The final (right) column contains the Point-Biserial correlation for each item. There may be some instances of items with missing statistics; this occurs when an item was not scored.

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2013_G8SC	401	MC	01	1	958	0.85	0.00		0.02	0.12	0.22	0.63	0.63	0.34
2013_G8SC	401	MC	02	1	958	0.85	0.00		0.04	0.08	0.71	0.17	0.71	0.43
2013_G8SC	401	MC	03	1	958	0.85	0.01		0.09	0.06	0.22	0.62	0.62	0.48
2013_G8SC	401	MC	04	1	958	0.85	0.00		0.04	0.70	0.23	0.03	0.70	0.30
2013_G8SC	401	MC	05	1	958	0.85	0.00		0.06	0.24	0.20	0.51	0.51	0.28
2013_G8SC	401	MC	06	1	958	0.85	0.00		0.14	0.31	0.51	0.04	0.51	0.47
2013_G8SC	401	MC	07	1	958	0.85	0.00		0.26	0.16	0.39	0.18	0.39	0.25
2013_G8SC	401	MC	08	1	958	0.85	0.01		0.37	0.15	0.39	0.08	0.39	0.34
2013_G8SC	401	MC	09	1	958	0.85	0.00		0.07	0.84	0.05	0.03	0.84	0.48
2013_G8SC	401	MC	10	1	958	0.85	0.01		0.14	0.04	0.03	0.79	0.79	0.44
2013_G8SC	401	MC	11	1	958	0.85	0.01		0.07	0.74	0.15	0.04	0.74	0.48
2013_G8SC	401	MC	12	1	958	0.85	0.01		0.05	0.04	0.23	0.67	0.67	0.50
2013_G8SC	401	MC	13	1	958	0.85	0.02		0.11	0.75	0.10	0.03	0.75	0.34
2013_G8SC	401	MC	14	1	958	0.85	0.02		0.72	0.16	0.04	0.05	0.72	0.48
2013_G8SC	401	MC	15	1	958	0.85	0.02		0.05	0.74	0.06	0.13	0.74	0.41
2013_G8SC	401	MC	16	1	958	0.85	0.02		0.13	0.67	0.04	0.14	0.67	0.51
2013_G8SC	401	MC	17	1	958	0.85	0.02		0.09	0.06	0.04	0.79	0.79	0.51

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2013_G8SC	401	MC	18	1	958	0.85	0.02		0.46	0.34	0.13	0.04	0.46	0.34
2013_G8SC	401	MC	19	1	958	0.85	0.02		0.02	0.12	0.55	0.28	0.55	0.43
2013_G8SC	401	MC	20	1	958	0.85	0.03		0.69	0.07	0.15	0.07	0.69	0.51
2013_G8SC	401	MC	21	1	958	0.85	0.03		0.12	0.09	0.71	0.05	0.71	0.54
2013_G8SC	401	MC	22	1	958	0.85	0.03		0.47	0.21	0.17	0.11	0.47	0.42
2013_G8SC	401	MC	23	1	958	0.85	0.04		0.13	0.59	0.08	0.17	0.59	0.52
2013_G8SC	401	MC	24	1	958	0.85	0.04		0.83	0.05	0.04	0.04	0.83	0.55
2013_G8SC	401	MC	25	1	958	0.85	0.04		0.02	0.06	0.08	0.78	0.78	0.52
2013_G8SC	401	MC	26	1	958	0.85	0.05		0.25	0.21	0.12	0.38	0.38	0.35
2013_G8SC	401	MC	27	1	958	0.85	0.05		0.10	0.42	0.30	0.14	0.42	0.31
2013_G8SC	401	MC	28	1	958	0.85	0.05		0.17	0.04	0.06	0.68	0.68	0.58
2013_G8SC	401	MC	29	1	958	0.85	0.05		0.12	0.74	0.05	0.04	0.74	0.52
2013_G8SC	401	MC	30	1	958	0.85	0.06		0.16	0.09	0.06	0.63	0.63	0.50
2013_G8SC	402	MC	01	1	909	0.71	0.00		0.91	0.02	0.05	0.03	0.91	0.42
2013_G8SC	402	MC	02	1	909	0.71	0.00		0.17	0.08	0.53	0.22	0.53	0.30
2013_G8SC	402	MC	03	1	909	0.71	0.00		0.86	0.03	0.06	0.06	0.86	0.47
2013_G8SC	402	MC	04	1	909	0.71	0.00		0.87	0.05	0.06	0.02	0.87	0.32
2013_G8SC	402	MC	05	1	909	0.71	0.00		0.14	0.15	0.28	0.42	0.42	0.35
2013_G8SC	402	MC	06	1	909	0.71	0.00		0.14	0.42	0.33	0.10	0.42	0.20
2013_G8SC	402	MC	07	1	909	0.71	0.00		0.04	0.77	0.08	0.11	0.77	0.40
2013_G8SC	402	MC	08	1	909	0.71	0.00		0.08	0.81	0.10	0.01	0.81	0.30
2013_G8SC	402	MC	09	1	909	0.71	0.00		0.04	0.05	0.04	0.87	0.87	0.48
2013_G8SC	402	MC	10	1	909	0.71	0.01		0.02	0.70	0.12	0.15	0.70	0.46
2013_G8SC	402	MC	11	1	909	0.71	0.02		0.03	0.08	0.83	0.04	0.83	0.34
2013_G8SC	402	CR	41	1	909	0.71	0.03	0.69	0.28				0.28	0.40
2013_G8SC	402	CR	42	1	909	0.71	0.05	0.77	0.18				0.18	0.21
2013_G8SC	402	CR	43	1	909	0.71	0.03	0.27	0.70				0.70	0.36

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2013_G8SC	402	CR	44	1	909	0.71	0.04	0.63	0.32				0.32	0.37
2013_G8SC	402	CR	45	1	909	0.71	0.03	0.24	0.73				0.73	0.42
2013_G8SC	402	CR	46	1	909	0.71	0.04	0.53	0.43				0.43	0.51
2013_G8SC	402	CR	47	1	909	0.71	0.04	0.16	0.80				0.80	0.44
2013_G8SC	402	CR	48	1	909	0.71	0.10	0.58	0.31				0.31	0.42
2013_G8SC	402	CR	49	1	909	0.71	0.11	0.70	0.20				0.20	0.41
2013_G8SC	402	CR	50	2	909	0.71	0.17	0.12	0.21	0.50			1.22	0.56
2013_G8SC	403	MC	01	1	938	0.79	0.00		0.04	0.91	0.03	0.03	0.91	0.28
2013_G8SC	403	MC	02	1	938	0.79	0.00		0.12	0.09	0.68	0.11	0.68	0.38
2013_G8SC	403	MC	03	1	938	0.79	0.00		0.11	0.75	0.12	0.02	0.75	0.45
2013_G8SC	403	MC	04	1	938	0.79	0.00		0.08	0.31	0.56	0.05	0.56	0.47
2013_G8SC	403	MC	05	1	938	0.79	0.00		0.52	0.36	0.08	0.04	0.52	0.51
2013_G8SC	403	MC	06	1	938	0.79	0.00		0.07	0.07	0.81	0.06	0.81	0.37
2013_G8SC	403	MC	07	1	938	0.79	0.00		0.02	0.06	0.08	0.85	0.85	0.34
2013_G8SC	403	MC	08	1	938	0.79	0.00		0.53	0.13	0.06	0.28	0.53	0.41
2013_G8SC	403	MC	09	1	938	0.79	0.00		0.64	0.17	0.13	0.06	0.64	0.41
2013_G8SC	403	MC	10	1	938	0.79	0.01		0.04	0.39	0.51	0.05	0.39	0.44
2013_G8SC	403	CR	41	1	938	0.79	0.01	0.22	0.78				0.78	0.43
2013_G8SC	403	CR	42	1	938	0.79	0.01	0.10	0.89				0.89	0.33
2013_G8SC	403	CR	43	1	938	0.79	0.01	0.76	0.22				0.22	0.45
2013_G8SC	403	CR	44											
2013_G8SC	403	CR	45	1	938	0.79	0.04	0.51	0.45				0.45	0.50
2013_G8SC	403	CR	46	1	938	0.79	0.08	0.52	0.40				0.40	0.57
2013_G8SC	403	CR	47	1	938	0.79	0.14	0.45	0.41				0.41	0.61
2013_G8SC	403	CR	48	1	938	0.79	0.15	0.58	0.27				0.27	0.58
2013_G8SC	403	CR	49	1	938	0.79	0.18	0.59	0.23				0.23	0.56
2013_G8SC	403	CR	50	1	938	0.79	0.20	0.56	0.24				0.24	0.44

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2013_G8SC	403	CR	51	1	938	0.79	0.14	0.47	0.39				0.39	0.43
2013_G8SC	404	MC	01	1	929	0.80	0.00		0.06	0.82	0.09	0.03	0.82	0.51
2013_G8SC	404	MC	02	1	929	0.80	0.00		0.66	0.07	0.22	0.05	0.66	0.47
2013_G8SC	404	MC	03	1	929	0.80	0.00		0.13	0.17	0.05	0.65	0.65	0.47
2013_G8SC	404	MC	04	1	929	0.80	0.00		0.03	0.01	0.92	0.03	0.92	0.38
2013_G8SC	404	MC	05	1	929	0.80	0.00		0.86	0.05	0.03	0.06	0.86	0.31
2013_G8SC	404	MC	06	1	929	0.80	0.00		0.06	0.03	0.03	0.88	0.88	0.35
2013_G8SC	404	MC	07	1	929	0.80	0.00		0.22	0.60	0.10	0.08	0.60	0.51
2013_G8SC	404	MC	08	1	929	0.80	0.01		0.52	0.38	0.04	0.04	0.52	0.32
2013_G8SC	404	CR	41	1	929	0.80	0.04	0.57	0.38				0.38	0.47
2013_G8SC	404	CR	42	1	929	0.80	0.01	0.16	0.83				0.83	0.36
2013_G8SC	404	CR	43	1	929	0.80	0.06	0.71	0.24				0.24	0.47
2013_G8SC	404	CR	44	1	929	0.80	0.06	0.47	0.47				0.47	0.49
2013_G8SC	404	CR	45	1	929	0.80	0.04	0.38	0.58				0.58	0.51
2013_G8SC	404	CR	46	1	929	0.80	0.02	0.10	0.88				0.88	0.34
2013_G8SC	404	CR	47	1	929	0.80	0.03	0.34	0.63				0.63	0.49
2013_G8SC	404	CR	48	1	929	0.80	0.06	0.17	0.77				0.77	0.56
2013_G8SC	404	CR	49	1	929	0.80	0.08	0.29	0.63				0.63	0.49
2013_G8SC	404	CR	50	1	929	0.80	0.06	0.55	0.39				0.39	0.32
2013_G8SC	404	CR	51	1	929	0.80	0.09	0.45	0.46				0.46	0.51
2013_G8SC	404	CR	52	1	929	0.80	0.09	0.33	0.57				0.57	0.59
2013_G8SC	404	CR	53	1	929	0.80	0.11	0.46	0.42				0.42	0.49
2013_G8SC	405	MC	01	1	941	0.83	0.00		0.07	0.03	0.05	0.84	0.84	0.38
2013_G8SC	405	MC	02	1	941	0.83	0.01		0.72	0.07	0.05	0.16	0.72	0.35
2013_G8SC	405	MC	03	1	941	0.83	0.00		0.05	0.87	0.03	0.05	0.87	0.45
2013_G8SC	405	MC	04	1	941	0.83	0.00		0.09	0.13	0.07	0.70	0.70	0.48
2013_G8SC	405	MC	05	1	941	0.83	0.01		0.03	0.73	0.18	0.05	0.73	0.58

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2013_G8SC	405	MC	06	1	941	0.83	0.00		0.05	0.24	0.26	0.46	0.46	0.51
2013_G8SC	405	MC	07	1	941	0.83	0.00		0.11	0.09	0.17	0.63	0.63	0.54
2013_G8SC	405	MC	08	1	941	0.83	0.00		0.03	0.05	0.86	0.05	0.86	0.49
2013_G8SC	405	MC	09	1	941	0.83	0.01		0.03	0.07	0.78	0.12	0.78	0.47
2013_G8SC	405	MC	10	1	941	0.83	0.01		0.03	0.87	0.03	0.06	0.87	0.50
2013_G8SC	405	CR	41	1	941	0.83	0.04	0.38	0.58				0.58	0.49
2013_G8SC	405	CR	42	1	941	0.83	0.04	0.54	0.42				0.42	0.43
2013_G8SC	405	CR	43	1	941	0.83	0.08	0.49	0.43				0.43	0.43
2013_G8SC	405	CR	44	1	941	0.83	0.12	0.61	0.27				0.27	0.44
2013_G8SC	405	CR	45	1	941	0.83	0.04	0.15	0.81				0.81	0.56
2013_G8SC	405	CR	46	1	941	0.83	0.04	0.20	0.76				0.76	0.52
2013_G8SC	405	CR	47	1	941	0.83	0.08	0.50	0.42				0.42	0.41
2013_G8SC	405	CR	48	1	941	0.83	0.05	0.11	0.84				0.84	0.43
2013_G8SC	405	CR	49	1	941	0.83	0.09	0.57	0.34				0.34	0.46
2013_G8SC	405	CR	50	1	941	0.83	0.12	0.16	0.72				0.72	0.55
2013_G8SC	405	CR	51	1	941	0.83	0.13	0.24	0.62				0.62	0.53
2013_G8SC	406	MC	01	1	934	0.78	0.00		0.06	0.88	0.03	0.03	0.88	0.27
2013_G8SC	406	MC	02	1	934	0.78	0.00		0.28	0.60	0.10	0.02	0.60	0.32
2013_G8SC	406	MC	03	1	934	0.78	0.00		0.14	0.16	0.53	0.16	0.53	0.39
2013_G8SC	406	MC	04	1	934	0.78	0.00		0.21	0.15	0.59	0.05	0.59	0.37
2013_G8SC	406	MC	05	1	934	0.78	0.00		0.12	0.02	0.79	0.06	0.79	0.40
2013_G8SC	406	MC	06	1	934	0.78	0.00		0.08	0.04	0.06	0.82	0.82	0.44
2013_G8SC	406	MC	07	1	934	0.78	0.01		0.58	0.11	0.19	0.11	0.58	0.38
2013_G8SC	406	MC	08	1	934	0.78	0.00		0.52	0.15	0.06	0.26	0.26	0.23
2013_G8SC	406	MC	09	1	934	0.78	0.00		0.85	0.03	0.04	0.08	0.85	0.43
2013_G8SC	406	MC	10	1	934	0.78	0.01		0.07	0.14	0.67	0.11	0.67	0.40
2013_G8SC	406	CR	41	1	934	0.78	0.01	0.54	0.45				0.45	0.46

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2013_G8SC	406	CR	42	1	934	0.78	0.01	0.18	0.81				0.81	0.39
2013_G8SC	406	CR	43	1	934	0.78	0.06	0.35	0.59				0.59	0.51
2013_G8SC	406	CR	44	1	934	0.78	0.18	0.60	0.23				0.23	0.51
2013_G8SC	406	CR	45	1	934	0.78	0.04	0.23	0.74				0.74	0.48
2013_G8SC	406	CR	46	1	934	0.78	0.08	0.34	0.57				0.57	0.63
2013_G8SC	406	CR	47	1	934	0.78	0.17	0.45	0.37				0.37	0.56
2013_G8SC	406	CR	48	1	934	0.78	0.04	0.05	0.91				0.91	0.40
2013_G8SC	406	CR	49	1	934	0.78	0.08	0.33	0.59				0.59	0.45
2013_G8SC	406	CR	50	1	934	0.78	0.09	0.33	0.58				0.58	0.61
2013_G8SC	406	CR	51	1	934	0.78	0.08	0.56	0.36				0.36	0.46
2013_G8SC	407	MC	01	1	910	0.82	0.00		0.10	0.02	0.78	0.10	0.78	0.39
2013_G8SC	407	MC	02	1	910	0.82	0.00		0.32	0.51	0.07	0.10	0.51	0.43
2013_G8SC	407	MC	03	1	910	0.82	0.00		0.88	0.04	0.06	0.02	0.88	0.37
2013_G8SC	407	MC	04	1	910	0.82	0.01		0.28	0.05	0.65	0.01	0.65	0.29
2013_G8SC	407	MC	05	1	910	0.82	0.00		0.50	0.22	0.21	0.07	0.50	0.39
2013_G8SC	407	MC	06	1	910	0.82	0.00		0.08	0.16	0.06	0.69	0.69	0.43
2013_G8SC	407	MC	07	1	910	0.82	0.00		0.06	0.06	0.11	0.77	0.77	0.46
2013_G8SC	407	MC	08	1	910	0.82	0.00		0.10	0.10	0.69	0.11	0.69	0.33
2013_G8SC	407	MC	09	1	910	0.82	0.01		0.12	0.09	0.70	0.09	0.70	0.49
2013_G8SC	407	MC	10	1	910	0.82	0.01		0.09	0.21	0.34	0.35	0.35	0.37
2013_G8SC	407	MC	11											
2013_G8SC	407	MC	12	1	910	0.82	0.01		0.07	0.85	0.04	0.04	0.85	0.51
2013_G8SC	407	MC	13	1	910	0.82	0.02		0.26	0.36	0.05	0.31	0.36	0.26
2013_G8SC	407	CR	41	1	910	0.82	0.05	0.55	0.40				0.40	0.46
2013_G8SC	407	CR	42	1	910	0.82	0.03	0.31	0.66				0.66	0.58
2013_G8SC	407	CR	43	1	910	0.82	0.02	0.20	0.78				0.78	0.35
2013_G8SC	407	CR	44											

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2013_G8SC	407	CR	45											
2013_G8SC	407	CR	46	1	910	0.82	0.04	0.15	0.81				0.81	0.37
2013_G8SC	407	CR	47	1	910	0.82	0.09	0.33	0.58				0.58	0.61
2013_G8SC	407	CR	48	1	910	0.82	0.12	0.56	0.32				0.32	0.49
2013_G8SC	407	CR	49	1	910	0.82	0.09	0.27	0.64				0.64	0.55
2013_G8SC	407	CR	50	1	910	0.82	0.13	0.27	0.60				0.60	0.67
2013_G8SC	407	CR	51	1	910	0.82	0.15	0.26	0.60				0.60	0.65
2013_G8SC	407	CR	52	1	910	0.82	0.16	0.13	0.71				0.71	0.50
2013_G8SC	408	MC	01	1	916	0.79	0.00		0.13	0.06	0.79	0.02	0.79	0.40
2013_G8SC	408	MC	02	1	916	0.79	0.00		0.55	0.33	0.04	0.08	0.55	0.36
2013_G8SC	408	MC	03	1	916	0.79	0.00		0.09	0.22	0.09	0.60	0.60	0.38
2013_G8SC	408	MC	04	1	916	0.79	0.00		0.10	0.12	0.16	0.61	0.61	0.45
2013_G8SC	408	MC	05	1	916	0.79	0.01		0.64	0.21	0.09	0.06	0.64	0.30
2013_G8SC	408	MC	06	1	916	0.79	0.00		0.65	0.15	0.10	0.10	0.65	0.46
2013_G8SC	408	MC	07	1	916	0.79	0.00		0.79	0.05	0.07	0.09	0.79	0.47
2013_G8SC	408	MC	08	1	916	0.79	0.00		0.18	0.13	0.59	0.10	0.59	0.32
2013_G8SC	408	MC	09	1	916	0.79	0.00		0.78	0.09	0.05	0.07	0.78	0.47
2013_G8SC	408	MC	10	1	916	0.79	0.00		0.05	0.71	0.18	0.05	0.71	0.41
2013_G8SC	408	MC	11	1	916	0.79	0.00		0.11	0.03	0.04	0.82	0.82	0.38
2013_G8SC	408	MC	12	1	916	0.79	0.01		0.10	0.59	0.08	0.22	0.59	0.47
2013_G8SC	408	MC	13	1	916	0.79	0.03		0.72	0.17	0.05	0.04	0.72	0.54
2013_G8SC	408	CR	41	1	916	0.79	0.00	0.21	0.79				0.79	0.25
2013_G8SC	408	CR	42	1	916	0.79	0.00	0.51	0.48				0.48	0.39
2013_G8SC	408	CR	43	1	916	0.79	0.02	0.33	0.65				0.65	0.28
2013_G8SC	408	CR	44	1	916	0.79	0.02	0.60	0.37				0.37	0.41
2013_G8SC	408	CR	45	1	916	0.79	0.04	0.45	0.52				0.52	0.48
2013_G8SC	408	CR	46	1	916	0.79	0.12	0.34	0.53				0.53	0.53

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2013_G8SC	408	CR	47	1	916	0.79	0.09	0.57	0.34				0.34	0.51
2013_G8SC	408	CR	48	1	916	0.79	0.05	0.50	0.45				0.45	0.47
2013_G8SC	408	CR	49	1	916	0.79	0.13	0.63	0.24				0.24	0.34
2013_G8SC	408	CR	50	1	916	0.79	0.16	0.50	0.33				0.33	0.36
2013_G8SC	408	CR	51	1	916	0.79	0.14	0.38	0.48				0.48	0.45
2013_G8SC	409	MC	01											
2013_G8SC	409	MC	02	1	887	0.75	0.01		0.17	0.32	0.43	0.08	0.43	0.35
2013_G8SC	409	MC	03	1	887	0.75	0.00		0.02	0.03	0.04	0.91	0.91	0.43
2013_G8SC	409	MC	04	1	887	0.75	0.01		0.38	0.04	0.55	0.03	0.55	0.47
2013_G8SC	409	MC	05	1	887	0.75	0.01		0.06	0.74	0.16	0.04	0.74	0.48
2013_G8SC	409	MC	06	1	887	0.75	0.00		0.44	0.09	0.41	0.06	0.41	0.43
2013_G8SC	409	MC	07	1	887	0.75	0.00		0.04	0.10	0.82	0.03	0.82	0.40
2013_G8SC	409	MC	08	1	887	0.75	0.00		0.62	0.11	0.04	0.22	0.62	0.45
2013_G8SC	409	MC	09	1	887	0.75	0.00		0.55	0.05	0.07	0.33	0.33	0.27
2013_G8SC	409	MC	10	1	887	0.75	0.00		0.53	0.35	0.07	0.04	0.53	0.18
2013_G8SC	409	MC	11	1	887	0.75	0.00		0.78	0.08	0.09	0.05	0.78	0.42
2013_G8SC	409	MC	12	1	887	0.75	0.00		0.16	0.03	0.05	0.76	0.76	0.54
2013_G8SC	409	MC	13	1	887	0.75	0.01		0.09	0.82	0.03	0.05	0.82	0.45
2013_G8SC	409	CR	41	1	887	0.75	0.01	0.39	0.60				0.60	0.25
2013_G8SC	409	CR	42	1	887	0.75	0.01	0.36	0.63				0.63	0.43
2013_G8SC	409	CR	43											
2013_G8SC	409	CR	44											
2013_G8SC	409	CR	45											
2013_G8SC	409	CR	46											
2013_G8SC	409	CR	47	1	887	0.75	0.02	0.13	0.84				0.84	0.47
2013_G8SC	409	CR	48	1	887	0.75	0.03	0.81	0.16				0.16	0.39
2013_G8SC	409	CR	49	1	887	0.75	0.04	0.46	0.50				0.50	0.55

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2013_G8SC	409	CR	50	1	887	0.75	0.06	0.20	0.74				0.74	0.54
2013_G8SC	409	CR	51	1	887	0.75	0.05	0.13	0.81				0.81	0.42
2013_G8SC	409	CR	52	1	887	0.75	0.08	0.46	0.46				0.46	0.50
2013_G8SC	410	MC	01	1	924	0.84	0.00		0.07	0.85	0.03	0.05	0.85	0.33
2013_G8SC	410	MC	02	1	924	0.84	0.00		0.15	0.05	0.70	0.11	0.70	0.46
2013_G8SC	410	MC	03	1	924	0.84	0.01		0.10	0.65	0.04	0.20	0.65	0.38
2013_G8SC	410	MC	04	1	924	0.84	0.00		0.19	0.63	0.14	0.03	0.63	0.26
2013_G8SC	410	MC	05	1	924	0.84	0.00		0.06	0.05	0.85	0.05	0.85	0.39
2013_G8SC	410	MC	06	1	924	0.84	0.00		0.11	0.17	0.15	0.56	0.56	0.47
2013_G8SC	410	MC	07	1	924	0.84	0.00		0.06	0.07	0.07	0.81	0.81	0.46
2013_G8SC	410	MC	08	1	924	0.84	0.00		0.03	0.17	0.78	0.02	0.78	0.49
2013_G8SC	410	MC	09	1	924	0.84	0.00		0.34	0.07	0.25	0.33	0.34	0.39
2013_G8SC	410	MC	10	1	924	0.84	0.00		0.17	0.66	0.05	0.11	0.66	0.53
2013_G8SC	410	MC	11	1	924	0.84	0.00		0.02	0.05	0.33	0.60	0.60	0.58
2013_G8SC	410	MC	12	1	924	0.84	0.01		0.48	0.32	0.13	0.06	0.48	0.40
2013_G8SC	410	MC	13	1	924	0.84	0.02		0.05	0.02	0.88	0.03	0.88	0.34
2013_G8SC	410	CR	41	1	924	0.84	0.02	0.56	0.42				0.42	0.39
2013_G8SC	410	CR	42	1	924	0.84	0.05	0.35	0.61				0.61	0.52
2013_G8SC	410	CR	43	1	924	0.84	0.06	0.47	0.48				0.48	0.56
2013_G8SC	410	CR	44	1	924	0.84	0.07	0.26	0.66				0.66	0.59
2013_G8SC	410	CR	45											
2013_G8SC	410	CR	46	1	924	0.84	0.10	0.48	0.42				0.42	0.51
2013_G8SC	410	CR	47	1	924	0.84	0.04	0.16	0.80				0.80	0.52
2013_G8SC	410	CR	48	1	924	0.84	0.16	0.35	0.49				0.49	0.57
2013_G8SC	410	CR	49	1	924	0.84	0.12	0.27	0.62				0.62	0.64
2013_G8SC	410	CR	50	1	924	0.84	0.17	0.48	0.35				0.35	0.54
2013_G8SC	410	CR	51	1	924	0.84	0.13	0.32	0.55				0.55	0.53

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2013_G8SC	411	MC	01	1	916	0.81	0.00		0.19	0.08	0.21	0.53	0.53	0.38
2013_G8SC	411	MC	02	1	916	0.81	0.00		0.06	0.21	0.68	0.06	0.68	0.44
2013_G8SC	411	MC	03	1	916	0.81	0.00		0.04	0.07	0.04	0.85	0.85	0.45
2013_G8SC	411	MC	04	1	916	0.81	0.00		0.48	0.45	0.03	0.03	0.48	0.44
2013_G8SC	411	MC	05	1	916	0.81	0.00		0.13	0.13	0.69	0.05	0.69	0.42
2013_G8SC	411	MC	06	1	916	0.81	0.00		0.01	0.64	0.06	0.29	0.64	0.43
2013_G8SC	411	MC	07	1	916	0.81	0.00		0.06	0.16	0.07	0.72	0.72	0.47
2013_G8SC	411	MC	08	1	916	0.81	0.01		0.05	0.09	0.31	0.54	0.54	0.26
2013_G8SC	411	MC	09	1	916	0.81	0.01		0.08	0.32	0.54	0.05	0.54	0.38
2013_G8SC	411	MC	10	1	916	0.81	0.01		0.11	0.09	0.06	0.72	0.72	0.45
2013_G8SC	411	CR	41	1	916	0.81	0.01	0.40	0.59				0.59	0.48
2013_G8SC	411	CR	42	1	916	0.81	0.03	0.19	0.78				0.78	0.51
2013_G8SC	411	CR	43	1	916	0.81	0.03	0.71	0.25				0.25	0.43
2013_G8SC	411	CR	44	1	916	0.81	0.02	0.31	0.67				0.67	0.59
2013_G8SC	411	CR	45	1	916	0.81	0.03	0.18	0.79				0.79	0.52
2013_G8SC	411	CR	46	1	916	0.81	0.06	0.36	0.58				0.58	0.59
2013_G8SC	411	CR	47	1	916	0.81	0.08	0.53	0.39				0.39	0.58
2013_G8SC	411	CR	48	1	916	0.81	0.13	0.61	0.27				0.27	0.51
2013_G8SC	411	CR	49	1	916	0.81	0.14	0.23	0.63				0.63	0.53
2013_G8SC	411	CR	50	1	916	0.81	0.16	0.36	0.48				0.48	0.56
2013_G8SC	412	MC	01	1	886	0.76	0.01		0.08	0.67	0.06	0.18	0.67	0.46
2013_G8SC	412	MC	02	1	886	0.76	0.00		0.06	0.08	0.84	0.02	0.84	0.40
2013_G8SC	412	MC	03	1	886	0.76	0.00		0.08	0.80	0.03	0.09	0.80	0.42
2013_G8SC	412	MC	04	1	886	0.76	0.00		0.82	0.07	0.05	0.06	0.82	0.55
2013_G8SC	412	MC	05	1	886	0.76	0.00		0.34	0.02	0.57	0.06	0.57	0.44
2013_G8SC	412	MC	06	1	886	0.76	0.00		0.04	0.05	0.86	0.05	0.86	0.45
2013_G8SC	412	MC	07	1	886	0.76	0.00		0.14	0.12	0.46	0.28	0.46	0.39

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2013_G8SC	412	MC	08	1	886	0.76	0.00		0.40	0.07	0.28	0.25	0.40	0.41
2013_G8SC	412	MC	09	1	886	0.76	0.00		0.24	0.54	0.11	0.10	0.54	0.37
2013_G8SC	412	MC	10	1	886	0.76	0.00		0.03	0.83	0.06	0.08	0.83	0.47
2013_G8SC	412	MC	11	1	886	0.76	0.02		0.17	0.57	0.18	0.06	0.57	0.36
2013_G8SC	412	CR	41	1	886	0.76	0.00	0.41	0.59				0.59	0.36
2013_G8SC	412	CR	42	1	886	0.76	0.02	0.42	0.56				0.56	0.51
2013_G8SC	412	CR	43	1	886	0.76	0.03	0.38	0.59				0.59	0.48
2013_G8SC	412	CR	44	1	886	0.76	0.02	0.49	0.49				0.49	0.36
2013_G8SC	412	CR	45	1	886	0.76	0.03	0.33	0.65				0.65	0.45
2013_G8SC	412	CR	46	1	886	0.76	0.06	0.42	0.52				0.52	0.62
2013_G8SC	412	CR	47	1	886	0.76	0.05	0.13	0.83				0.83	0.37
2013_G8SC	412	CR	48											
2013_G8SC	412	CR	49											
2013_G8SC	412	CR	50	1	886	0.76	0.13	0.31	0.56				0.56	0.47
2013_G8SC	413	MC	01	1	911	0.76	0.00		0.02	0.02	0.01	0.96	0.96	0.30
2013_G8SC	413	MC	02	1	911	0.76	0.00		0.71	0.13	0.12	0.05	0.71	0.40
2013_G8SC	413	MC	03	1	911	0.76	0.00		0.74	0.09	0.06	0.11	0.74	0.51
2013_G8SC	413	MC	04	1	911	0.76	0.00		0.06	0.72	0.05	0.17	0.72	0.33
2013_G8SC	413	MC	05	1	911	0.76	0.00		0.89	0.05	0.04	0.03	0.89	0.37
2013_G8SC	413	MC	06	1	911	0.76	0.00		0.04	0.07	0.47	0.42	0.42	0.39
2013_G8SC	413	MC	07	1	911	0.76	0.00		0.67	0.05	0.27	0.01	0.67	0.46
2013_G8SC	413	MC	08	1	911	0.76	0.00		0.08	0.14	0.74	0.05	0.74	0.45
2013_G8SC	413	MC	09	1	911	0.76	0.00		0.07	0.81	0.05	0.06	0.81	0.48
2013_G8SC	413	MC	10	1	911	0.76	0.01		0.31	0.28	0.24	0.17	0.31	0.25
2013_G8SC	413	CR	41	1	911	0.76	0.00	0.34	0.66				0.66	0.38
2013_G8SC	413	CR	42	1	911	0.76	0.02	0.63	0.35				0.35	0.45
2013_G8SC	413	CR	43	1	911	0.76	0.07	0.68	0.25				0.25	0.47

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2013_G8SC	413	CR	44	1	911	0.76	0.00	0.23	0.76				0.76	0.30
2013_G8SC	413	CR	45	1	911	0.76	0.01	0.51	0.48				0.48	0.39
2013_G8SC	413	CR	46	1	911	0.76	0.04	0.61	0.35				0.35	0.49
2013_G8SC	413	CR	47	1	911	0.76	0.09	0.65	0.26				0.26	0.53
2013_G8SC	413	CR	48	1	911	0.76	0.09	0.53	0.38				0.38	0.56
2013_G8SC	413	CR	49	1	911	0.76	0.04	0.54	0.42				0.42	0.49
2013_G8SC	413	CR	50	1	911	0.76	0.07	0.29	0.65				0.65	0.52
2013_G8SC	414	MC	01	1	922	0.75	0.00		0.15	0.50	0.28	0.07	0.50	0.43
2013_G8SC	414	MC	02	1	922	0.75	0.01		0.39	0.29	0.14	0.17	0.29	0.25
2013_G8SC	414	MC	03	1	922	0.75	0.00		0.13	0.13	0.09	0.65	0.65	0.32
2013_G8SC	414	MC	04	1	922	0.75	0.00		0.02	0.02	0.93	0.03	0.93	0.36
2013_G8SC	414	MC	05	1	922	0.75	0.00		0.61	0.13	0.05	0.20	0.61	0.52
2013_G8SC	414	MC	06	1	922	0.75	0.00		0.16	0.79	0.04	0.00	0.79	0.46
2013_G8SC	414	MC	07	1	922	0.75	0.00		0.09	0.14	0.70	0.07	0.70	0.39
2013_G8SC	414	MC	08	1	922	0.75	0.00		0.06	0.13	0.56	0.25	0.56	0.36
2013_G8SC	414	MC	09	1	922	0.75	0.01		0.18	0.07	0.14	0.60	0.60	0.43
2013_G8SC	414	MC	10	1	922	0.75	0.01		0.06	0.83	0.03	0.08	0.83	0.50
2013_G8SC	414	CR	41	1	922	0.75	0.01	0.14	0.85				0.85	0.29
2013_G8SC	414	CR	42	1	922	0.75	0.03	0.65	0.32				0.32	0.40
2013_G8SC	414	CR	43	1	922	0.75	0.03	0.29	0.68				0.68	0.46
2013_G8SC	414	CR	44	1	922	0.75	0.01	0.60	0.39				0.39	0.44
2013_G8SC	414	CR	45	1	922	0.75	0.05	0.49	0.46				0.46	0.58
2013_G8SC	414	CR	46	1	922	0.75	0.06	0.69	0.26				0.26	0.43
2013_G8SC	414	CR	47	1	922	0.75	0.14	0.47	0.39				0.39	0.52
2013_G8SC	414	CR	48	1	922	0.75	0.13	0.52	0.34				0.34	0.54
2013_G8SC	414	CR	49	1	922	0.75	0.16	0.49	0.35				0.35	0.34
2013_G8SC	414	CR	50	1	922	0.75	0.13	0.12	0.75				0.75	0.41

Test	Form	Type	Item	Max	N-Count	Alpha	B	M0	M1	M2	M3	M4	Mean	Point-Biserial
2013_G8SC	415	MC	01	1	904	0.77	0.01		0.28	0.21	0.15	0.35	0.35	0.25
2013_G8SC	415	MC	02	1	904	0.77	0.01		0.04	0.18	0.27	0.50	0.50	0.51
2013_G8SC	415	MC	03	1	904	0.77	0.00		0.28	0.65	0.04	0.03	0.65	0.39
2013_G8SC	415	MC	04	1	904	0.77	0.00		0.53	0.27	0.11	0.08	0.53	0.32
2013_G8SC	415	MC	05	1	904	0.77	0.01		0.16	0.08	0.59	0.16	0.59	0.46
2013_G8SC	415	MC	06	1	904	0.77	0.00		0.66	0.20	0.09	0.05	0.66	0.43
2013_G8SC	415	MC	07	1	904	0.77	0.01		0.49	0.32	0.15	0.02	0.49	0.34
2013_G8SC	415	MC	08	1	904	0.77	0.00		0.09	0.11	0.70	0.10	0.70	0.49
2013_G8SC	415	MC	09	1	904	0.77	0.01		0.14	0.44	0.28	0.13	0.44	0.52
2013_G8SC	415	MC	10	1	904	0.77	0.02		0.02	0.22	0.01	0.74	0.74	0.41
2013_G8SC	415	CR	41	1	904	0.77	0.03	0.36	0.61				0.61	0.53
2013_G8SC	415	CR	42	1	904	0.77	0.02	0.22	0.76				0.76	0.47
2013_G8SC	415	CR	43	1	904	0.77	0.07	0.67	0.25				0.25	0.54
2013_G8SC	415	CR	44	1	904	0.77	0.09	0.36	0.55				0.55	0.58
2013_G8SC	415	CR	45											
2013_G8SC	415	CR	46											
2013_G8SC	415	CR	47											
2013_G8SC	415	CR	48	1	904	0.77	0.14	0.59	0.27				0.27	0.50
2013_G8SC	415	CR	49	1	904	0.77	0.19	0.46	0.35				0.35	0.45
2013_G8SC	415	CR	50	1	904	0.77	0.22	0.64	0.14				0.14	0.46
2013_G8SC	415	CR	51	1	904	0.77	0.17	0.22	0.61				0.61	0.49

Appendix B: Inter-Rater Consistency – Point Differences Between First and Second Reads

The first three columns from the left contain the form ID, item sequence number, and number of score points for each item. The remaining columns contain the percentage of times each possible difference between the first and second raters' scores occurred. Blank cells indicate out of range differences (e.g., differences greater than the maximum possible given the point value of that particular item).

Form	Item	Score Points	−2	−1	0	1	2
402	41	1		2%	91%	7%	
402	42	1		1%	95%	4%	
402	43	1		2%	96%	1%	
402	44	1		5%	88%	7%	
402	45	1		0%	99%	1%	
402	46	1		6%	90%	5%	
402	47	1		5%	89%	6%	
402	48	1		1%	97%	2%	
402	49	1		0%	98%	2%	
402	50	2	0%	5%	84%	11%	0%
403	41	1		0%	99%	1%	
403	42	1		5%	95%	0%	
403	43	1		0%	98%	2%	
403	45	1		7%	90%	3%	
403	46	1		0%	96%	4%	
403	47	1		0%	100%	0%	
403	48	1		0%	99%	1%	
403	49	1		1%	94%	5%	
403	50	1		0%	98%	2%	
403	51	1		5%	91%	5%	
404	41	1		8%	77%	15%	
404	42	1		5%	91%	4%	
404	43	1		0%	100%	0%	
404	44	1		7%	83%	9%	
404	45	1		2%	96%	2%	
404	46	1		3%	94%	3%	
404	47	1		1%	97%	2%	
404	48	1		3%	96%	1%	
404	49	1		9%	85%	6%	
404	50	1		2%	96%	2%	

Form	Item	Score Points	−2	−1	0	1	2
404	51	1		2%	97%	1%	
404	52	1		5%	94%	1%	
404	53	1		1%	98%	1%	
405	41	1		7%	84%	9%	
405	42	1		6%	88%	5%	
405	43	1		3%	89%	8%	
405	44	1		2%	94%	3%	
405	45	1		0%	100%	0%	
405	46	1		0%	100%	0%	
405	47	1		3%	96%	1%	
405	48	1		5%	92%	2%	
405	49	1		3%	89%	8%	
405	50	1		4%	94%	2%	
405	51	1		8%	87%	5%	
406	41	1		1%	98%	1%	
406	42	1		1%	98%	1%	
406	43	1		3%	92%	4%	
406	44	1		2%	98%	0%	
406	45	1		1%	98%	1%	
406	46	1		2%	94%	3%	
406	47	1		2%	98%	0%	
406	48	1		2%	95%	3%	
406	49	1		4%	80%	16%	
406	50	1		8%	82%	9%	
406	51	1		0%	100%	0%	
407	41	1		1%	99%	0%	
407	42	1		2%	91%	7%	
407	43	1		0%	99%	1%	
407	46	1		5%	91%	4%	
407	47	1		1%	96%	3%	
407	48	1		3%	95%	2%	
407	49	1		2%	98%	0%	
407	50	1		7%	86%	8%	
407	51	1		4%	86%	10%	
407	52	1		2%	94%	3%	
408	41	1		1%	99%	0%	
408	42	1		2%	98%	0%	
408	43	1		1%	99%	0%	
408	44	1		8%	80%	11%	

Form	Item	Score Points	−2	−1	0	1	2
408	45	1		1%	98%	1%	
408	46	1		1%	92%	7%	
408	47	1		4%	92%	4%	
408	48	1		1%	98%	1%	
408	49	1		0%	99%	1%	
408	50	1		0%	95%	5%	
408	51	1		4%	89%	6%	
409	41	1		0%	100%	0%	
409	42	1		3%	96%	1%	
409	47	1		0%	99%	1%	
409	48	1		0%	100%	0%	
409	49	1		0%	100%	0%	
409	50	1		2%	94%	4%	
409	51	1		4%	95%	1%	
409	52	1		1%	99%	0%	
410	41	1		2%	98%	0%	
410	42	1		1%	96%	3%	
410	43	1		6%	88%	5%	
410	44	1		0%	99%	1%	
410	46	1		3%	97%	0%	
410	47	1		0%	100%	0%	
410	48	1		3%	95%	2%	
410	49	1		4%	96%	0%	
410	50	1		3%	97%	0%	
410	51	1		3%	96%	1%	
411	41	1		0%	100%	0%	
411	42	1		4%	94%	1%	
411	43	1		0%	100%	0%	
411	44	1		0%	99%	1%	
411	45	1		2%	93%	4%	
411	46	1		5%	90%	4%	
411	47	1		5%	92%	3%	
411	48	1		2%	98%	0%	
411	49	1		8%	87%	5%	
411	50	1		1%	98%	1%	
412	41	1		0%	100%	0%	
412	42	1		2%	93%	5%	
412	43	1		3%	92%	5%	
412	44	1		5%	83%	13%	

Form	Item	Score Points	−2	−1	0	1	2
412	45	1		0%	99%	1%	
412	46	1		0%	99%	1%	
412	47	1		2%	97%	1%	
412	50	1		12%	78%	10%	
413	41	1		0%	97%	3%	
413	42	1		0%	100%	0%	
413	43	1		8%	88%	4%	
413	44	1		2%	97%	1%	
413	45	1		4%	93%	2%	
413	46	1		9%	78%	13%	
413	47	1		3%	96%	1%	
413	48	1		0%	100%	0%	
413	49	1		1%	98%	1%	
413	50	1		2%	96%	2%	
414	41	1		0%	99%	1%	
414	42	1		0%	97%	3%	
414	43	1		2%	89%	9%	
414	44	1		0%	100%	0%	
414	45	1		1%	90%	9%	
414	46	1		16%	73%	11%	
414	47	1		1%	96%	3%	
414	48	1		1%	99%	0%	
414	49	1		7%	84%	9%	
414	50	1		2%	98%	0%	
415	41	1		2%	97%	1%	
415	42	1		0%	99%	1%	
415	43	1		2%	97%	1%	
415	44	1		0%	99%	1%	
415	48	1		4%	91%	4%	
415	49	1		8%	82%	10%	
415	50	1		2%	91%	7%	
415	51	1		8%	81%	11%	

Appendix C: Additional Measures of Inter-Rater Reliability and Agreement

The first four columns from the left contain the form ID, item sequence number, number of score points, and the total count of items receiving a first and second read. In the fifth column the percent of exact matches between the first and second scores is provided. The following column ("Adj.") is the percentage of the first and second scores with a difference of −1 or 1. "Total" is the sum of Exact and Adjacent matches (e.g., the two prior columns).

Form	Item	Score Points	Total N-Count	Agreement (%)			Raw Score Mean		Raw Score Standard Deviation		Intraclass Corr	Wt Kappa
				Exact	Adj	Total	First Read	Second Read	First Read	Second Read		
402	41	1	85	90.6%	9.4%	100.0%	0.2	0.2	0.43	0.39	0.72	0.72
402	42	1	83	95.2%	4.8%	100.0%	0.2	0.2	0.43	0.41	0.87	0.86
402	43	1	84	96.4%	3.6%	100.0%	0.8	0.8	0.44	0.43	0.90	0.90
402	44	1	85	88.2%	11.8%	100.0%	0.4	0.4	0.49	0.48	0.75	0.75
402	45	1	85	98.8%	1.2%	100.0%	0.7	0.7	0.45	0.45	0.97	0.97
402	46	1	86	89.5%	10.5%	100.0%	0.5	0.5	0.50	0.50	0.79	0.79
402	47	1	85	89.4%	10.6%	100.0%	0.8	0.8	0.39	0.40	0.66	0.66
402	48	1	86	96.5%	3.5%	100.0%	0.5	0.4	0.50	0.50	0.93	0.93
402	49	1	84	97.6%	2.4%	100.0%	0.2	0.2	0.40	0.39	0.92	0.92
402	50	2	79	83.5%	16.5%	100.0%	1.6	1.5	0.61	0.62	0.78	0.72
403	41	1	93	98.9%	1.1%	100.0%	0.8	0.8	0.37	0.38	0.96	0.96
403	42	1	93	94.6%	5.4%	100.0%	0.9	1.0	0.27	0.15	0.42	0.43
403	43	1	93	97.8%	2.2%	100.0%	0.2	0.2	0.42	0.41	0.94	0.94
403	45	1	92	90.2%	9.8%	100.0%	0.5	0.6	0.50	0.50	0.81	0.80
403	46	1	90	95.6%	4.4%	100.0%	0.5	0.5	0.50	0.50	0.91	0.91
403	47	1	89	100.0%	0.0%	100.0%	0.5	0.5	0.50	0.50	1.00	1.00
403	48	1	88	98.9%	1.1%	100.0%	0.4	0.4	0.49	0.49	0.98	0.98
403	49	1	88	94.3%	5.7%	100.0%	0.3	0.3	0.47	0.45	0.87	0.87
403	50	1	83	97.6%	2.4%	100.0%	0.4	0.4	0.49	0.49	0.95	0.95

Form	Item	Score Points	Total N-Count	Agreement (%)			Raw Score Mean		Raw Score Standard Deviation		Intraclass Corr	Wt Kappa
				Exact	Adj	Total	First Read	Second Read	First Read	Second Read		
403	51	1	87	90.8%	9.2%	100.0%	0.5	0.5	0.50	0.50	0.82	0.81
404	41	1	95	76.8%	23.2%	100.0%	0.4	0.4	0.50	0.48	0.52	0.52
404	42	1	96	90.6%	9.4%	100.0%	0.9	0.9	0.34	0.33	0.59	0.59
404	43	1	93	100.0%	0.0%	100.0%	0.2	0.2	0.43	0.43	1.00	1.00
404	44	1	95	83.2%	16.8%	100.0%	0.6	0.6	0.49	0.50	0.66	0.65
404	45	1	96	95.8%	4.2%	100.0%	0.6	0.6	0.50	0.50	0.92	0.91
404	46	1	96	93.8%	6.3%	100.0%	0.9	0.9	0.26	0.26	0.54	0.54
404	47	1	96	96.9%	3.1%	100.0%	0.8	0.8	0.43	0.44	0.92	0.92
404	48	1	96	95.8%	4.2%	100.0%	0.8	0.9	0.37	0.35	0.84	0.84
404	49	1	94	85.1%	14.9%	100.0%	0.7	0.7	0.47	0.46	0.65	0.65
404	50	1	96	95.8%	4.2%	100.0%	0.4	0.4	0.50	0.50	0.92	0.92
404	51	1	96	96.9%	3.1%	100.0%	0.5	0.6	0.50	0.50	0.94	0.94
404	52	1	95	93.7%	6.3%	100.0%	0.6	0.7	0.49	0.48	0.87	0.86
404	53	1	90	97.8%	2.2%	100.0%	0.5	0.5	0.50	0.50	0.96	0.96
405	41	1	94	84.0%	16.0%	100.0%	0.7	0.7	0.46	0.47	0.63	0.63
405	42	1	94	88.3%	11.7%	100.0%	0.4	0.5	0.50	0.50	0.77	0.76
405	43	1	92	89.1%	10.9%	100.0%	0.5	0.4	0.50	0.50	0.78	0.78
405	44	1	86	94.2%	5.8%	100.0%	0.4	0.4	0.49	0.48	0.88	0.87
405	45	1	93	100.0%	0.0%	100.0%	0.8	0.8	0.36	0.36	1.00	1.00
405	46	1	94	100.0%	0.0%	100.0%	0.8	0.8	0.41	0.41	1.00	1.00
405	47	1	90	95.6%	4.4%	100.0%	0.4	0.5	0.50	0.50	0.91	0.91
405	48	1	93	92.5%	7.5%	100.0%	0.8	0.9	0.36	0.32	0.68	0.68
405	49	1	90	88.9%	11.1%	100.0%	0.4	0.3	0.48	0.47	0.76	0.75
405	50	1	94	93.6%	6.4%	100.0%	0.8	0.8	0.40	0.39	0.80	0.79
405	51	1	93	87.1%	12.9%	100.0%	0.7	0.7	0.45	0.44	0.67	0.67
406	41	1	95	97.9%	2.1%	100.0%	0.4	0.4	0.50	0.50	0.96	0.96

Form	Item	Score Points	Total N-Count	Agreement (%)			Raw Score Mean		Raw Score Standard Deviation		Intraclass Corr	Wt Kappa
				Exact	Adj	Total	First Read	Second Read	First Read	Second Read		
406	42	1	95	97.9%	2.1%	100.0%	0.9	0.9	0.36	0.36	0.92	0.92
406	43	1	91	92.3%	7.7%	100.0%	0.6	0.6	0.48	0.48	0.83	0.83
406	44	1	86	97.7%	2.3%	100.0%	0.2	0.2	0.42	0.43	0.94	0.93
406	45	1	93	97.8%	2.2%	100.0%	0.8	0.8	0.43	0.43	0.94	0.94
406	46	1	90	94.4%	5.6%	100.0%	0.6	0.6	0.49	0.49	0.89	0.88
406	47	1	85	97.6%	2.4%	100.0%	0.4	0.4	0.49	0.49	0.95	0.95
406	48	1	95	94.7%	5.3%	100.0%	1.0	1.0	0.18	0.20	0.26	0.26
406	49	1	93	79.6%	20.4%	100.0%	0.7	0.6	0.47	0.50	0.57	0.57
406	50	1	95	82.1%	17.9%	100.0%	0.6	0.6	0.49	0.49	0.63	0.62
406	51	1	95	100.0%	0.0%	100.0%	0.4	0.4	0.48	0.48	1.00	1.00
407	41	1	91	98.9%	1.1%	100.0%	0.4	0.5	0.50	0.50	0.98	0.98
407	42	1	95	90.5%	9.5%	100.0%	0.7	0.7	0.45	0.48	0.78	0.78
407	43	1	96	99.0%	1.0%	100.0%	0.9	0.8	0.35	0.36	0.96	0.96
407	46	1	95	90.5%	9.5%	100.0%	0.8	0.9	0.37	0.36	0.64	0.63
407	47	1	93	95.7%	4.3%	100.0%	0.7	0.6	0.47	0.48	0.91	0.90
407	48	1	91	94.5%	5.5%	100.0%	0.3	0.4	0.48	0.48	0.88	0.88
407	49	1	93	97.8%	2.2%	100.0%	0.7	0.7	0.45	0.44	0.95	0.95
407	50	1	92	85.9%	14.1%	100.0%	0.7	0.7	0.46	0.46	0.67	0.66
407	51	1	92	85.9%	14.1%	100.0%	0.7	0.7	0.45	0.48	0.67	0.67
407	52	1	90	94.4%	5.6%	100.0%	0.9	0.9	0.33	0.34	0.75	0.75
408	41	1	94	98.9%	1.1%	100.0%	0.8	0.8	0.40	0.40	0.97	0.97
408	42	1	96	97.9%	2.1%	100.0%	0.6	0.6	0.50	0.50	0.96	0.96
408	43	1	97	99.0%	1.0%	100.0%	0.7	0.7	0.46	0.45	0.97	0.97
408	44	1	96	80.2%	19.8%	100.0%	0.5	0.4	0.50	0.50	0.60	0.60
408	45	1	96	97.9%	2.1%	100.0%	0.6	0.6	0.50	0.50	0.96	0.96
408	46	1	95	91.6%	8.4%	100.0%	0.7	0.6	0.48	0.49	0.82	0.82

Form	Item	Score Points	Total N-Count	Agreement (%)			Raw Score Mean		Raw Score Standard Deviation		Intraclass Corr	Wt Kappa
				Exact	Adj	Total	First Read	Second Read	First Read	Second Read		
408	47	1	97	91.8%	8.2%	100.0%	0.4	0.4	0.49	0.49	0.83	0.83
408	48	1	97	97.9%	2.1%	100.0%	0.5	0.5	0.50	0.50	0.96	0.96
408	49	1	95	98.9%	1.1%	100.0%	0.3	0.3	0.44	0.44	0.97	0.97
408	50	1	95	94.7%	5.3%	100.0%	0.4	0.4	0.50	0.49	0.89	0.89
408	51	1	95	89.5%	10.5%	100.0%	0.6	0.6	0.49	0.50	0.78	0.78
409	41	1	81	100.0%	0.0%	100.0%	0.6	0.6	0.49	0.49	1.00	1.00
409	42	1	80	96.3%	3.8%	100.0%	0.5	0.5	0.50	0.50	0.93	0.92
409	47	1	82	98.8%	1.2%	100.0%	0.8	0.8	0.40	0.41	0.96	0.96
409	48	1	81	100.0%	0.0%	100.0%	0.1	0.1	0.36	0.36	1.00	1.00
409	49	1	81	100.0%	0.0%	100.0%	0.4	0.4	0.50	0.50	1.00	1.00
409	50	1	82	93.9%	6.1%	100.0%	0.8	0.8	0.42	0.42	0.83	0.83
409	51	1	82	95.1%	4.9%	100.0%	0.8	0.9	0.37	0.34	0.81	0.80
409	52	1	80	98.8%	1.3%	100.0%	0.4	0.4	0.49	0.49	0.97	0.97
410	41	1	96	97.9%	2.1%	100.0%	0.5	0.5	0.50	0.50	0.96	0.96
410	42	1	96	95.8%	4.2%	100.0%	0.8	0.8	0.42	0.44	0.89	0.89
410	43	1	95	88.4%	11.6%	100.0%	0.4	0.5	0.50	0.50	0.77	0.77
410	44	1	96	99.0%	1.0%	100.0%	0.7	0.7	0.45	0.45	0.97	0.97
410	46	1	95	96.8%	3.2%	100.0%	0.5	0.5	0.50	0.50	0.94	0.94
410	47	1	95	100.0%	0.0%	100.0%	0.9	0.9	0.33	0.33	1.00	1.00
410	48	1	93	94.6%	5.4%	100.0%	0.6	0.6	0.50	0.49	0.89	0.89
410	49	1	96	95.8%	4.2%	100.0%	0.7	0.8	0.46	0.44	0.90	0.89
410	50	1	92	96.7%	3.3%	100.0%	0.4	0.4	0.49	0.50	0.93	0.93
410	51	1	93	95.7%	4.3%	100.0%	0.7	0.7	0.47	0.46	0.90	0.90
411	41	1	89	100.0%	0.0%	100.0%	0.7	0.7	0.48	0.48	1.00	1.00
411	42	1	89	94.4%	5.6%	100.0%	0.8	0.8	0.40	0.38	0.82	0.81
411	43	1	92	100.0%	0.0%	100.0%	0.3	0.3	0.44	0.44	1.00	1.00

Form	Item	Score Points	Total N-Count	Agreement (%)			Raw Score Mean		Raw Score Standard Deviation		Intraclass Corr	Wt Kappa
				Exact	Adj	Total	First Read	Second Read	First Read	Second Read		
411	44	1	92	98.9%	1.1%	100.0%	0.7	0.7	0.46	0.47	0.97	0.97
411	45	1	92	93.5%	6.5%	100.0%	0.8	0.8	0.39	0.41	0.79	0.79
411	46	1	91	90.1%	9.9%	100.0%	0.6	0.6	0.49	0.49	0.79	0.79
411	47	1	88	92.0%	8.0%	100.0%	0.3	0.4	0.48	0.48	0.83	0.82
411	48	1	89	97.8%	2.2%	100.0%	0.3	0.3	0.46	0.47	0.95	0.95
411	49	1	84	86.9%	13.1%	100.0%	0.6	0.7	0.49	0.48	0.72	0.72
411	50	1	84	97.6%	2.4%	100.0%	0.6	0.6	0.50	0.50	0.95	0.95
412	41	1	87	100.0%	0.0%	100.0%	0.6	0.6	0.49	0.49	1.00	1.00
412	42	1	86	93.0%	7.0%	100.0%	0.6	0.6	0.49	0.50	0.86	0.86
412	43	1	87	92.0%	8.0%	100.0%	0.7	0.7	0.47	0.48	0.82	0.82
412	44	1	87	82.8%	17.2%	100.0%	0.5	0.4	0.50	0.50	0.66	0.66
412	45	1	87	98.9%	1.1%	100.0%	0.7	0.7	0.47	0.47	0.97	0.97
412	46	1	86	98.8%	1.2%	100.0%	0.6	0.5	0.50	0.50	0.98	0.98
412	47	1	87	96.6%	3.4%	100.0%	0.8	0.8	0.38	0.37	0.88	0.88
412	50	1	86	77.9%	22.1%	100.0%	0.7	0.7	0.48	0.47	0.51	0.50
413	41	1	90	96.7%	3.3%	100.0%	0.7	0.6	0.48	0.49	0.93	0.93
413	42	1	88	100.0%	0.0%	100.0%	0.4	0.4	0.48	0.48	1.00	1.00
413	43	1	89	87.6%	12.4%	100.0%	0.2	0.2	0.40	0.42	0.63	0.63
413	44	1	90	96.7%	3.3%	100.0%	0.8	0.8	0.43	0.42	0.91	0.91
413	45	1	90	93.3%	6.7%	100.0%	0.5	0.5	0.50	0.50	0.87	0.87
413	46	1	90	77.8%	22.2%	100.0%	0.4	0.4	0.49	0.48	0.54	0.53
413	47	1	90	95.6%	4.4%	100.0%	0.3	0.3	0.47	0.47	0.90	0.90
413	48	1	89	100.0%	0.0%	100.0%	0.5	0.5	0.50	0.50	1.00	1.00
413	49	1	89	97.8%	2.2%	100.0%	0.4	0.4	0.50	0.50	0.96	0.95
413	50	1	89	95.5%	4.5%	100.0%	0.7	0.7	0.48	0.48	0.90	0.90
414	41	1	94	98.9%	1.1%	100.0%	0.9	0.9	0.34	0.35	0.95	0.95

Form	Item	Score Points	Total N-Count	Agreement (%)			Raw Score Mean		Raw Score Standard Deviation		Intraclass Corr	Wt Kappa
				Exact	Adj	Total	First Read	Second Read	First Read	Second Read		
414	42	1	92	96.7%	3.3%	100.0%	0.5	0.4	0.50	0.50	0.93	0.93
414	43	1	93	89.2%	10.8%	100.0%	0.8	0.8	0.37	0.42	0.66	0.66
414	44	1	92	100.0%	0.0%	100.0%	0.4	0.4	0.48	0.48	1.00	1.00
414	45	1	91	90.1%	9.9%	100.0%	0.5	0.4	0.50	0.50	0.80	0.80
414	46	1	94	73.4%	26.6%	100.0%	0.4	0.4	0.48	0.49	0.44	0.44
414	47	1	91	95.6%	4.4%	100.0%	0.5	0.4	0.50	0.50	0.91	0.91
414	48	1	93	98.9%	1.1%	100.0%	0.4	0.4	0.50	0.50	0.98	0.98
414	49	1	94	84.0%	16.0%	100.0%	0.5	0.5	0.50	0.50	0.68	0.68
414	50	1	93	97.8%	2.2%	100.0%	0.8	0.8	0.38	0.36	0.92	0.92
415	41	1	88	96.6%	3.4%	100.0%	0.6	0.6	0.49	0.48	0.93	0.93
415	42	1	89	98.9%	1.1%	100.0%	0.7	0.7	0.44	0.45	0.97	0.97
415	43	1	88	96.6%	3.4%	100.0%	0.2	0.2	0.42	0.43	0.91	0.90
415	44	1	89	98.9%	1.1%	100.0%	0.6	0.6	0.49	0.49	0.98	0.98
415	48	1	89	91.0%	9.0%	100.0%	0.3	0.3	0.46	0.46	0.79	0.79
415	49	1	89	82.0%	18.0%	100.0%	0.5	0.5	0.50	0.50	0.64	0.64
415	50	1	88	90.9%	9.1%	100.0%	0.2	0.1	0.40	0.36	0.68	0.68
415	51	1	89	80.9%	19.1%	100.0%	0.7	0.7	0.45	0.46	0.54	0.53

Appendix D: Partial-Credit Model Item Analysis

The first five columns from the left contain the test name, form name, item type, item number on the form, and maximum points possible for the item. The sixth column contains the number of students that the item was administered to. The remaining four columns contain the Rasch Item Difficulty, step difficulties (for multi-point items only), and the INFIT Rasch model fit statistic. Items without statistics are DNS (Do Not Score) status items.

Test	Form	Type	Item	Max	N-Count	RID	S1	S2	INFIT
2013_G8SC	401	MC	01	1	958	0.1300			1.11
2013_G8SC	401	MC	02	1	958	−0.3862			1.01
2013_G8SC	401	MC	03	1	958	0.0800			0.96
2013_G8SC	401	MC	04	1	958	−0.4700			1.21
2013_G8SC	401	MC	05	1	958	0.7100			1.19
2013_G8SC	401	MC	06	1	958	0.6600			0.96
2013_G8SC	401	MC	07	1	958	1.1600			1.18
2013_G8SC	401	MC	08	1	958	1.1100			1.06
2013_G8SC	401	MC	09	1	958	−1.1300			0.82
2013_G8SC	401	MC	10	1	958	−0.8924			0.97
2013_G8SC	401	MC	11	1	958	−0.3000			0.88
2013_G8SC	401	MC	12	1	958	−0.2900			0.98
2013_G8SC	401	MC	13	1	958	−0.6200			1.11
2013_G8SC	401	MC	14	1	958	−0.6300			1.01
2013_G8SC	401	MC	15	1	958	−0.3900			0.98
2013_G8SC	401	MC	16	1	958	0.0600			0.89
2013_G8SC	401	MC	17	1	958	−1.1200			1.01
2013_G8SC	401	MC	18	1	958	0.8400			1.11
2013_G8SC	401	MC	19	1	958	0.6500			1.02
2013_G8SC	401	MC	20	1	958	−0.3000			0.93
2013_G8SC	401	MC	21	1	958	−0.1700			0.84
2013_G8SC	401	MC	22	1	958	0.7800			1.04
2013_G8SC	401	MC	23	1	958	0.1700			0.94
2013_G8SC	401	MC	24	1	958	−1.4800			0.99
2013_G8SC	401	MC	25	1	958	−1.0200			0.96
2013_G8SC	401	MC	26	1	958	1.1500			1.07
2013_G8SC	401	MC	27	1	958	1.1253			1.15
2013_G8SC	401	MC	28	1	958	0.0000			0.81
2013_G8SC	401	MC	29	1	958	−0.5600			0.88
2013_G8SC	401	MC	30	1	958	0.2300			0.93
2013_G8SC	402	MC	01	1	909	−1.8613			0.88

Test	Form	Type	Item	Max	N-Count	RID	S1	S2	INFIT
2013_G8SC	402	MC	02	1	909	0.5212			1.12
2013_G8SC	402	MC	03	1	909	−1.3452			0.87
2013_G8SC	402	MC	04	1	909	−1.4563			1.01
2013_G8SC	402	MC	05	1	909	1.0576			1.05
2013_G8SC	402	MC	06	1	909	1.0472			1.21
2013_G8SC	402	MC	07	1	909	−0.7029			0.98
2013_G8SC	402	MC	08	1	909	−0.9534			1.08
2013_G8SC	402	MC	09	1	909	−1.4668			0.84
2013_G8SC	402	MC	10	1	909	−0.3115			0.93
2013_G8SC	402	MC	11	1	909	−1.1691			1.00
2013_G8SC	402	CR	41	1	909	1.7507			0.96
2013_G8SC	402	CR	42	1	909	2.4066			1.10
2013_G8SC	402	CR	43	1	909	−0.3055			1.04
2013_G8SC	402	CR	44	1	909	1.5248			1.00
2013_G8SC	402	CR	45	1	909	−0.4649			0.97
2013_G8SC	402	CR	46	1	909	1.0161			0.89
2013_G8SC	402	CR	47	1	909	−0.9146			0.93
2013_G8SC	402	CR	48	1	909	1.5711			0.95
2013_G8SC	402	CR	49	1	909	2.2785			0.93
2013_G8SC	402	CR	50	2	909	0.2598	0.2715	−0.2715	1.03
2013_G8SC	403	MC	01	1	938	−2.0670			0.99
2013_G8SC	403	MC	02	1	938	−0.2765			1.11
2013_G8SC	403	MC	03	1	938	−0.6746			0.98
2013_G8SC	403	MC	04	1	938	0.3717			1.03
2013_G8SC	403	MC	05	1	938	0.5713			0.97
2013_G8SC	403	MC	06	1	938	−1.0823			1.05
2013_G8SC	403	MC	07	1	938	−1.4280			1.03
2013_G8SC	403	MC	08	1	938	0.5175			1.12
2013_G8SC	403	MC	09	1	938	−0.0776			1.08
2013_G8SC	403	MC	10	1	938	1.2108			1.06
2013_G8SC	403	CR	41	1	938	−0.8846			0.97
2013_G8SC	403	CR	42	1	938	−1.8688			0.96
2013_G8SC	403	CR	43	1	938	2.2196			1.01
2013_G8SC	403	CR	44						
2013_G8SC	403	CR	45	1	938	0.9335			0.99
2013_G8SC	403	CR	46	1	938	1.1770			0.90
2013_G8SC	403	CR	47	1	938	1.1098			0.84
2013_G8SC	403	CR	48	1	938	1.8995			0.82
2013_G8SC	403	CR	49	1	938	2.1970			0.86

Test	Form	Type	Item	Max	N-Count	RID	S1	S2	INFIT
2013_G8SC	403	CR	50	1	938	2.0797			1.03
2013_G8SC	403	CR	51	1	938	1.2108			1.09
2013_G8SC	404	MC	01	1	929	−1.1586			0.90
2013_G8SC	404	MC	02	1	929	−0.1353			1.01
2013_G8SC	404	MC	03	1	929	−0.0820			1.02
2013_G8SC	404	MC	04	1	929	−2.3149			0.90
2013_G8SC	404	MC	05	1	929	−1.5577			1.09
2013_G8SC	404	MC	06	1	929	−1.7364			1.05
2013_G8SC	404	MC	07	1	929	0.1759			0.97
2013_G8SC	404	MC	08	1	929	0.6086			1.22
2013_G8SC	404	CR	41	1	929	1.2913			1.01
2013_G8SC	404	CR	42	1	929	−1.2645			1.05
2013_G8SC	404	CR	43	1	929	2.1356			0.88
2013_G8SC	404	CR	44	1	929	0.8350			0.99
2013_G8SC	404	CR	45	1	929	0.2762			0.97
2013_G8SC	404	CR	46	1	929	−1.7721			1.04
2013_G8SC	404	CR	47	1	929	0.0111			0.98
2013_G8SC	404	CR	48	1	929	−0.7876			0.85
2013_G8SC	404	CR	49	1	929	0.0456			0.99
2013_G8SC	404	CR	50	1	929	1.2351			1.18
2013_G8SC	404	CR	51	1	929	0.8837			0.95
2013_G8SC	404	CR	52	1	929	0.3148			0.86
2013_G8SC	404	CR	53	1	929	1.0743			0.97
2013_G8SC	405	MC	01	1	941	−1.3798			1.08
2013_G8SC	405	MC	02	1	941	−0.4519			1.20
2013_G8SC	405	MC	03	1	941	−1.6059			0.95
2013_G8SC	405	MC	04	1	941	−0.3280			1.03
2013_G8SC	405	MC	05	1	941	−0.5463			0.88
2013_G8SC	405	MC	06	1	941	0.9586			0.96
2013_G8SC	405	MC	07	1	941	0.0330			0.96
2013_G8SC	405	MC	08	1	941	−1.5415			0.92
2013_G8SC	405	MC	09	1	941	−0.8572			1.03
2013_G8SC	405	MC	10	1	941	−1.6059			0.91
2013_G8SC	405	CR	41	1	941	0.3423			1.02
2013_G8SC	405	CR	42	1	941	1.1580			1.07
2013_G8SC	405	CR	43	1	941	1.1134			1.09
2013_G8SC	405	CR	44	1	941	2.0312			1.00
2013_G8SC	405	CR	45	1	941	−1.0905			0.88
2013_G8SC	405	CR	46	1	941	−0.7595			0.96

Test	Form	Type	Item	Max	N-Count	RID	S1	S2	INFIT
2013_G8SC	405	CR	47	1	941	1.1468			1.10
2013_G8SC	405	CR	48	1	941	−1.3413			1.00
2013_G8SC	405	CR	49	1	941	1.5788			1.00
2013_G8SC	405	CR	50	1	941	−0.4853			0.91
2013_G8SC	405	CR	51	1	941	0.0798			0.98
2013_G8SC	406	MC	01	1	934	−1.6952			1.06
2013_G8SC	406	MC	02	1	934	0.1948			1.17
2013_G8SC	406	MC	03	1	934	0.5200			1.09
2013_G8SC	406	MC	04	1	934	0.2488			1.12
2013_G8SC	406	MC	05	1	934	−0.9249			1.00
2013_G8SC	406	MC	06	1	934	−1.1044			0.93
2013_G8SC	406	MC	07	1	934	0.2810			1.11
2013_G8SC	406	MC	08	1	934	1.9378			1.23
2013_G8SC	406	MC	09	1	934	−1.3753			0.91
2013_G8SC	406	MC	10	1	934	−0.1618			1.06
2013_G8SC	406	CR	41	1	934	0.9165			1.01
2013_G8SC	406	CR	42	1	934	−1.0482			0.99
2013_G8SC	406	CR	43	1	934	0.2488			0.95
2013_G8SC	406	CR	44	1	934	2.1918			0.87
2013_G8SC	406	CR	45	1	934	−0.5638			0.94
2013_G8SC	406	CR	46	1	934	0.3184			0.79
2013_G8SC	406	CR	47	1	934	1.3099			0.88
2013_G8SC	406	CR	48	1	934	−2.0391			0.86
2013_G8SC	406	CR	49	1	934	0.2272			1.01
2013_G8SC	406	CR	50	1	934	0.2595			0.83
2013_G8SC	406	CR	51	1	934	1.4010			0.99
2013_G8SC	407	MC	01	1	910	−0.8409			1.05
2013_G8SC	407	MC	02	1	910	0.6666			1.05
2013_G8SC	407	MC	03	1	910	−1.6478			0.96
2013_G8SC	407	MC	04	1	910	−0.0645			1.22
2013_G8SC	407	MC	05	1	910	0.7049			1.10
2013_G8SC	407	MC	06	1	910	−0.3207			1.04
2013_G8SC	407	MC	07	1	910	−0.7593			0.98
2013_G8SC	407	MC	08	1	910	−0.3144			1.16
2013_G8SC	407	MC	09	1	910	−0.3270			0.96
2013_G8SC	407	MC	10	1	910	1.4430			1.08
2013_G8SC	407	MC	11						
2013_G8SC	407	MC	12	1	910	−1.4148			0.86
2013_G8SC	407	MC	13	1	910	1.4311			1.21

Test	Form	Type	Item	Max	N-Count	RID	S1	S2	INFIT
2013_G8SC	407	CR	41	1	910	1.1819			1.01
2013_G8SC	407	CR	42	1	910	−0.1241			0.86
2013_G8SC	407	CR	43	1	910	−0.8258			1.08
2013_G8SC	407	CR	44						
2013_G8SC	407	CR	45						
2013_G8SC	407	CR	46	1	910	−1.0871			1.02
2013_G8SC	407	CR	47	1	910	0.3137			0.83
2013_G8SC	407	CR	48	1	910	1.6253			0.93
2013_G8SC	407	CR	49	1	910	−0.0173			0.91
2013_G8SC	407	CR	50	1	910	0.1957			0.75
2013_G8SC	407	CR	51	1	910	0.2127			0.79
2013_G8SC	407	CR	52	1	910	−0.4230			0.95
2013_G8SC	408	MC	01	1	916	−0.8603			0.96
2013_G8SC	408	MC	02	1	916	0.4421			1.08
2013_G8SC	408	MC	03	1	916	0.2004			1.05
2013_G8SC	408	MC	04	1	916	0.1629			0.98
2013_G8SC	408	MC	05	1	916	0.0216			1.13
2013_G8SC	408	MC	06	1	916	−0.0449			0.96
2013_G8SC	408	MC	07	1	916	−0.8529			0.91
2013_G8SC	408	MC	08	1	916	0.2535			1.12
2013_G8SC	408	MC	09	1	916	−0.8162			0.91
2013_G8SC	408	MC	10	1	916	−0.3410			0.99
2013_G8SC	408	MC	11	1	916	−1.0389			0.98
2013_G8SC	408	MC	12	1	916	0.2694			0.95
2013_G8SC	408	MC	13	1	916	−0.4208			0.85
2013_G8SC	408	CR	41	1	916	−0.8308			1.11
2013_G8SC	408	CR	42	1	916	0.7517			1.04
2013_G8SC	408	CR	43	1	916	−0.0449			1.14
2013_G8SC	408	CR	44	1	916	1.2954			1.02
2013_G8SC	408	CR	45	1	916	0.6023			0.95
2013_G8SC	408	CR	46	1	916	0.5146			0.89
2013_G8SC	408	CR	47	1	916	1.4404			0.89
2013_G8SC	408	CR	48	1	916	0.9226			0.96
2013_G8SC	408	CR	49	1	916	2.0290			1.04
2013_G8SC	408	CR	50	1	916	1.5091			1.06
2013_G8SC	408	CR	51	1	916	0.7569			0.98
2013_G8SC	409	MC	01						
2013_G8SC	409	MC	02	1	887	1.0485			1.08
2013_G8SC	409	MC	03	1	887	−1.9815			0.86

Test	Form	Type	Item	Max	N-Count	RID	S1	S2	INFIT
2013_G8SC	409	MC	04	1	887	0.4687			0.98
2013_G8SC	409	MC	05	1	887	−0.5274			0.94
2013_G8SC	409	MC	06	1	887	1.1149			1.00
2013_G8SC	409	MC	07	1	887	−1.0610			0.98
2013_G8SC	409	MC	08	1	887	0.1035			0.99
2013_G8SC	409	MC	09	1	887	1.5476			1.16
2013_G8SC	409	MC	10	1	887	0.5446			1.32
2013_G8SC	409	MC	11	1	887	−0.7751			0.98
2013_G8SC	409	MC	12	1	887	−0.6377			0.85
2013_G8SC	409	MC	13	1	887	−1.1040			0.93
2013_G8SC	409	CR	41	1	887	0.2104			1.22
2013_G8SC	409	CR	42	1	887	0.0521			1.02
2013_G8SC	409	CR	43						
2013_G8SC	409	CR	44						
2013_G8SC	409	CR	45						
2013_G8SC	409	CR	46						
2013_G8SC	409	CR	47	1	887	−1.2675			0.90
2013_G8SC	409	CR	48	1	887	2.6392			0.95
2013_G8SC	409	CR	49	1	887	0.6903			0.88
2013_G8SC	409	CR	50	1	887	−0.5410			0.87
2013_G8SC	409	CR	51	1	887	−1.0272			0.97
2013_G8SC	409	CR	52	1	887	0.9065			0.93
2013_G8SC	410	MC	01	1	924	−1.4339			1.05
2013_G8SC	410	MC	02	1	924	−0.3309			1.03
2013_G8SC	410	MC	03	1	924	−0.0528			1.15
2013_G8SC	410	MC	04	1	924	0.0305			1.32
2013_G8SC	410	MC	05	1	924	−1.3849			1.01
2013_G8SC	410	MC	06	1	924	0.3925			1.05
2013_G8SC	410	MC	07	1	924	−1.0971			0.97
2013_G8SC	410	MC	08	1	924	−0.8651			0.95
2013_G8SC	410	MC	09	1	924	1.5834			1.10
2013_G8SC	410	MC	10	1	924	−0.1131			0.94
2013_G8SC	410	MC	11	1	924	0.2165			0.90
2013_G8SC	410	MC	12	1	924	0.8328			1.12
2013_G8SC	410	MC	13	1	924	−1.6886			1.03
2013_G8SC	410	CR	41	1	924	1.1246			1.12
2013_G8SC	410	CR	42	1	924	0.1705			0.97
2013_G8SC	410	CR	43	1	924	0.8495			0.92
2013_G8SC	410	CR	44	1	924	−0.1497			0.85

Test	Form	Type	Item	Max	N-Count	RID	S1	S2	INFIT
2013_G8SC	410	CR	45						
2013_G8SC	410	CR	46	1	924	1.1474			0.96
2013_G8SC	410	CR	47	1	924	−0.9902			0.89
2013_G8SC	410	CR	48	1	924	0.7883			0.90
2013_G8SC	410	CR	49	1	924	0.1125			0.80
2013_G8SC	410	CR	50	1	924	1.4981			0.91
2013_G8SC	410	CR	51	1	924	0.4655			0.96
2013_G8SC	411	MC	01	1	916	0.5576			1.14
2013_G8SC	411	MC	02	1	916	−0.2322			1.05
2013_G8SC	411	MC	03	1	916	−1.4065			0.94
2013_G8SC	411	MC	04	1	916	0.7715			1.06
2013_G8SC	411	MC	05	1	916	−0.3131			1.06
2013_G8SC	411	MC	06	1	916	0.0013			1.06
2013_G8SC	411	MC	07	1	916	−0.4478			1.00
2013_G8SC	411	MC	08	1	916	0.5082			1.30
2013_G8SC	411	MC	09	1	916	0.4916			1.14
2013_G8SC	411	MC	10	1	916	−0.4873			1.02
2013_G8SC	411	CR	41	1	916	0.2473			1.01
2013_G8SC	411	CR	42	1	916	−0.8704			0.89
2013_G8SC	411	CR	43	1	916	2.0429			0.98
2013_G8SC	411	CR	44	1	916	−0.1894			0.86
2013_G8SC	411	CR	45	1	916	−0.9561			0.88
2013_G8SC	411	CR	46	1	916	0.2921			0.86
2013_G8SC	411	CR	47	1	916	1.2353			0.85
2013_G8SC	411	CR	48	1	916	1.9723			0.88
2013_G8SC	411	CR	49	1	916	0.0478			0.93
2013_G8SC	411	CR	50	1	916	0.8045			0.91
2013_G8SC	412	MC	01	1	886	−0.1786			0.99
2013_G8SC	412	MC	02	1	886	−1.2780			0.98
2013_G8SC	412	MC	03	1	886	−0.9280			0.98
2013_G8SC	412	MC	04	1	886	−1.0606			0.83
2013_G8SC	412	MC	05	1	886	0.3459			1.02
2013_G8SC	412	MC	06	1	886	−1.4390			0.91
2013_G8SC	412	MC	07	1	886	0.8765			1.06
2013_G8SC	412	MC	08	1	886	1.2110			1.04
2013_G8SC	412	MC	09	1	886	0.4999			1.11
2013_G8SC	412	MC	10	1	886	−1.1303			0.92
2013_G8SC	412	MC	11	1	886	0.3348			1.11
2013_G8SC	412	CR	41	1	886	0.2736			1.12

Test	Form	Type	Item	Max	N-Count	RID	S1	S2	INFIT
2013_G8SC	412	CR	42	1	886	0.4286			0.94
2013_G8SC	412	CR	43	1	886	0.2345			0.98
2013_G8SC	412	CR	44	1	886	0.7562			1.12
2013_G8SC	412	CR	45	1	886	−0.0233			1.00
2013_G8SC	412	CR	46	1	886	0.5927			0.80
2013_G8SC	412	CR	47	1	886	−1.1571			1.01
2013_G8SC	412	CR	48						
2013_G8SC	412	CR	49						
2013_G8SC	412	CR	50	1	886	0.4121			0.99
2013_G8SC	413	MC	01	1	911	−2.9435			0.88
2013_G8SC	413	MC	02	1	911	−0.3789			1.04
2013_G8SC	413	MC	03	1	911	−0.5656			0.90
2013_G8SC	413	MC	04	1	911	−0.4870			1.11
2013_G8SC	413	MC	05	1	911	−1.8182			0.94
2013_G8SC	413	MC	06	1	911	1.0721			1.07
2013_G8SC	413	MC	07	1	911	−0.1549			0.99
2013_G8SC	413	MC	08	1	911	−0.5656			0.96
2013_G8SC	413	MC	09	1	911	−1.0728			0.89
2013_G8SC	413	MC	10	1	911	1.6706			1.23
2013_G8SC	413	CR	41	1	911	−0.1081			1.08
2013_G8SC	413	CR	42	1	911	1.4346			1.00
2013_G8SC	413	CR	43	1	911	2.0214			0.94
2013_G8SC	413	CR	44	1	911	−0.7090			1.11
2013_G8SC	413	CR	45	1	911	0.7632			1.10
2013_G8SC	413	CR	46	1	911	1.4523			0.95
2013_G8SC	413	CR	47	1	911	1.9313			0.88
2013_G8SC	413	CR	48	1	911	1.2674			0.87
2013_G8SC	413	CR	49	1	911	1.0666			0.95
2013_G8SC	413	CR	50	1	911	−0.0617			0.91
2013_G8SC	414	MC	01	1	922	0.6756			1.03
2013_G8SC	414	MC	02	1	922	1.7133			1.16
2013_G8SC	414	MC	03	1	922	−0.0653			1.14
2013_G8SC	414	MC	04	1	922	−2.2411			0.88
2013_G8SC	414	MC	05	1	922	0.1170			0.91
2013_G8SC	414	MC	06	1	922	−0.9144			0.92
2013_G8SC	414	MC	07	1	922	−0.3452			1.05
2013_G8SC	414	MC	08	1	922	0.3837			1.11
2013_G8SC	414	MC	09	1	922	0.2088			1.02
2013_G8SC	414	MC	10	1	922	−1.1539			0.84

Test	Form	Type	Item	Max	N-Count	RID	S1	S2	INFIT
2013_G8SC	414	CR	41	1	922	−1.3507			1.04
2013_G8SC	414	CR	42	1	922	1.5572			1.02
2013_G8SC	414	CR	43	1	922	−0.2085			0.96
2013_G8SC	414	CR	44	1	922	1.2082			1.00
2013_G8SC	414	CR	45	1	922	0.8524			0.84
2013_G8SC	414	CR	46	1	922	1.9166			0.99
2013_G8SC	414	CR	47	1	922	1.2191			0.91
2013_G8SC	414	CR	48	1	922	1.4359			0.88
2013_G8SC	414	CR	49	1	922	1.4132			1.11
2013_G8SC	414	CR	50	1	922	−0.6243			0.99
2013_G8SC	415	MC	01	1	904	1.4112			1.27
2013_G8SC	415	MC	02	1	904	0.6441			0.95
2013_G8SC	415	MC	03	1	904	−0.0732			1.09
2013_G8SC	415	MC	04	1	904	0.4931			1.19
2013_G8SC	415	MC	05	1	904	0.2205			1.00
2013_G8SC	415	MC	06	1	904	−0.1316			1.02
2013_G8SC	415	MC	07	1	904	0.6872			1.16
2013_G8SC	415	MC	08	1	904	−0.3489			0.93
2013_G8SC	415	MC	09	1	904	0.9366			0.94
2013_G8SC	415	MC	10	1	904	−0.5676			1.01
2013_G8SC	415	CR	41	1	904	0.1260			0.92
2013_G8SC	415	CR	42	1	904	−0.7397			0.93
2013_G8SC	415	CR	43	1	904	1.9873			0.86
2013_G8SC	415	CR	44	1	904	0.4228			0.86
2013_G8SC	415	CR	45						
2013_G8SC	415	CR	46						
2013_G8SC	415	CR	47						
2013_G8SC	415	CR	48	1	904	1.8700			0.92
2013_G8SC	415	CR	49	1	904	1.4172			1.02
2013_G8SC	415	CR	50	1	904	2.8370			0.86
2013_G8SC	415	CR	51	1	904	0.1428			0.97

Appendix E: DIF Statistics

The first four columns from the left contain the test name, form ID, item type, and item sequence number within the form. The next three columns contain the Mantel Haenszel DIF statistical values (note that the MH Delta statistic cannot be calculated for CR items). The final two columns will only have values if the item displays possible moderate or severe DIF; if so, the degree of DIF (B/BB = moderate; C/CC = severe) and the favored group will be shown. Items without statistics are DNS (Do Not Score) status items.

Test	Form	Type	Item	MH Delta	MH Chi-Sq	Effect Size	DIF Category	Favored Group
2013_G8SC	401	MC	01	−0.40	1.22	−0.10		
2013_G8SC	401	MC	02	0.33	0.66	0.05		
2013_G8SC	401	MC	03	0.68	3.30	0.11		
2013_G8SC	401	MC	04	0.59	2.51	0.11		
2013_G8SC	401	MC	05	−0.81	5.86	−0.17		
2013_G8SC	401	MC	06	0.72	3.59	0.11		
2013_G8SC	401	MC	07	0.08	0.06	0.00		
2013_G8SC	401	MC	08	−0.01	0.00	0.00		
2013_G8SC	401	MC	09	−2.11	15.81	−0.24	C	Male
2013_G8SC	401	MC	10	0.89	3.96	0.15		
2013_G8SC	401	MC	11	0.16	0.15	0.05		
2013_G8SC	401	MC	12	−0.28	0.49	−0.04		
2013_G8SC	401	MC	13	0.45	1.28	0.09		
2013_G8SC	401	MC	14	−0.30	0.54	−0.02		
2013_G8SC	401	MC	15	0.25	0.37	0.04		
2013_G8SC	401	MC	16	0.64	2.62	0.10		
2013_G8SC	401	MC	17	1.01	4.49	0.14	B	Female
2013_G8SC	401	MC	18	0.02	0.00	−0.03		
2013_G8SC	401	MC	19	0.67	3.51	0.14		
2013_G8SC	401	MC	20	−0.36	0.75	−0.06		
2013_G8SC	401	MC	21	−1.89	18.87	−0.28	C	Male
2013_G8SC	401	MC	22	0.26	0.53	0.03		
2013_G8SC	401	MC	23	−0.43	1.27	−0.06		
2013_G8SC	401	MC	24	0.35	0.39	0.03		
2013_G8SC	401	MC	25	−0.39	0.62	−0.05		
2013_G8SC	401	MC	26	−0.52	2.17	−0.09		
2013_G8SC	401	MC	27	0.03	0.01	0.02		
2013_G8SC	401	MC	28	−0.42	0.97	−0.08		
2013_G8SC	401	MC	29	0.54	1.52	0.06		
2013_G8SC	401	MC	30	−0.25	0.45	−0.04		
2013_G8SC	402	MC	01	1.26	3.62	0.10		

Test	Form	Type	Item	MH Delta	MH Chi-Sq	Effect Size	DIF Category	Favored Group
2013_G8SC	402	MC	02	−0.45	1.69	−0.10		
2013_G8SC	402	MC	03	0.26	0.23	0.03		
2013_G8SC	402	MC	04	−0.09	0.03	−0.01		
2013_G8SC	402	MC	05	−1.14	9.80	−0.21	B	Male
2013_G8SC	402	MC	06	−0.25	0.56	−0.04		
2013_G8SC	402	MC	07	0.70	2.63	0.11		
2013_G8SC	402	MC	08	0.23	0.30	0.03		
2013_G8SC	402	MC	09	−0.43	0.57	−0.06		
2013_G8SC	402	MC	10	0.41	1.01	0.08		
2013_G8SC	402	MC	11	1.38	8.97	0.22	B	Female
2013_G8SC	402	CR	41		0.07	−0.02		
2013_G8SC	402	CR	42		0.01	0.00		
2013_G8SC	402	CR	43		0.20	0.04		
2013_G8SC	402	CR	44		0.15	0.01		
2013_G8SC	402	CR	45		4.04	−0.12		
2013_G8SC	402	CR	46		4.13	−0.13		
2013_G8SC	402	CR	47		0.13	0.03		
2013_G8SC	402	CR	48		0.39	0.02		
2013_G8SC	402	CR	49		0.04	0.02		
2013_G8SC	402	CR	50		1.15	0.06		
2013_G8SC	403	MC	01	1.37	4.89	0.16	B	Female
2013_G8SC	403	MC	02	−0.16	0.19	−0.02		
2013_G8SC	403	MC	03	0.23	0.29	0.03		
2013_G8SC	403	MC	04	0.00	0.00	0.01		
2013_G8SC	403	MC	05	−1.11	8.22	−0.18	B	Male
2013_G8SC	403	MC	06	0.00	0.00	−0.01		
2013_G8SC	403	MC	07	1.00	4.15	0.14	B	Female
2013_G8SC	403	MC	08	0.33	0.87	0.07		
2013_G8SC	403	MC	09	0.38	1.05	0.07		
2013_G8SC	403	MC	10	−0.52	1.94	−0.10		
2013_G8SC	403	CR	41		3.74	−0.12		
2013_G8SC	403	CR	42		0.00	0.01		
2013_G8SC	403	CR	43		0.01	0.00		
2013_G8SC	403	CR	44					
2013_G8SC	403	CR	45		0.83	−0.06		
2013_G8SC	403	CR	46		2.04	0.09		
2013_G8SC	403	CR	47		0.28	−0.03		
2013_G8SC	403	CR	48		0.87	−0.05		
2013_G8SC	403	CR	49		0.44	−0.03		

Test	Form	Type	Item	MH Delta	MH Chi-Sq	Effect Size	DIF Category	Favored Group
2013_G8SC	403	CR	50		3.10	0.11		
2013_G8SC	403	CR	51		1.03	0.07		
2013_G8SC	404	MC	01	0.45	0.77	0.05		
2013_G8SC	404	MC	02	0.25	0.39	0.07		
2013_G8SC	404	MC	03	−1.56	15.87	−0.24	C	Male
2013_G8SC	404	MC	04	1.32	3.96	0.17		
2013_G8SC	404	MC	05	0.77	2.45	0.12		
2013_G8SC	404	MC	06	−1.08	3.63	−0.14		
2013_G8SC	404	MC	07	−0.85	4.72	−0.14		
2013_G8SC	404	MC	08	0.18	0.29	0.03		
2013_G8SC	404	CR	41		2.63	0.09		
2013_G8SC	404	CR	42		3.72	0.11		
2013_G8SC	404	CR	43		0.01	0.00		
2013_G8SC	404	CR	44		0.61	0.05		
2013_G8SC	404	CR	45		0.65	−0.06		
2013_G8SC	404	CR	46		0.54	−0.09		
2013_G8SC	404	CR	47		0.17	0.01		
2013_G8SC	404	CR	48		13.79	0.21	BB	Female
2013_G8SC	404	CR	49		0.07	−0.03		
2013_G8SC	404	CR	50		0.06	0.02		
2013_G8SC	404	CR	51		5.81	−0.15		
2013_G8SC	404	CR	52		1.23	−0.06		
2013_G8SC	404	CR	53		1.86	0.08		
2013_G8SC	405	MC	01	0.34	0.48	0.06		
2013_G8SC	405	MC	02	−0.10	0.07	0.00		
2013_G8SC	405	MC	03	−0.42	0.57	−0.04		
2013_G8SC	405	MC	04	−1.66	17.42	−0.25	C	Male
2013_G8SC	405	MC	05	−1.10	6.54	−0.16	B	Male
2013_G8SC	405	MC	06	0.09	0.05	0.01		
2013_G8SC	405	MC	07	−0.17	0.18	−0.03		
2013_G8SC	405	MC	08	−0.55	1.00	−0.06		
2013_G8SC	405	MC	09	0.34	0.60	0.04		
2013_G8SC	405	MC	10	−0.81	2.07	−0.09		
2013_G8SC	405	CR	41		4.52	0.12		
2013_G8SC	405	CR	42		10.40	0.20	BB	Female
2013_G8SC	405	CR	43		11.24	0.20	BB	Female
2013_G8SC	405	CR	44		0.01	−0.02		
2013_G8SC	405	CR	45		3.87	0.12		
2013_G8SC	405	CR	46		0.45	−0.03		

Test	Form	Type	Item	MH Delta	MH Chi-Sq	Effect Size	DIF Category	Favored Group
2013_G8SC	405	CR	47		26.67	−0.34	CC	Male
2013_G8SC	405	CR	48		3.75	0.14		
2013_G8SC	405	CR	49		0.62	0.04		
2013_G8SC	405	CR	50		0.13	0.03		
2013_G8SC	405	CR	51		0.26	0.04		
2013_G8SC	406	MC	01	0.61	1.30	0.07		
2013_G8SC	406	MC	02	−0.44	1.56	−0.09		
2013_G8SC	406	MC	03	0.33	0.83	0.06		
2013_G8SC	406	MC	04	−0.21	0.37	−0.05		
2013_G8SC	406	MC	05	0.09	0.04	0.01		
2013_G8SC	406	MC	06	0.98	3.96	0.13		
2013_G8SC	406	MC	07	−0.51	2.06	−0.10		
2013_G8SC	406	MC	08	−0.12	0.09	−0.02		
2013_G8SC	406	MC	09	0.43	0.69	0.04		
2013_G8SC	406	MC	10	−0.26	0.48	−0.04		
2013_G8SC	406	CR	41		3.04	0.10		
2013_G8SC	406	CR	42		4.48	0.14		
2013_G8SC	406	CR	43		1.45	−0.07		
2013_G8SC	406	CR	44		1.51	0.06		
2013_G8SC	406	CR	45		2.83	−0.11		
2013_G8SC	406	CR	46		6.15	−0.14		
2013_G8SC	406	CR	47		0.31	−0.02		
2013_G8SC	406	CR	48		3.00	0.13		
2013_G8SC	406	CR	49		0.66	0.05		
2013_G8SC	406	CR	50		0.56	0.04		
2013_G8SC	406	CR	51		1.15	−0.05		
2013_G8SC	407	MC	01	−0.48	1.22	−0.07		
2013_G8SC	407	MC	02	0.57	2.38	0.11		
2013_G8SC	407	MC	03	0.20	0.14	0.04		
2013_G8SC	407	MC	04	0.03	0.01	0.02		
2013_G8SC	407	MC	05	−1.12	9.86	−0.20	B	Male
2013_G8SC	407	MC	06	0.07	0.04	0.02		
2013_G8SC	407	MC	07	−0.15	0.12	−0.01		
2013_G8SC	407	MC	08	0.42	1.22	0.06		
2013_G8SC	407	MC	09	0.12	0.08	0.03		
2013_G8SC	407	MC	10	−0.05	0.02	−0.02		
2013_G8SC	407	MC	11					
2013_G8SC	407	MC	12	1.15	4.34	0.11	B	Female
2013_G8SC	407	MC	13	0.06	0.03	0.01		

Test	Form	Type	Item	MH Delta	MH Chi-Sq	Effect Size	DIF Category	Favored Group
2013_G8SC	407	CR	41		7.76	0.19	BB	Female
2013_G8SC	407	CR	42		1.09	0.06		
2013_G8SC	407	CR	43		0.31	−0.03		
2013_G8SC	407	CR	44					
2013_G8SC	407	CR	45					
2013_G8SC	407	CR	46		0.50	0.05		
2013_G8SC	407	CR	47		7.91	−0.15		
2013_G8SC	407	CR	48		1.39	−0.06		
2013_G8SC	407	CR	49		5.34	−0.13		
2013_G8SC	407	CR	50		3.25	0.10		
2013_G8SC	407	CR	51		4.07	0.12		
2013_G8SC	407	CR	52		0.07	−0.02		
2013_G8SC	408	MC	01	−0.76	2.96	−0.11		
2013_G8SC	408	MC	02	−0.67	3.66	−0.12		
2013_G8SC	408	MC	03	0.80	4.94	0.14		
2013_G8SC	408	MC	04	0.32	0.73	0.06		
2013_G8SC	408	MC	05	0.05	0.02	0.03		
2013_G8SC	408	MC	06	−0.07	0.04	−0.01		
2013_G8SC	408	MC	07	−1.62	12.01	−0.23	C	Male
2013_G8SC	408	MC	08	−0.61	3.05	−0.12		
2013_G8SC	408	MC	09	0.93	4.15	0.12		
2013_G8SC	408	MC	10	−0.28	0.50	−0.06		
2013_G8SC	408	MC	11	−0.09	0.04	0.01		
2013_G8SC	408	MC	12	0.08	0.04	0.01		
2013_G8SC	408	MC	13	0.14	0.10	0.01		
2013_G8SC	408	CR	41		1.14	0.08		
2013_G8SC	408	CR	42		0.26	0.05		
2013_G8SC	408	CR	43		1.25	−0.09		
2013_G8SC	408	CR	44		0.02	−0.01		
2013_G8SC	408	CR	45		0.04	0.01		
2013_G8SC	408	CR	46		0.89	0.05		
2013_G8SC	408	CR	47		1.88	−0.08		
2013_G8SC	408	CR	48		1.23	0.07		
2013_G8SC	408	CR	49		0.55	0.05		
2013_G8SC	408	CR	50		0.02	0.02		
2013_G8SC	408	CR	51		2.95	0.10		
2013_G8SC	409	MC	01					
2013_G8SC	409	MC	02	0.19	0.27	0.04		
2013_G8SC	409	MC	03	−1.55	4.96	−0.15		

Test	Form	Type	Item	MH Delta	MH Chi-Sq	Effect Size	DIF Category	Favored Group
2013_G8SC	409	MC	04	0.58	2.38	0.09		
2013_G8SC	409	MC	05	−0.53	1.47	−0.07		
2013_G8SC	409	MC	06	−0.34	0.82	−0.06		
2013_G8SC	409	MC	07	−0.39	0.69	−0.04		
2013_G8SC	409	MC	08	−0.68	3.17	−0.10		
2013_G8SC	409	MC	09	0.59	2.63	0.10		
2013_G8SC	409	MC	10	1.02	9.22	0.19	B	Female
2013_G8SC	409	MC	11	−0.32	0.54	−0.03		
2013_G8SC	409	MC	12	0.12	0.07	0.00		
2013_G8SC	409	MC	13	0.35	0.50	0.06		
2013_G8SC	409	CR	41		1.32	0.07		
2013_G8SC	409	CR	42		0.95	−0.06		
2013_G8SC	409	CR	43					
2013_G8SC	409	CR	44					
2013_G8SC	409	CR	45					
2013_G8SC	409	CR	46					
2013_G8SC	409	CR	47		3.20	−0.11		
2013_G8SC	409	CR	48		0.04	0.00		
2013_G8SC	409	CR	49		4.52	−0.12		
2013_G8SC	409	CR	50		1.88	−0.07		
2013_G8SC	409	CR	51		0.25	0.06		
2013_G8SC	409	CR	52		0.61	0.04		
2013_G8SC	410	MC	01	0.98	3.99	0.14		
2013_G8SC	410	MC	02	−0.05	0.02	−0.01		
2013_G8SC	410	MC	03	0.80	4.85	0.16		
2013_G8SC	410	MC	04	−1.02	8.21	−0.20	B	Male
2013_G8SC	410	MC	05	0.68	1.88	0.09		
2013_G8SC	410	MC	06	0.26	0.48	0.04		
2013_G8SC	410	MC	07	−1.88	14.89	−0.24	C	Male
2013_G8SC	410	MC	08	−0.28	0.39	−0.05		
2013_G8SC	410	MC	09	−0.30	0.62	−0.05		
2013_G8SC	410	MC	10	−0.31	0.58	−0.05		
2013_G8SC	410	MC	11	−0.09	0.04	−0.01		
2013_G8SC	410	MC	12	0.29	0.64	0.05		
2013_G8SC	410	MC	13	2.19	16.96	0.29	C	Female
2013_G8SC	410	CR	41		3.36	−0.12		
2013_G8SC	410	CR	42		0.24	−0.03		
2013_G8SC	410	CR	43		2.51	−0.09		
2013_G8SC	410	CR	44		0.38	0.03		

Test	Form	Type	Item	MH Delta	MH Chi-Sq	Effect Size	DIF Category	Favored Group
2013_G8SC	410	CR	45					
2013_G8SC	410	CR	46		2.71	−0.09		
2013_G8SC	410	CR	47		0.31	0.03		
2013_G8SC	410	CR	48		0.24	0.03		
2013_G8SC	410	CR	49		3.14	0.10		
2013_G8SC	410	CR	50		0.01	0.01		
2013_G8SC	410	CR	51		3.07	0.10		
2013_G8SC	411	MC	01	1.27	12.13	0.23	B	Female
2013_G8SC	411	MC	02	0.19	0.24	0.04		
2013_G8SC	411	MC	03	0.01	0.00	−0.01		
2013_G8SC	411	MC	04	−0.12	0.10	−0.02		
2013_G8SC	411	MC	05	−0.27	0.47	−0.03		
2013_G8SC	411	MC	06	1.09	8.37	0.20	B	Female
2013_G8SC	411	MC	07	−0.43	1.05	−0.06		
2013_G8SC	411	MC	08	−0.01	0.00	0.00		
2013_G8SC	411	MC	09	0.08	0.06	0.01		
2013_G8SC	411	MC	10	−0.81	3.78	−0.13		
2013_G8SC	411	CR	41		0.97	−0.07		
2013_G8SC	411	CR	42		0.22	0.03		
2013_G8SC	411	CR	43		5.25	0.13		
2013_G8SC	411	CR	44		0.53	−0.05		
2013_G8SC	411	CR	45		0.03	0.02		
2013_G8SC	411	CR	46		3.29	−0.11		
2013_G8SC	411	CR	47		1.55	−0.07		
2013_G8SC	411	CR	48		0.19	−0.02		
2013_G8SC	411	CR	49		1.53	0.07		
2013_G8SC	411	CR	50		6.72	−0.15		
2013_G8SC	412	MC	01	−0.16	0.16	−0.02		
2013_G8SC	412	MC	02	−0.03	0.00	0.03		
2013_G8SC	412	MC	03	−0.33	0.50	−0.07		
2013_G8SC	412	MC	04	1.33	5.97	0.16	B	Female
2013_G8SC	412	MC	05	0.50	1.72	0.08		
2013_G8SC	412	MC	06	−0.83	2.00	−0.09		
2013_G8SC	412	MC	07	−0.42	1.35	−0.05		
2013_G8SC	412	MC	08	−0.47	1.57	−0.06		
2013_G8SC	412	MC	09	−0.81	5.21	−0.13		
2013_G8SC	412	MC	10	1.18	5.48	0.16	B	Female
2013_G8SC	412	MC	11	−1.08	9.24	−0.22	B	Male
2013_G8SC	412	CR	41		14.42	0.25	CC	Female

Test	Form	Type	Item	MH Delta	MH Chi-Sq	Effect Size	DIF Category	Favored Group
2013_G8SC	412	CR	42		6.64	0.15		
2013_G8SC	412	CR	43		3.12	0.10		
2013_G8SC	412	CR	44		0.06	−0.04		
2013_G8SC	412	CR	45		7.46	−0.17	BB	Male
2013_G8SC	412	CR	46		0.94	−0.06		
2013_G8SC	412	CR	47		0.13	−0.04		
2013_G8SC	412	CR	48					
2013_G8SC	412	CR	49					
2013_G8SC	412	CR	50		0.47	0.03		
2013_G8SC	413	MC	01	1.78	3.24	0.12		
2013_G8SC	413	MC	02	−0.50	1.62	−0.08		
2013_G8SC	413	MC	03	−0.62	2.08	−0.09		
2013_G8SC	413	MC	04	0.92	5.53	0.17		
2013_G8SC	413	MC	05	0.92	2.31	0.09		
2013_G8SC	413	MC	06	−0.20	0.32	−0.04		
2013_G8SC	413	MC	07	−0.07	0.03	−0.01		
2013_G8SC	413	MC	08	−0.32	0.57	−0.04		
2013_G8SC	413	MC	09	0.94	3.55	0.11		
2013_G8SC	413	MC	10	0.12	0.11	0.03		
2013_G8SC	413	CR	41		2.06	−0.10		
2013_G8SC	413	CR	42		0.98	−0.04		
2013_G8SC	413	CR	43		5.08	−0.12		
2013_G8SC	413	CR	44		1.21	0.06		
2013_G8SC	413	CR	45		0.38	0.05		
2013_G8SC	413	CR	46		3.60	0.12		
2013_G8SC	413	CR	47		1.14	0.06		
2013_G8SC	413	CR	48		0.47	−0.05		
2013_G8SC	413	CR	49		0.01	−0.01		
2013_G8SC	413	CR	50		1.32	−0.09		
2013_G8SC	414	MC	01	0.09	0.07	0.02		
2013_G8SC	414	MC	02	−0.31	0.64	−0.04		
2013_G8SC	414	MC	03	−0.04	0.01	−0.02		
2013_G8SC	414	MC	04	−0.91	1.43	−0.06		
2013_G8SC	414	MC	05	−1.16	8.58	−0.17	B	Male
2013_G8SC	414	MC	06	0.09	0.04	0.02		
2013_G8SC	414	MC	07	−0.53	1.78	−0.08		
2013_G8SC	414	MC	08	0.76	4.51	0.14		
2013_G8SC	414	MC	09	0.56	2.26	0.11		
2013_G8SC	414	MC	10	−0.05	0.01	0.00		

Test	Form	Type	Item	MH Delta	MH Chi-Sq	Effect Size	DIF Category	Favored Group
2013_G8SC	414	CR	41		0.03	0.01		
2013_G8SC	414	CR	42		8.75	−0.18	BB	Male
2013_G8SC	414	CR	43		0.53	0.04		
2013_G8SC	414	CR	44		0.01	0.00		
2013_G8SC	414	CR	45		3.02	−0.08		
2013_G8SC	414	CR	46		18.14	0.29	CC	Female
2013_G8SC	414	CR	47		7.63	−0.16		
2013_G8SC	414	CR	48		2.29	0.11		
2013_G8SC	414	CR	49		1.91	0.09		
2013_G8SC	414	CR	50		1.43	0.08		
2013_G8SC	415	MC	01	−0.11	0.09	−0.01		
2013_G8SC	415	MC	02	−0.32	0.66	−0.05		
2013_G8SC	415	MC	03	−1.99	27.84	−0.35	C	Male
2013_G8SC	415	MC	04	0.40	1.28	0.07		
2013_G8SC	415	MC	05	−0.44	1.28	−0.07		
2013_G8SC	415	MC	06	−0.46	1.42	−0.07		
2013_G8SC	415	MC	07	0.16	0.20	0.04		
2013_G8SC	415	MC	08	1.13	7.05	0.16	B	Female
2013_G8SC	415	MC	09	−0.41	1.10	−0.07		
2013_G8SC	415	MC	10	−0.01	0.00	0.00		
2013_G8SC	415	CR	41		0.73	0.05		
2013_G8SC	415	CR	42		7.51	0.16		
2013_G8SC	415	CR	43		0.24	−0.03		
2013_G8SC	415	CR	44		0.31	−0.02		
2013_G8SC	415	CR	45					
2013_G8SC	415	CR	46					
2013_G8SC	415	CR	47					
2013_G8SC	415	CR	48		3.51	0.11		
2013_G8SC	415	CR	49		0.45	0.04		
2013_G8SC	415	CR	50		0.01	−0.01		
2013_G8SC	415	CR	51		4.30	0.13		

DIF category meanings: A/AA = negligible, B/BB = moderate, C/CC = severe.

Appendix F: Operational Test Maps

June 2013

Position	Item Type	Max Points	Weight	Std	Key Idea	PI	Mean	Point-Biserial	RID	INFIT
1	MC	1	1	1	−	S 2.2b	0.81	0.42	−0.87	0.97
2	MC	1	1	1	−	S 3.2h	0.59	0.49	0.40	0.93
3	MC	1	1	6	−	2.2	0.69	0.46	−0.14	0.97
4	MC	1	1	6	−	2.2	0.60	0.43	0.36	1.02
5	MC	1	1	4	LE	3.2b	0.91	0.41	−1.80	0.90
6	MC	1	1	4	LE	1.1e	0.78	0.47	−0.69	0.94
7	MC	1	1	4	LE	1.1c	0.63	0.45	0.22	1.01
8	MC	1	1	4	LE	1.2g	0.67	0.43	−0.01	1.01
9	MC	1	1	4	LE	1.2j	0.74	0.41	−0.41	0.99
10	MC	1	1	4	LE	1.2e	0.45	0.27	1.04	1.03
11	MC	1	1	4	LE	1.2d	0.58	0.43	0.46	1.06
12	MC	1	1	4	LE	2.1a	0.79	0.44	−0.75	0.96
13	MC	1	1	4	LE	1.2d	0.72	0.40	−0.32	1.04
14	MC	1	1	4	LE	3.1a	0.54	0.27	0.63	1.17
15	MC	1	1	4	LE	4.4a	0.48	0.31	0.91	1.12
16	MC	1	1	4	LE	1.2c	0.45	0.46	1.10	1.01
17	MC	1	1	4	LE	7.2b	0.81	0.27	−0.85	1.08
18	MC	1	1	4	PS	2.1j	0.63	0.51	0.22	0.92
19	MC	1	1	4	LE	4.4d	0.63	0.35	0.18	1.08
20	MC	1	1	4	LE	5.1e	0.83	0.42	−1.05	0.97
21	MC	1	1	4	LE	5.1e	0.86	0.38	−1.31	0.99
22	MC	1	1	4	LE	7.1a	0.45	0.33	1.08	1.17
23	MC	1	1	4	LE	7.2a	0.55	0.53	0.58	0.93
24	MC	1	1	4	PS	1.1d	0.78	0.30	−0.65	1.09
25	MC	1	1	4	PS	1.1g	0.45	0.35	1.06	1.07
26	MC	1	1	4	PS	2.1a	0.80	0.42	−0.81	0.99
27	MC	1	1	4	PS	2.1h	0.65	0.35	0.03	1.01
28	MC	1	1	4	PS	1.1f	0.53	0.30	0.69	1.20
29	MC	1	1	4	PS	1.1i	0.61	0.32	0.28	1.12
30	MC	1	1	4	PS	1.1g	0.53	0.49	0.69	0.97
31	MC	1	1	4	PS	3.1d	0.76	0.38	−0.54	1.01
32	MC	1	1	4	PS	2.2f	0.61	0.41	0.29	1.06
33	MC	1	1	4	PS	1.1c	0.68	0.40	−0.03	1.04
34	MC	1	1	4	PS	2.2d	0.73	0.51	−0.33	0.90
35	MC	1	1	4	PS	2.2r	0.60	0.46	0.33	1.02

Position	Item Type	Max Points	Weight	Std	Key Idea	PI	Mean	Point-Biserial	RID	INFIT
36	MC	1	1	4	PS	3.1a	0.71	0.43	−0.22	0.98
37	MC	1	1	1	−	S M3.1a	0.58	0.35	0.45	1.14
38	MC	1	1	4	PS	3.2a	0.67	0.43	−0.08	0.94
39	MC	1	1	4	PS	4.1e	0.45	0.34	1.12	1.18
40	MC	1	1	4	PS	4.4b	0.79	0.36	−0.72	1.03
41	MC	1	1	4	PS	4.4c	0.82	0.33	−0.94	1.02
42	MC	1	1	4	PS	5.1d	0.81	0.40	−0.91	1.00
43	MC	1	1	4	PS	5.2c	0.70	0.42	−0.15	0.99
44	MC	1	1	4	PS	4.4g	0.82	0.41	−0.98	0.97
45	MC	1	1	4	PS	5.1e	0.69	0.37	−0.09	1.04
46	CR	1	1	1	−	S 2.2d	0.43	0.48	1.22	0.99
47	CR	1	1	1	−	S 2.2d	0.51	0.51	0.78	0.96
48	CR	1	1	6	−	KI 2.2	0.82	0.47	−0.91	0.89
49	CR	1	1	6	−	KI 2.2	0.77	0.36	−0.60	1.03
50	CR	1	1	1	−	M 2.1a	0.69	0.43	−0.13	0.98
51	CR	1	1	1	−	S 3.2h	0.91	0.34	−1.85	0.96
52	CR	1	1	1	−	S 3.1a	0.83	0.43	−1.03	0.93
53	CR	1	1	6	−	KI 2.2	0.63	0.50	0.20	0.93
54	CR	1	1	4	LE	5.1e	0.62	0.42	0.24	1.03
55	CR	1	1	4	LE	5.1g	0.78	0.37	−0.71	1.04
56	CR	1	1	4	LE	5.1g	0.63	0.51	0.18	0.94
57	CR	1	1	1	−	S 3.2h	0.78	0.27	−0.69	1.15
58	CR	1	1	4	LE	3.2c	0.69	0.53	−0.14	0.89
59	CR	1	1	4	PS	2.1f	0.62	0.44	0.25	1.03
60	CR	1	1	4	LE	2.2b	0.36	0.58	1.56	0.83
61	CR	1	1	4	LE	2.2c	0.82	0.39	−0.95	1.00
62	CR	1	1	4	LE	3.1b	0.67	0.54	−0.02	0.89
63	CR	1	1	4	LE	4.1d	0.72	0.55	−0.32	0.87
64	CR	1	1	4	LE	4.1d	0.78	0.53	−0.67	0.86
65	CR	1	1	4	LE	4.4c	0.52	0.54	0.74	0.93
66	CR	1	1	4	LE	5.1d	0.73	0.52	−0.38	0.91
67	CR	1	1	4	LE	5.2a	0.49	0.45	0.90	1.05
68	CR	1	1	1	−	S 3.2h	0.80	0.39	−0.81	0.96
69	CR	1	1	1	−	M 1.1b	0.57	0.53	0.50	0.91
70	CR	1	1	4	PS	2.2f	0.62	0.52	0.25	0.92
71	CR	1	1	7	−	1.1	0.45	0.41	1.10	1.05
72	CR	1	1	6	−	KI 2.2	0.88	0.33	−1.52	0.97
73	CR	1	1	1	−	M 2.1b	0.29	0.36	1.83	1.04
74	CR	1	1	4	PS	2.2l	0.40	0.33	1.32	1.12

Position	Item Type	Max Points	Weight	Std	Key Idea	PI	Mean	Point-Biserial	RID	INFIT
75	CR	1	1	4	PS	2.2p	0.44	0.35	1.10	1.09
76	CR	1	1	4	PS	2.2o	0.56	0.43	0.45	1.04
77	CR	1	1	4	PS	3.1h	0.34	0.56	1.62	0.82
78	CR	1	1	1	−	S 3.2b	0.64	0.43	0.17	1.00
79	CR	1	1	4	LE	3.1c	0.72	0.49	−0.30	0.95
80	CR	1	1	4	PS	4.1b	0.40	0.47	1.32	0.99
81	CR	1	1	4	LE	7.2d	0.74	0.50	−0.40	0.92
82	CR	1	1	4	PS	4.1b	0.43	0.64	1.22	0.78
83	CR	1	1	4	PS	3.3f	0.49	0.48	0.88	1.00
84	CR	1	1	1	−	M 3.1	0.64	0.44	0.13	1.04
85	CR	1	1	4	PS	4.5b	0.76	0.46	−0.57	0.95

Appendix G: Scoring Tables

June 2013

Raw Score	Ability	Scale Score
0	−5.919	0.000
1	−4.701	2.317
2	−3.987	4.234
3	−3.561	5.393
4	−3.252	7.042
5	−3.008	8.466
6	−2.805	10.174
7	−2.630	11.698
8	−2.476	12.966
9	−2.337	14.498
10	−2.210	15.922
11	−2.094	17.157
12	−1.986	18.966
13	−1.884	20.132
14	−1.788	21.352
15	−1.698	23.245
16	−1.611	24.301
17	−1.529	25.367
18	−1.449	26.792
19	−1.373	28.449
20	−1.299	29.524
21	−1.227	30.951
22	−1.158	32.128

Raw Score	Ability	Scale Score
23	−1.090	33.095
24	−1.024	34.603
25	−0.959	35.697
26	−0.896	37.179
27	−0.834	38.635
28	−0.773	39.634
29	−0.714	40.636
30	−0.654	41.627
31	−0.596	43.258
32	−0.539	44.582
33	−0.482	45.591
34	−0.425	46.562
35	−0.370	48.072
36	−0.314	49.508
37	−0.259	50.482
38	−0.204	51.452
39	−0.150	52.416
40	−0.095	53.385
41	−0.041	54.362
42	0.013	55.607
43	0.067	57.266
44	0.121	58.216
45	0.176	59.167

Raw Score	Ability	Scale Score
46	0.230	60.121
47	0.285	61.079
48	0.339	62.036
49	0.394	62.986
50	0.450	63.930
51	0.506	64.878
52	0.562	65.828
53	0.619	66.773
54	0.677	67.834
55	0.735	69.222
56	0.794	70.613
57	0.854	71.563
58	0.915	72.508
59	0.977	73.451
60	1.041	74.394
61	1.105	75.349
62	1.171	76.299
63	1.239	77.247
64	1.309	78.189
65	1.380	79.004
66	1.454	79.105
67	1.531	80.114
68	1.610	82.005

Raw Score	Ability	Scale Score
69	1.693	82.974
70	1.779	83.936
71	1.870	84.903
72	1.966	85.874
73	2.067	86.847
74	2.175	87.823
75	2.292	88.804
76	2.418	89.789
77	2.557	90.777
78	2.711	91.772
79	2.886	92.772
80	3.089	93.780
81	3.332	94.794
82	3.640	95.816
83	4.066	96.880
84	4.779	98.790
85	5.997	100.000