

New York State Regents Examination in Geometry (Common Core)

2016 Technical Report



Prepared for the New York State Education Department
by Pearson

March 2017

Copyright

Developed and published under contract with the New York State Education Department by Pearson.

Copyright © 2017 by the New York State Education Department.

Secure Materials.

All rights reserved. No part of this document may be reproduced or transmitted by any means. Use of these materials is expressly limited to the New York State Education Department.

Contents

CHAPTER 1: INTRODUCTION AND HISTORY	1
1.1 INTRODUCTION	1
1.2 HISTORY	1
1.3 PURPOSES OF THE EXAM (STANDARD 12.1).....	1
1.4 TARGET POPULATION (STANDARD 7.2)	2
CHAPTER 2: CLASSICAL ITEM STATISTICS (STANDARD 4.10)	4
2.1 ITEM DIFFICULTY.....	4
2.2 ITEM DISCRIMINATION	4
TABLE 2 MULTIPLE-CHOICE ITEM ANALYSIS SUMMARY: REGENTS EXAMINATION IN GEOMETRY (COMMON CORE)	5
2.3 DISCRIMINATION ON DIFFICULTY SCATTER PLOT	6
2.4 OBSERVATIONS AND INTERPRETATIONS	7
CHAPTER 3: IRT CALIBRATIONS, EQUATING, AND SCALING (STANDARDS 2, AND 4.10)	8
3.1 DESCRIPTION OF THE RASCH MODEL.....	8
3.2 SOFTWARE AND ESTIMATION ALGORITHM	9
3.3 CHARACTERISTICS OF THE TESTING POPULATION.....	9
3.4. ITEM DIFFICULTY-STUDENT PERFORMANCE MAPS.....	9
3.5 CHECKING RASCH ASSUMPTIONS	10
<i>Unidimensionality</i>	10
<i>Local Independence</i>	12
<i>Item Fit</i>	14
3.6 SCALING OF OPERATIONAL TEST FORMS	15
CHAPTER 4: RELIABILITY (STANDARD 2)	18
4.1 RELIABILITY INDICES (STANDARD 2.20).....	18
<i>Coefficient Alpha</i>	19
4.2 STANDARD ERROR OF MEASUREMENT (STANDARDS 2.13, 2.14, 2.15).....	19
<i>Traditional Standard Error of Measurement</i>	19
<i>Traditional Standard Error of Measurement Confidence Intervals</i>	20
<i>Conditional Standard Error of Measurement</i>	20
<i>Conditional Standard Error of Measurement Confidence Intervals</i>	21
<i>Conditional Standard Error of Measurement Characteristics</i>	22
<i>Results and Observations</i>	22
4.3 DECISION CONSISTENCY AND ACCURACY (STANDARD 2.16)	23
4.4 GROUP MEANS (STANDARD 2.17)	25
4.5 STATE PERCENTILE RANKINGS	26
CHAPTER 5: VALIDITY (STANDARD 1)	28
5.1 EVIDENCE BASED ON TEST CONTENT	28
<i>Content Validity</i>	29
<i>Item Development Process</i>	29
<i>Item Review Process</i>	31
5.2 EVIDENCE BASED ON RESPONSE PROCESSES	32
<i>Administration and Scoring</i>	33
<i>Statistical Analysis</i>	35
5.3 EVIDENCE BASED ON INTERNAL STRUCTURE.....	35
<i>Item Difficulty</i>	36
<i>Item Discrimination</i>	36
<i>Differential Item Functioning</i>	36

<i>IRT Model Fit</i>	36
<i>Test Reliability</i>	37
<i>Classification Consistency and Accuracy</i>	37
<i>Dimensionality</i>	37
5.4 EVIDENCE BASED ON RELATIONS TO OTHER VARIABLES.....	38
5.5 EVIDENCE BASED ON TESTING CONSEQUENCES	39
REFERENCES	40
APPENDIX A: OPERATIONAL TEST MAPS	44
APPENDIX B: RAW-TO-THETA-TO-SCALE SCORE CONVERSION TABLES	47
APPENDIX C: ITEM WRITING GUIDELINES	50
GUIDELINES FOR WRITING MULTIPLE-CHOICE MATH ITEMS	50
GUIDELINES FOR WRITING CONSTRUCTED-RESPONSE MATH ITEMS.....	52
APPENDIX D: TABLES AND FIGURES FOR AUGUST 2015 ADMINISTRATION	54
APPENDIX E: TABLES AND FIGURES FOR JANUARY 2016 ADMINISTRATION	61

List of Tables

TABLE 1 TOTAL EXAMINEE POPULATION: REGENTS EXAMINATION IN GEOMETRY (COMMON CORE)	3
TABLE 2 MULTIPLE-CHOICE ITEM ANALYSIS SUMMARY: REGENTS EXAMINATION IN GEOMETRY (COMMON CORE).....	5
TABLE 3 CONSTRUCTED-RESPONSE ITEM ANALYSIS SUMMARY: REGENTS EXAMINATION IN GEOMETRY (COMMON CORE).....	6
TABLE 4 DESCRIPTIVE STATISTICS IN <i>p</i> -VALUE AND POINT-BISERIAL CORRELATION: REGENTS EXAMINATION IN GEOMETRY (COMMON CORE).....	7
TABLE 5 SUMMARY OF ITEM RESIDUAL CORRELATIONS: GEOMETRY (COMMON CORE)	13
TABLE 6 SUMMARY OF INFIT MEAN SQUARE STATISTICS: GEOMETRY (COMMON CORE)	14
TABLE 7 RELIABILITIES AND STANDARD ERRORS OF MEASUREMENT: REGENTS EXAMINATION IN GEOMETRY (COMMON CORE).....	20
TABLE 8 DECISION CONSISTENCY AND ACCURACY RESULTS: REGENTS EXAMINATION IN GEOMETRY (COMMON CORE)	25
TABLE 9 GROUP MEANS: REGENTS EXAMINATION IN GEOMETRY (COMMON CORE)	26
TABLE 10 STATE PERCENTILE RANKING FOR RAW SCORE – REGENTS EXAMINATION IN GEOMETRY (COMMON CORE)	27
TABLE 11 TEST BLUEPRINT, REGENTS EXAMINATION IN GEOMETRY (COMMON CORE)	29

List of Figures

FIGURE 1 SCATTERPLOT: REGENTS EXAMINATION IN GEOMETRY (COMMON CORE)	7
FIGURE 2 STUDENT PERFORMANCE MAP: REGENTS EXAMINATION IN GEOMETRY (COMMON CORE)	10
FIGURE 3 SCREE PLOTS: REGENTS EXAMINATION IN GEOMETRY (COMMON CORE)	12
FIGURE 4 CONDITIONAL STANDARD ERROR PLOTS: REGENTS EXAMINATION IN GEOMETRY (COMMON CORE)	23
FIGURE 5 PSEUDO-DECISION TABLE FOR TWO HYPOTHETICAL CATEGORIES	24
FIGURE 6 PSEUDO-DECISION TABLE FOR FOUR HYPOTHETICAL CATEGORIES	24
FIGURE 7 NEW YORK STATE EDUCATION DEPARTMENT TEST DEVELOPMENT PROCESS	30

Chapter 1: Introduction and History

1.1 INTRODUCTION

This technical report for the Regents Examination in Geometry (Common Core) will provide New York State with documentation on the purpose of the Regents Examination, scoring information, evidence of both reliability and validity of the exams, scaling information, and guidelines and reporting information. As the *Standards for Education and Psychological Testing* discusses in Standard 7, “The objective of the documentation is to provide test users with the information needed to help them assess the nature and quality of the test, the resulting scores, and the interpretations based on the test scores” (American Educational Research Association [AERA], American Psychological Association [APA], & National Council on Measurement in Education [NCME], 2014, p.123).¹ Please note that a technical report, by design, addresses technical documentation of a testing program; other aspects of a testing program (content standards, scoring guides, guide to test interpretation, equating, etc.) are thoroughly addressed and referenced in supporting documents.

1.2 HISTORY

The Board of Regents adopted the Common Core State Standards (CCSS) for English Language Arts & Literacy and Mathematics at its July 2010 meeting and incorporated New York State-specific additions, creating the Common Core Learning Standards (CCLS), at its January 2011 meeting. Based on feedback from the field and to ensure adequate notice and time for students to be prepared to take the new Regents Exams measuring the CCLS, the Department provided an overlap in the administration of the Regents Exams measuring the 2005 Learning Standards with the Regents Exams measuring the CCLS, and a phased-in sequence.

Students who took the old Regents Exam in addition to the new Regents Exam were allowed to use the higher of the two scores for local transcript purposes, and, similarly, the higher of the two scores was used for institutional accountability for the 2013–14, 2014–15, and 2015–16 school year results. Such students were able to meet the Geometry exam requirement for graduation by passing either of these exams. The complete memo detailing transition to the Common Core examinations can be located at <http://www.p12.nysed.gov/assessment/commoncore/archive/transitionccregents1113rev-arc2.pdf>.

1.3 PURPOSES OF THE EXAM (STANDARD 12.1)

The Regents Examination in Geometry (Common Core) measures examinee achievement against the New York State (NYS) learning standards. The exam is prepared by educator examination committees and New York State Education Department (NYSED) subject matter and testing specialists, and provides teachers and students with important information about student learning and performance against the established curriculum standards. Results of this exam may be used to identify student strengths and needs, in order to guide classroom teaching and learning. The exams also provide students, parents, counselors, administrators, and college admissions officers with objective and easily

¹ References to specific *Standards* will be placed in parentheses throughout the technical report, to provide further context for each section.

understood achievement information that may be used to inform empirically based educational and vocational decisions about students. As a state-provided objective benchmark, the Regents Examination in Geometry (Common Core) is intended for use in satisfying state testing requirements toward a NYS diploma for students who have finished a course in Geometry. A passing score on the exam counts toward requirements for a high school diploma, as described in the New York State diploma requirements: <http://www.nysed.gov/common/nysed/files/programs/curriculum-instruction/currentdiplomarequirements2.pdf>. Results of the Regents Examination in Geometry (Common Core) may also be used to satisfy various locally established requirements throughout the state.

1.4 TARGET POPULATION (STANDARD 7.2)

The examinee population for the Regents Examination in Geometry (Common Core) is composed of students who have completed a course of study in Geometry. Any student, regardless of grade level or cohort, who began their first commencement-level Geometry course in fall 2013 or later was provided with instruction aligned with the NYS P–12 Common Core Learning Standards for Geometry and, therefore, took or will take the Regents Examination in Geometry (Common Core). More information about testing requirements can be found at <http://www.p12.nysed.gov/assessment/commoncore/transitionccregents1113rev.pdf>.

Table 1 provides a demographic breakdown of all students who took the August 2015, January 2016, and June 2016 Regents Examination in Geometry (Common Core). All analyses in this report are based on the population described in Table 1. Annual Regents Examination results in the New York State Report Cards are those reported in the Student Information Repository System (SIRS) as of the reporting deadline (see <http://data.nysed.gov/>). If a student takes the same exam multiple times in the year, only the highest score is included in these results. Item-level data used for the analyses in this report are reported by districts on a similar timeline, but through a different collection system. These data include all student results for each administration. Therefore, the n-sizes in this technical report will differ from publicly reported counts of student test-takers.

Table 1 Total Examinee Population: Regents Examination in Geometry (Common Core)

Demographics	August Admin*		January Admin**		June Admin***	
	Number	Percent	Number	Percent	Number	Percent
All Students*	5,179	100	5,707	100	139,882	100
Race/Ethnicity						
American Indian/Alaska Native	28	0.54	42	0.74	638	0.46
Asian/Native Hawaiian/Other Pacific Islander	424	8.19	641	11.24	15,945	11.40
Black/African American	1,229	23.74	1,574	27.59	19,362	13.84
Hispanic/Latino	1,169	22.58	1,685	29.54	26,414	18.88
Multiracial	71	1.37	75	1.31	2,003	1.43
White	2,256	43.58	1,688	29.59	75,519	53.99

Demographics	August Admin*		January Admin**		June Admin***	
	Number	Percent	Number	Percent	Number	Percent
English Language Learners						
No	5,072	97.93	5,286	92.62	136,079	97.28
Yes	107	2.07	421	7.38	3,803	2.72
Economically Disadvantaged						
No	2,633	50.84	2,106	36.90	84,301	60.27
Yes	2,546	49.16	3,601	63.10	55,581	39.73
Gender						
Female	2,638	50.96	3,019	52.92	73,499	52.54
Male	2,539	49.04	2,686	47.08	66,382	47.46
Student with Disabilities						
No	4,598	88.78	5,144	90.13	130,268	93.13
Yes	581	11.22	563	9.87	9,614	6.87

*Note: Two students were not reported in the Ethnicity and Gender group, but they are reflected in "All Students."

**Note: Two students were not reported in the Ethnicity and Gender group, but they are reflected in "All Students."

***Note: One student was not reported in the Ethnicity and Gender group, but that student is reflected in "All Students."

Chapter 2: Classical Item Statistics (Standard 4.10)

This chapter provides an overview of the two most familiar item-level statistics obtained from classical item analysis: item difficulty and item discrimination. The following results pertain only to the operational Regents Examination in Geometry (Common Core) items.

2.1 ITEM DIFFICULTY

At the most general level, an item's difficulty is indicated by its mean score in some specified group (e.g., grade level).

$$\bar{x} = \frac{1}{n} \cdot \sum_{i=1}^n x_i$$

In the mean score formula above, the individual item scores (x_i) are summed and then divided by the total number of students (n). For multiple-choice (MC) items, student scores are represented by 0s and 1s (0 = wrong, 1 = right). With 0–1 scoring, the equation above also represents the number of students correctly answering the item divided by the total number of students. Therefore, this is also the proportion correct for the item, or the p -value. In theory, p -values can range from 0.00 to 1.00 on the proportion-correct scale.² For example, if an MC item has a p -value of 0.89, it means that 89 percent of the students answered the item correctly. This value might suggest that the item was relatively easy and/or the students who attempted the item were relatively high achievers. For constructed-response (CR) items, mean scores can range from the minimum possible score (usually zero) to the maximum possible score. To facilitate average score comparability across MC and CR items, mean item performance for CR items is divided by the maximum score possible, so that the p -values for all items are reported as a ratio from 0.0 to 1.0.

Although the p -value statistic does not consider individual student ability in its computation, it provides a useful view of overall item difficulty and can provide an early and simple indication of items that are too difficult for the population of students taking the examination. Items with very high or very low p -values receive added scrutiny during all follow-up analyses, including item response theory analyses that factor student ability into estimates of item difficulty. Such items may be removed from the item pool during the test development process, as field testing typically reveals that they add insufficient measurement information. Items for the June 2016 Regents Examination in Geometry (Common Core) show a range of p -values consistent with the targeted exam difficulty. Item p -values, presented in Table 2 and Table 3 for multiple-choice and constructed-response items, respectively, range from 0.19 to 0.93, with a mean of 0.53. Table 2 and Table 3 also show a standard deviation (SD) of item score and item mean Table 3, only).

2.2 ITEM DISCRIMINATION

At the most general level, estimates of item discrimination indicate each item's ability to differentiate between high and low student performance. It is expected that high-performing students (i.e., those who perform well on the Regents Examination in Geometry [Common

² For MC items with four response options, pure random guessing would lead to an expected p -value of 0.25.

Core] overall) would be more likely to answer any given item correctly, while low-performing students (i.e., those who perform poorly on the exam overall) would be more likely to answer the same item incorrectly. Pearson’s product-moment correlation coefficient (also commonly referred to as a point-biserial correlation) between item scores and test scores is used to indicate discrimination (Pearson, 1896). The correlation coefficient can range from -1.0 to $+1.0$. If high-scoring students tend to get the item right while low-scoring students do not, the correlation between the item score and the total test score will be both positive and noticeably large in its magnitude (i.e., above zero), meaning the item is likely discriminating well between high- and low-performing students. Point-biserials are computed for each answer option, including correct and incorrect options (commonly referred to as “distractors”). Point-biserial values for each distractor are an important part of test analysis. Point-biserial values on distractors are typically negative. Positive point-biserial values can indicate that higher performing students are selecting an incorrect answer or that the item key for the correct answer should be checked.

Refer to Table 2 and Table 3 for point-biserial values on the correct response and three distractors (Table 2, only). The point-biserial values for correct answers are all greater than 0.25, indicating acceptable discrimination between high- and low-performing examinees. Point-biserials for all are negative or very close to zero. This indicates that examinees are responding to the items as expected during item and rubric development.

TABLE 2 MULTIPLE-CHOICE ITEM ANALYSIS SUMMARY: REGENTS EXAMINATION IN GEOMETRY (COMMON CORE)

Item	Number	<i>p</i> -Value	SD	Point-Biserial	Point-Biserial Distractor 1	Point-Biserial Distractor 2	Point-Biserial Distractor 3
1	139,882	0.76	0.42	0.44	-0.15	-0.21	-0.32
2	139,882	0.83	0.37	0.29	-0.20	-0.17	-0.10
3	139,882	0.76	0.42	0.29	-0.16	-0.20	-0.09
4	139,882	0.80	0.40	0.46	-0.23	-0.31	-0.19
5	139,882	0.79	0.41	0.30	-0.21	-0.19	-0.09
6	139,882	0.78	0.41	0.45	-0.26	-0.20	-0.26
7	139,882	0.58	0.49	0.25	-0.10	-0.10	-0.15
8	139,882	0.93	0.26	0.26	-0.11	-0.16	-0.17
9	139,882	0.33	0.47	0.47	-0.20	-0.21	-0.13
10	139,882	0.62	0.49	0.49	-0.22	-0.18	-0.32
11	139,882	0.68	0.47	0.51	-0.18	-0.28	-0.31
12	139,882	0.48	0.50	0.47	-0.24	-0.17	-0.23
13	139,882	0.49	0.50	0.43	-0.24	-0.15	-0.20
14	139,882	0.38	0.49	0.55	-0.28	-0.25	-0.14
15	139,882	0.56	0.50	0.44	-0.17	-0.21	-0.24
16	139,882	0.49	0.50	0.44	-0.36	-0.17	-0.08
17	139,882	0.55	0.50	0.51	-0.31	-0.32	-0.13

Item	Number	<i>p</i> -Value	SD	Point-Biserial	Point-Biserial Distractor 1	Point-Biserial Distractor 2	Point-Biserial Distractor 3
18	139,882	0.46	0.50	0.42	-0.15	-0.21	-0.18
19	139,882	0.51	0.50	0.33	-0.06	-0.24	-0.14
20	139,882	0.51	0.50	0.44	-0.19	-0.24	-0.20
21	139,882	0.45	0.50	0.47	-0.26	-0.30	-0.13
22	139,882	0.52	0.50	0.32	-0.22	-0.13	-0.09
23	139,882	0.29	0.45	0.39	-0.23	-0.24	0.00
24	139,882	0.41	0.49	0.50	-0.18	-0.25	-0.20

Table 3 Constructed-Response Item Analysis Summary: Regents Examination in Geometry (Common Core)

Item	Min. score	Max. score	Number of Students	Mean	SD	<i>p</i> -Value	Point-Biserial
25	0	2	139,882	1.24	0.81	0.62	0.52
26	0	2	139,882	0.98	0.91	0.49	0.66
27	0	2	139,882	0.86	0.86	0.43	0.65
28	0	2	139,882	0.97	0.85	0.49	0.62
29	0	2	139,882	0.54	0.81	0.27	0.56
30	0	2	139,882	1.08	0.88	0.54	0.70
31	0	2	139,882	0.56	0.85	0.28	0.65
32	0	4	139,882	2.63	1.54	0.66	0.65
33	0	4	139,882	1.72	1.58	0.43	0.78
34	0	4	139,882	1.71	1.28	0.43	0.66
35	0	6	139,882	1.33	1.82	0.22	0.75
36	0	6	139,882	1.11	1.66	0.19	0.66

2.3 DISCRIMINATION ON DIFFICULTY SCATTER PLOT

Figure 1 shows a scatter plot of item difficulty values (*x*-axis) and item discrimination values (*y*-axis). The descriptive statistics of *p*-value and point-biserials, including mean, minimum, Q1, median, Q3, and maximum, are also presented in Table 4.




Figure 1 Scatter Plot: Regents Examination in Geometry (Common Core)

Table 4 Descriptive Statistics in p -value and Point-Biserial Correlation: Regents Examination in Geometry (Common Core)

Statistics	N	Mean	Min	Q1	Median	Q3	Max
p -value	36	0.53	0.19	0.43	0.50	0.64	0.93
Point-Biserial	36	0.49	0.25	0.42	0.47	0.63	0.78

2.4 OBSERVATIONS AND INTERPRETATIONS

The p -values for the MC items ranged from about 0.30 to 0.90 while proportion-correct values for the constructed response items (Table 3) ranged from about 0.20 and 0.70. The difficulty distribution illustrated in Figure 1 shows a wide range of item difficulties on the exam. This is consistent with general test development practice, which seeks to measure student ability along a full range of difficulty.

Chapter 3: IRT Calibrations, Equating, and Scaling (Standards 2, and 4.10)

The item response theory (IRT) model used for the Regents Examination in Geometry (Common Core) is based on the work of Georg Rasch (Rasch, 1960). The Rasch model has a long-standing presence in applied testing programs. IRT has several advantages over classical test theory, and has become the standard procedure for analyzing item response data in large-scale assessments. According to van der Linden and Hambleton (1997), “The central feature of IRT is the specification of a mathematical function relating the probability of an examinee’s response on a test item to an underlying ability.” Ability in this sense can be thought of as performance on the test and is defined as “the expected value of observed performance on the test of interest” (Hambleton, Swaminathan, and Roger, 1991). This performance value is often referred to as θ . Performance and θ will be used interchangeably throughout the remainder of this report.

A fundamental advantage of IRT is that it links examinee performance and item difficulty estimates and places them on the same scale, allowing for an evaluation of examinee performance that considers the difficulty of the test. This is particularly valuable for final test construction and test form equating, as it facilitates a fundamental attention to fairness for all examinees across items and test forms.

This chapter outlines the procedures used for calibrating the operational Regents Examination in Geometry (Common Core) items. Generally, item calibration is the process of assigning a difficulty, or item “location,” estimate to each item in an assessment so that all items are placed onto a common scale. This chapter briefly introduces the Rasch model, reports the results from evaluations of the adequacy of the Rasch assumptions, and summarizes the Rasch item statistics.

3.1 DESCRIPTION OF THE RASCH MODEL

The Rasch model (Rasch, 1960) was used to calibrate multiple-choice items, and the partial credit model, or PCM (Wright and Masters, 1982), was used to calibrate constructed-response items. The PCM extends the Rasch model for dichotomous (0, 1) items so that it accommodates the polytomous CR item data. Under the PCM model, for a given item i with m_i score categories, the probability of person n scoring x ($x = 0, 1, 2, \dots, m_i$) is given by

$$P_{ni}(X = x) = \frac{\exp \sum_{j=0}^x (\theta_n - D_{ij})}{\sum_{k=0}^{m_i} \exp \sum_{j=0}^k (\theta_n - D_{ij})}$$

where θ_n represents examinee ability, and D_{ij} is the step difficulty of the j^{th} step on item i . D_{ij} can be expressed as $D_{ij} = D_i - F_{ij}$, where D_i is the difficulty for item i and F_{ij} is a step deviation value for the j^{th} step. For dichotomous MC items, the RPCM reduces to the standard Rasch model and the single step difficulty is referred to as the item’s difficulty. The Rasch model predicts the probability of person n getting item i correct as follows:

$$P_{ni}(X = 1) = \frac{\exp(\theta_n - D_{ij})}{1 + \exp(\theta_n - D_{ij})}$$

The Rasch model places both performance and item difficulty (estimated in terms of log-odds or logits) on the same continuum. When the model assumptions are met, the Rasch model provides estimates of examinee performance and item difficulty that are theoretically invariant across random samples of the same examinee population.

3.2 SOFTWARE AND ESTIMATION ALGORITHM

Item calibration was implemented via the WINSTEPS 3.60 computer program (Wright and Linacre, 2015), which employs unconditional (UCON), joint maximum likelihood estimation (JMLE).

3.3 CHARACTERISTICS OF THE TESTING POPULATION

The data analyses reported here are based on all students who took the Regents Examination in Geometry (Common Core) in June 2016. The characteristics of this population are provided in Table 1.

3.4. ITEM DIFFICULTY-STUDENT PERFORMANCE MAPS

The distributions of the Rasch item logits (item difficulty estimates) and student performance are shown on the item difficulty – student performance map presented in Figure 2. This graphic illustrates the location of student performance and item difficulty on the same scale, along with their respective distributions and cut scores (indicated by the horizontal dotted lines). The figure shows more difficult items and higher examinee performance at the top and lower performance and easier items at the bottom. Figure 2 also demonstrates that measurement precision tends to be higher at the critical cut scores, based on a concentration of items and students at these locations.




Figure 2 Student Performance Map: Regents Examination in Geometry (Common Core)

3.5 CHECKING RASCH ASSUMPTIONS

Since the Rasch model was the basis of all calibration, scoring, and scaling analyses associated with the Regents Examination in Geometry (Common Core), the validity of the inferences from these results depends on the degree to which the assumptions of the model were met and how well the model fits the test data. Therefore, it is important to check these assumptions. This section evaluates the dimensionality of the data, local item independence, and item fit. It should be noted that only operational items were analyzed, since they are the basis of student scores.

Unidimensionality

Rasch models assume that one dominant dimension determines the differences in student performance. Principal Components Analysis (PCA) can be used to assess the unidimensionality assumption. The purpose of the analysis is to verify if other dominant components exist among the items. If any other dimensions are found, the unidimensionality of test content assumption may be violated.

A parallel analysis (Horn, 1965) was conducted to help distinguish components that are real from components that are random. Parallel analysis is a technique to decide how many factors exist in principal components. For the parallel analysis, 100 random data sets of sizes equal to the original data were created. For each random data set, a PCA was performed and the resulting eigenvalues stored. Then for each component, the upper 95th percentile value of the distribution of the 100 eigenvalues from the random data sets was plotted. Given the size of the data generated for the parallel analysis, the reference line is essentially equivalent to plotting a reference line for an eigenvalue of 1.

Figure 3 shows the PCA and parallel analysis results for the Regents Examination in Geometry (Common Core). The results include the eigenvalues and the percentage of variance explained for the first five components, as well as the scree plots. The scree plots show the eigenvalues plotted by component number and the results from a parallel analysis. Although the total number of components in PCA is same as the total number of items in a test, Figure 3 shows only the first 10 components. This view is sufficient for interpretation because components are listed in descending eigenvalue order. The fact that the eigenvalues for components 2 through 10 are much lower than the first component demonstrates that there is only one dominant component, showing evidence of unidimensionality.

As rule of thumb, Reckase (1979) proposed that the variance explained by the primary dimension should be greater than 20 percent, to indicate unidimensionality. However, as this rule is not absolute, it is helpful to consider three additional characteristics of the PCA and parallel analysis results: 1) whether or not the ratio of the first to the second eigenvalue is greater than 3, 2) whether the second value is not much larger than the third value, and 3) whether the second value is not significantly different from those from the parallel analysis.

As shown in Figure 3, the primary dimension explained 26.46 percent of the total variance for the Regents Examination in Geometry (Common Core). The eigenvalue of the second dimension is less than one third of the first, at 1.48, and the second value is not significantly different from the parallel analysis. Overall, the PCA suggests that the test is reasonably unidimensional.




Figure 3 Scree Plots: Regents Examination in Geometry (Common Core)

Local Independence

Local independence (LI) is a fundamental assumption of IRT. This means that, for statistical purposes, an examinee’s response to any one item should not depend on the examinee’s response to any other item on the test. In formal statistical terms, a test X that is comprised of items X_1, X_2, \dots, X_n is locally independent with respect to the latent variable θ if, for all $x = (x_1, x_2, \dots, x_n)$ and θ ,

$$P(\mathbf{X} = \mathbf{x} | \theta) = \prod_{i=1}^I P(X_i = x_i | \theta).$$

This formula essentially states that the probability of any pattern of responses across all items (x), after conditioning on the examinee’s true score (θ) as measured by the test, should be equal to the product of the conditional probabilities across each item (i.e., the multiplication rule for independent events where the joint probabilities are equal to the product of the associated marginal probabilities).

The equation above shows the condition after satisfying the strong form of local independence. A weak form of local independence (WLI) is proposed by McDonald (1979). The distinction is important because many indicators of local dependency are actually framed by WLI. For WLI, the conditional covariances of all pairs of item responses, conditioned on the abilities, are assumed to be equal to zero. When this assumption is met, the joint probability of responses to an item pair, conditioned on the abilities, is the product of the probabilities of

responses to these two items, as shown below. Based on the WLI, the following expression can be derived:

$$P(X_i = x_i, X_j = x_j | \theta) = P(X_i = x_i | \theta)P(X_j = x_j | \theta).$$

Marais and Andrich (2008) point out that local item dependence in the Rasch model can occur in two ways that may be difficult to distinguish. The first way occurs when the assumption of unidimensionality is violated. Here, other nuisance dimensions besides a dominant dimension determine student performance (this can be called “trait dependence”). The second way occurs when responses to an item depend on responses to another item. This is a violation of local independence and can be called response dependence. By distinguishing the two sources of local dependence, one can see that, while local independence can be related to unidimensionality, the two are different assumptions and, therefore, require different tests.

Residual item correlations provided in WINSTEPS for each item pair were used to assess the local dependence between the Regents Examination in Geometry (Common Core) items. In general, these residuals are computed as follows. First, expected item performance based on the Rasch model is determined using (θ) and item parameter estimates. Next, deviations (residuals) between the examinees’ expected and observed performance are determined for each item. Finally, for each item pair, a correlation between the respective deviations is computed.

Three types of residual correlations are available in WINSTEPS: raw, standardized, and logit. It is noted that the raw score residual correlation essentially corresponds to Yen’s Q_3 index, a popular statistic used to assess local independence. The expected value for the Q_3 statistic is approximately $-1/(k - 1)$ when no local dependence exists, where k is test length (Yen, 1993). Thus, the expected Q_3 values should be approximately -0.03 for the items on the exam. Index values that are greater than 0.20 indicate a degree of local dependence that probably should be examined by test developers (Chen & Thissen, 1997).

Since the three residual correlations are very similar, the default “standardized residual correlation” in WINSTEPS was used for these analyses. Table 5 shows the summary statistics — mean, standard deviation, minimum, maximum, and several percentiles (P10, P25, P50, P75, P90) — for all of the residual correlations for each test. The total number of item pairs (N) and the number of pairs with the residual correlations greater than 0.20 are also reported in this table. There were no item pairs with residual correlations greater than 0.20. The mean residual correlation was slightly negative and the values were close to -0.02 . The vast majority of the correlations were very small, suggesting that local item independence generally holds for the Regents Examination in Geometry (Common Core).

Table 5 Summary of Item Residual Correlations: Geometry (Common core)

Statistic Type	Value
N	630
Mean	-0.02
SD	0.03
Minimum	-0.10
P ₁₀	-0.06
P ₂₅	-0.04
P ₅₀	-0.02
P ₇₅	0.00
P ₉₀	0.01
Maximum	0.13
> 0.20	0

Item Fit

An important assumption of the Rasch model is that the data for each item fit the model. WINSTEPS provides two item fit statistics (INFIT and OUTFIT) for evaluating the degree to which the Rasch model predicts the observed item responses for a given set of test items. Each fit statistic can be expressed as a mean square (MnSq) statistic or on a standardized metric (Zstd with mean = 0 and variance = 1). MnSq values are more oriented toward practical significance, while Zstd values are more oriented toward statistical significance. INFIT MnSq values are the average of standardized residual variance (the difference between the observed score and the Rasch-estimated score divided by the square root of the Rasch-model variance). The INFIT statistic is weighted by the (θ) relative to item difficulty.

The expected MnSq value is 1.0 and can range from 0.0 to infinity. Deviation in excess of the expected value can be interpreted as either noise or lack of fit between the items and the model. Values lower than the expected value can be interpreted as item redundancy or overfitting items (too predictable, too much redundancy), and values greater than the expected value indicate underfitting items (too unpredictable, too much noise). Rules of thumb regarding “practically significant” MnSq values vary.

Table 6 presents the summary statistics of INFIT mean square statistics for the Regents Examination in Geometry (Common Core), including the number of items, mean, standard deviation, and minimum and maximum values.

The number of items within a targeted range of [0.7, 1.3] is also reported in Table 6. The mean INFIT value is 1.00, with all items falling in a targeted range of [0.7, 1.3]. As the range of [0.7, 1.3] is used as guide for ideal fit, fit values outside of the range are considered individually. A finding of 36 out of 36 items falling in the ideal fit range indicates that the Rasch model fits the Regents Examination in Geometry (Common Core) item data well.

Table 6 Summary of INFIT Mean Square Statistics: Geometry (Common Core)

	INFIT Mean Square					
	N	Mean	SD	Min	Max	[0.7, 1.3]
Geometry (Common Core)	36	1.00	0.11	0.77	1.25	[36/36]

Items for the Regents Examination in Geometry (Common Core) were field tested in 2012–2015.

3.6 SCALING OF OPERATIONAL TEST FORMS

Operational test items were selected based on content coverage, content accuracy, and statistical quality. The sets of items on each operational test conformed to the coverage determined by content experts working from the learning standards established by the New York State Education Department and explicated in the test blueprint. Each item’s classical and Rasch statistics were used to assess item quality. Items were selected to vary in difficulty, to accurately measure students’ abilities across the ability continuum. Appendix A contains the operational test maps for the August 2015, January 2016, and June 2016 administrations. Note that statistics presented in the test maps were generated based on the field test data.

All Regents examinations are pre-equated, meaning that the parameters used to derive the relationship between the raw and scale scores are estimated prior to the construction and administration of the operational form. These field tests are administered to as small a sample of students as possible to minimize the effect on student instructional time across the state. The small n-counts associated with such administrations are sufficient for reasonably accurate estimation of most items’ parameters; however, for the six-point essay item, its parameters can be unstable when estimated across as small a sample as is typically used. Therefore, a set of constants is used for these items’ parameters on operational examinations. These constants were set by the NYSED and are based on the values in the bank for all essay items. For the Geometry (Common Core) examination, there are two six-point items with fixed constants as follows: First six-point item ($D = 1.13$, $F_0 = 0.00$, $F_1 = 0.22$, $F_2 = -0.70$, $F_3 = -0.23$, $F_4 = -0.34$, $F_5 = 0.33$, and $F_6 = 0.73$); Second six-point item ($D = 0.79$, $F_0 = 0.00$, $F_1 = -0.42$, $F_2 = 0.11$, $F_3 = -0.11$, $F_4 = 0.18$, $F_5 = 0.41$, and $F_6 = -0.17$).

The New York State Regents Examination in Geometry (Common Core) has four cut scores, which are set at the scale scores of 55, 65, 80 (floating), and 85. Note that the third cut has been updated from 74 to 80, starting in the June 2016 administration. One of the primary considerations during test construction was to select items so as to minimize changes in the raw scores corresponding to these scale scores. Maintaining a consistent mean Rasch difficulty level from administration to administration facilitates this. For this assessment, the target value for the mean Rasch difficulty was set at 0.125. It should be noted that the raw scores corresponding to the scale score cut scores may still fluctuate, even if the mean Rasch difficulty level is maintained at the target value, due to differences in the distributions of the Rasch difficulty values among the items from administration to administration.

The relationship between raw and scale scores is explicated in the scoring tables for each administration. These tables for the August 2015, January 2016, and June 2016 administrations can be found in Appendix B. These tables are the end product of the following scaling procedure.

All Regents examinations are equated back to a base scale, which is held constant from year to year. Specifically, they are equated to the base scale through the use of a calibrated item pool. The Rasch difficulties from the items' initial administration in a previous year's field test are used to equate the scale for the current administration to the base administration. For this examination, the base administration was the June 2015 administration. Scale scores from the August 2015, January 2016, and June 2016 administrations are on the same scale and can be directly compared to scale scores on all previous administrations back to the June 2015 administration.

When the base administration was concluded, the initial raw score-to-scale score relationship was established. Three raw scores were fixed at specific scale scores. Scale scores of 0 and 100 were fixed to correspond to the minimum and maximum possible raw scores. In addition, a standard setting had been held to determine the passing and passing with distinction cut scores in the raw score metric. The scale score points of 55, 65, and 85 were set to correspond to those raw score cuts. A fourth-degree polynomial is required in order to fit a line exactly to five arbitrary points (e.g., the raw scores corresponding to the five critical scale scores of 0, 55, 65, 85, and 100). The general form of this best-fitting line is:

$$SS = m4 * RS4 + m3 * RS3 + m2 * RS2 + m1 * RS1 + m0,$$

where SS is the scaled score, RS is the raw score, and m0 through m4 are the transformation constants that convert the raw score into the scale score (please note that m0 will always be equal to zero in this application, since a raw score of zero corresponds to a scale score of zero). A subscript for a person on both dependent and independent variables is not present for simplicity. The above relationship and the values of m1 to m4 specific to this subject were then used to determine the scale scores corresponding to the remainder of the raw scores on the examination. This initial relationship between the raw and scale scores became the base scale.

The Rasch difficulty parameters for the items on the base form were then used to derive a raw score to Rasch student ability (theta score) relationship. This allowed the relationship between the Rasch theta score and the scale score to be known, mediated through their common relationship with the raw scores.

In succeeding years, each test form was selected from the pool of items that had been tested in previous years' field tests, each of which had known Rasch item difficulty parameter(s). These known parameters were then used to construct the relationship between the raw and Rasch theta scores for that particular form. Because the Rasch difficulty parameters are all on a common scale, the Rasch theta scores were also on a common scale with previously administered forms. The remaining step in the scaling process was to find the scale score equivalent for the Rasch theta score corresponding to each raw score point on

the new form, using the theta-to-scale score relationship established in the base year. This was done via linear interpolation.

This process results in a relationship between the raw scores on the form and the overall scale scores. The scale scores corresponding to each raw score are then rounded to the nearest integer for reporting on the conversion chart (posted at the close of each administration). The only exceptions are for the minimum and maximum raw scores and the raw scores that correspond to the scaled cut scores of 55, 65, 80, and 85.

The minimum (zero) and maximum possible raw scores are assigned scale scores of 0 and 100, respectively. In the event that there are raw scores less than the maximum with scale scores that round to 100, their scale scores are set equal to 99. A similar process is followed with the minimum score; if any raw scores other than zero have scale scores that round to zero, their scale scores are instead set equal to one.

With regard to the cuts, if two or more scale scores round to 55, 65, or 85, the lowest raw score's scale score is set equal to 55, 65, or 85 and the scale scores corresponding to the higher raw scores are set to 56, 66, or 86, as appropriate. This rule does not apply for the third cut at a scale score of 80. If no scale score rounds to these four critical cuts, then the raw score with the largest scale score that is less than the cut is set equal to the cut. The overarching principle, when two raw scores both round to either scale score cut, is that the lower of the raw scores is always assigned to be equal to the cut, so that students are never penalized for this ambiguity.

Chapter 4: Reliability (Standard 2)

Test reliability is a measure of the internal consistency of a test (Cronbach, 1951). It is a measure of the extent to which the items on a test provide consistent information about student mastery of a domain. Reliability should ultimately demonstrate that examinee score estimates maximize consistency and, therefore, minimize error, or theoretically speaking, that examinees who take a test multiple times would get the same score each time.

According to the *Standards for Educational and Psychological Testing*, “A number of factors can have significant effects on reliability/precision, and in some cases, these factors can lead to misinterpretations of test scores, if not taken into account” (AERA et al., 2014, p. 38). First, test length and the variability of observed scores can both influence reliability estimates. Tests with fewer items or with a lack of heterogeneity in scores tend to produce lower reliability estimates. Second, reliability is specifically concerned with random sources of error. Accordingly, the degree of inconsistency due to random error sources is what determines reliability: less consistency is associated with lower reliability, and more consistency is associated with higher reliability. Of course, systematic error sources also exist.

The remainder of this chapter discusses reliability results for the Regents Examination in Geometry (Common Core) and three additional statistical measures to address the multiple factors affecting an interpretation of the Exam’s reliability:

- standard errors of measurement
- decision consistency
- group means

4.1 RELIABILITY INDICES (STANDARD 2.20)

Classical test theory describes reliability as a measure of the internal consistency of test scores. The reliability (ρ_X^2) is defined as the ratio of true score variance (σ_T^2) to the observed score variance (σ_X^2) as presented in the equation below. The total variance contains two components: 1) the variance in true scores and 2) the variance due to the imperfections in the measurement process (σ_E^2). Put differently, total variance equals true score variance plus error variance.³

$$\rho_X^2 = \frac{\sigma_T^2}{\sigma_X^2} = \frac{\sigma_T^2}{\sigma_T^2 + \sigma_E^2}$$

Reliability coefficients indicate the degree to which differences in test scores reflect true differences in the attribute being tested, rather than random fluctuations. Total test score variance (i.e., individual differences) is partly due to real differences in the construct (true variance) and partly due to random error in the measurement process (error variance).

³ A covariance term is not required, as true scores and error are assumed to be uncorrelated in classical test theory.

Reliability coefficients range from 0.0 to 1.0. The index will be 0.0 if none of the test score variances is true. If all of the test score variances were true, the index would equal 1.0. Such scores would be pure random noise (i.e., all measurement error). If the index achieved a value of 1.0, scores would be perfectly consistent (i.e., contain no measurement error). Although values of 1.0 are never achieved in practice, it is clear that larger coefficients are more desirable because they indicate that test scores are less influenced by random error.

Coefficient Alpha

Reliability is most often estimated using the formula for Coefficient Alpha, which provides a practical internal consistency index. Coefficient Alpha can be conceptualized as the extent to which an exchangeable set of items from the same domain would result in a similar rank ordering of students. Note that relative error is reflected in this index. Excessive variation in student performance from one sample of items to the next should be of particular concern for any achievement test user.

A general computational formula for Coefficient Alpha is as follows:

$$\alpha = \frac{N}{N-1} \left(1 - \frac{\sum_{i=1}^N \sigma_{Yi}^2}{\sigma_X^2} \right),$$

where N is the number of parts (items), σ_X^2 is the variance of the observed total test scores, and σ_{Yi}^2 is the variance of part i .

4.2 STANDARD ERROR OF MEASUREMENT (STANDARDS 2.13, 2.14, 2.15)

Reliability coefficients best reflect the extent to which measurement inconsistencies may be present or absent. The standard error of measurement (SEM) is another indicator of test score precision that is better suited for determining the effect of measurement inconsistencies for the scores obtained by individual examinees. This is particularly so for conditional SEMs (CSEMs), discussed further below.

Traditional Standard Error of Measurement

The standard error of measurement is defined as the standard deviation of the distribution of observed scores for students with identical true scores. Because the SEM is an index of the random variability in test scores in test score units, it represents important information for test score users. The SEM formula is provided below.

$$SEM = SD\sqrt{1 - \alpha}$$

This formula indicates that the value of the SEM depends on both the reliability coefficient (the Coefficient Alpha, as detailed previously) and the standard deviation of test scores. If the reliability were equal to 0.00 (the lowest possible value), the SEM would be equal to the standard deviation of the test scores. If test reliability were equal to 1.00 (the highest possible value), the SEM would be 0.0. In other words, a perfectly reliable test has no measurement error (Harvill, 1991). Additionally, the value of the SEM takes the group variation (i.e., score

standard deviation) into account. Consider that a SEM of 3 on a 10-point test would be very different from a SEM of 3 on a 100-point test.

Traditional Standard Error of Measurement Confidence Intervals

The SEM is an index of the random variability in test scores reported in actual score units, which is why it has such great utility for test score users. SEMs allow statements regarding the precision of individual test scores. SEMs help place “reasonable limits” (Gulliksen, 1950) around observed scores through construction of an approximate score band. Often referred to as confidence intervals, these bands are constructed by taking the observed scores, X , and adding and subtracting a multiplicative factor of the SEM. As an example, students with a given true score will have observed scores that fall between ± 1 SEM about two-thirds of the time.⁴ For ± 2 SEM confidence intervals, this increases to about 95 percent.

The Coefficient Alpha and associated SEM for the Regents Examination in Geometry (Common Core) are provided in Table 7.

Table 7 Reliabilities and Standard Errors of Measurement: Regents Examination in Geometry (Common Core)

Subject	Coefficient Alpha	SEM
Geometry (Common Core)	0.91	5.62

Assuming normally distributed scores, one would expect about two-thirds of the observations to be within one standard deviation of the mean. An estimate of the standard deviation of the true scores can be computed as

$$\hat{\sigma}_T = \sqrt{\hat{\sigma}_x^2 - \hat{\sigma}_x^2(1 - \hat{\rho}_{xx})}$$

Conditional Standard Error of Measurement

Every time an assessment is administered, the score the student receives contains some error. If the same exam were administered an infinite number of times to the same student, the mean of the distribution of the student’s raw scores would be equal to their true score (θ , the score obtained with no error), and the standard deviation of the distribution of their raw scores would be the conditional standard error. Since there is a one-to-one correspondence between the raw score and θ in the Rasch model, we can apply this concept more generally to all students who obtained a particular raw score and calculate the probability of obtaining each possible raw score, given the student’s estimated θ . The standard deviation of this conditional distribution is defined as the conditional standard error of measurement (CSEM). The computer program POLYCSEM (Kolen, 2004) was used to carry out the mechanics of this computation.

⁴ Some prefer the following interpretation: if a student were tested an infinite number of times, the ± 1 SEM confidence intervals constructed for each score would capture the student’s true score 68 percent of the time.

The relationship between θ and the scale score is not expressible in a simple mathematical form because it is a blend of the third-degree polynomial relationship between the raw and scale scores and the nonlinear relationship between the expected raw and θ scores. In addition, as the exam is equated from year to year, the relationship between the raw and scale scores moves away from the original third-degree polynomial relationship to one that is also no longer expressible in simple mathematical form. In the absence of a simple mathematical relationship between θ and the scale scores, the CSEMs that are available for each θ score via Rasch IRT cannot be converted directly to the scale score metric.

The use of Rasch IRT to scale and equate the Regents Exams does, however, make it possible to calculate CSEMs by using the procedures described by Kolen, Zeng, and Hanson (1996) for dichotomously scored items and extended by Wang, Kolen, and Harris (2000) to polytomously scored items. For tests such as the Regents Examination in Geometry (Common Core) that do not have a one-to-one relationship between raw and scale scores, the CSEM for each achievable scale score can be calculated using the compound multinomial distribution to represent the conditional distribution of raw scores for each level of θ .

Consider an examinee with a certain performance level. If it were possible to measure this examinee's performance perfectly, without any error, this measure could be called the examinee's "true score," as discussed earlier. This score is equal to the expected raw score. However, whenever an examinee takes a test, their observed test score always includes some level of measurement error. Sometimes this error is positive, and the examinee achieves a higher score than would be expected given their level of θ ; other times it is negative, and the examinee achieves a lower-than-expected score. If we could give an examinee the same test multiple times and record their observed test scores, the resulting distribution would be the conditional distribution of raw scores for that examinee's level of θ with a mean value equal to the examinee's expected raw (true) score. The CSEM for that level of θ in the raw score metric is the square root of the variance of this conditional distribution.

The conditional distribution of raw scores for any level of θ is the compound multinomial distribution (Wang et al., 2000). An algorithm to compute this can be found in Hanson (1994) and Thissen, Pommerich, Billeaud, and Williams (1995) and is also implemented in the computer program POLYCSEM (Kolen, 2004). The compound multinomial distribution yields the probabilities that an examinee with a given level of θ has of achieving each achievable raw (and accompanying scale) score. The point values associated with each achievable raw or scale score point can be used to calculate the mean and variance of this distribution in the raw or scale score metric, respectively; the square root of the variance is the CSEM of the raw or scale score point associated with the current level of θ .

Conditional Standard Error of Measurement Confidence Intervals

CSEMs allow statements regarding the precision of individual tests scores. Like SEMs, they help place reasonable limits around observed scaled scores through the construction of an approximate score band. The confidence intervals are constructed by adding and subtracting a multiplicative factor of the CSEM.

Conditional Standard Error of Measurement Characteristics

The relationship between the scale score CSEM and θ depends both on the nature of the raw-to-scale score transformation (Kolen and Brennan, 2005; Kolen and Lee, 2011) and on whether the CSEM is derived from the raw scores or from θ (Lord, 1980). The pattern of CSEMs for raw scores and linear transformations of the raw score tend to have a characteristic “inverted-U” shape, with smaller CSEMs at the ends of the score continuum and larger CSEMs toward the middle of the distribution.

Achievable raw score points for these distributions are spaced equally across the score range. Kolen and Brennan (2005, p. 357) state, “When, relative to raw scores, the transformation compresses the scale in the middle and stretches it at the ends, the pattern of the conditional standard errors of measurement will be concave up (U-shaped), even though the pattern for the raw scores was concave down (inverted-U shape).”

Results and Observations

The relationship between raw and scale scores for the Regents Exams tends to be roughly linear from scale scores of 0 to 79 and then concave down from about 79 to 100. In other words, the scale scores track linearly with the raw scores for about the lower 80 percent of the scale score range and then are compressed relative to the raw scores for about the remaining 20 percent of the range, though there are variations. The CSEMs for the Regents Exams can be expected to have inverted-U shaped patterns, with some variations.

Figure 4 shows this type of CSEM variation for the Regents Examination in Geometry (Common Core) where the compression of raw score to scale scores between the cut scores of 65 and 85 changes the shape of the curve noticeably. This type of expansion and compression can be seen in Figure 4 by looking at the changing density of raw score points along the scale score range on the horizontal axis. Specifically, the raw scores are expanded up to a scale score of about 20 followed by very noticeable compression through a scale score of about 95.




Figure 4 Conditional Standard Error Plot: Regents Examination in Geometry (Common Core)

4.3 DECISION CONSISTENCY AND ACCURACY (STANDARD 2.16)

In a standards-based testing program, there is interest in knowing how accurately students are classified into performance categories. In contrast to the Coefficient Alpha, which is concerned with the relative rank-ordering of students, it is the absolute values of student scores that are important in decision consistency and accuracy.

Classification consistency refers to the degree to which the achievement level for each student can be replicated upon retesting using an equivalent form (Huynh, 1976). Decision consistency answers the following question: What is the agreement in classifications between the two non-overlapping, equally difficult forms of the test? If two parallel forms of the test were given to the same students, the consistency of the measure would be reflected by the extent that the classification decisions based on the first set of test scores matched the decisions based on the second set of test scores. Consider the tables below.

		TEST ONE		
		LEVEL I	LEVEL II	MARGINAL
TEST TWO	LEVEL I	ϕ_{11}	ϕ_{12}	$\phi_{1\bullet}$
	LEVEL II	ϕ_{21}	ϕ_{22}	$\phi_{2\bullet}$
	MARGINAL	$\phi_{\bullet 1}$	$\phi_{\bullet 2}$	1

Figure 5 Pseudo-Decision Table for Two Hypothetical Categories

		TEST ONE				
		LEVEL I	LEVEL II	LEVEL III	LEVEL IV	MARGINAL
TEST TWO	LEVEL I	ϕ_{11}	ϕ_{12}	ϕ_{13}	ϕ_{14}	$\phi_{1\bullet}$
	LEVEL II	ϕ_{21}	ϕ_{22}	ϕ_{23}	ϕ_{24}	$\phi_{2\bullet}$
	LEVEL III	ϕ_{31}	ϕ_{32}	ϕ_{33}	ϕ_{34}	$\phi_{3\bullet}$
	LEVEL IV	ϕ_{41}	ϕ_{42}	ϕ_{43}	ϕ_{44}	$\phi_{4\bullet}$
	MARGINAL	$\phi_{\bullet 1}$	$\phi_{\bullet 2}$	$\phi_{\bullet 3}$	$\phi_{\bullet 4}$	1

Figure 6 Pseudo-Decision Table for Four Hypothetical Categories

If a student is classified as being in one category based on Test One’s score, how probable would it be that the student would be reclassified as being in the same category if he or she took Test Two (a non-overlapping, equally difficult form of the test)? This proportion is a measure of decision consistency.

The proportions of correct decisions, ϕ , for two and four categories are computed by the following two formulas, respectively:

$$\phi = \phi_{11} + \phi_{22}$$

$$\phi = \phi_{11} + \phi_{22} + \phi_{33} + \phi_{44}$$

The sum of the diagonal entries — that is, the proportion of students classified by the two forms into exactly the same achievement level — signifies the overall consistency.

Classification accuracy refers to the agreement of the observed classifications of students with the classifications made on the basis of their true scores. As discussed above, an observed score contains measurement error while a true score is theoretically free of measurement error. A student’s observed score can be formulated by the sum of his or her true score plus measurement error, or *Observed = True + Error*. Decision accuracy is an index to determine the extent to which measurement error causes a classification different than the one expected from the true score.

Since true scores are unobserved and decision consistency is computed based on a single administration of the Regents Examination in Geometry (Common Core), a statistical model using solely data from the available administration is used to estimate the true scores and to project the consistency and accuracy of classifications (Hambleton & Novick, 1973).

Although a number of procedures are available, a well-known method developed by Livingston and Lewis (1995) that utilizes a specific true score model is used.

Several factors might affect decision consistency and accuracy. One important factor is the reliability of the scores. All other things being equal, more reliable test scores tend to result in more similar reclassifications and less measurement error. Another factor is the location of the cut score in the score distribution. More consistent and accurate classifications are observed when the cut scores are located away from the mass of the score distribution. The number of performance levels is also a consideration. Consistency and accuracy indices for four performance levels should be lower than those based on two performance levels. This is not surprising, since classification and accuracy based on four levels would allow more opportunity to change achievement levels. Hence, there would be more classification errors and less accuracy with four achievement levels, resulting in lower consistency indices.

Results and Observations The results for the dichotomies created by the four cut scores, are presented in Table 8. The tabled values are derived with the program *BB-Class* (Brennan, 2004) using the Livingston and Lewis method. The overall decision consistency ranged from 0.88 to 0.92, and the decision accuracy ranged from 0.92 to 0.94. Both decision consistency and accuracy values indicate good consistency and accuracy of examinee classifications.

Table 8 Decision Consistency and Accuracy Results: Regents Examination in Geometry (Common Core)

Statistic	1/2	2/3	3/4	4/5
Consistency	0.92	0.88	0.88	0.91
Accuracy	0.94	0.92	0.92	0.93

4.4 GROUP MEANS (STANDARD 2.17)

Mean and SD in scale score were computed based on reported gender, race/ethnicity, English language learner status, economically disadvantaged status, and student with disability status. The results are reported in Table 9.

Table 9 Group Means: Regents Examination in Geometry (Common Core)

Demographics	Number	Mean Scale Score	SD Scale Score
All Students*	139,882	67.93	15.03
Ethnicity			
American Indian/Alaska Native	638	64.25	14.76
Asian/Native Hawaiian/Other Pacific Islander	15,945	74.70	14.25
Black/African American	19,362	57.01	14.60
Hispanic/Latino	26,414	60.12	14.89
Multiracial	2,003	68.58	15.05
White	75,519	72.05	12.52
English Language Learner			
No	136,079	68.31	14.76
Yes	3,803	54.29	17.88
Economically Disadvantaged			
No	84,301	71.65	13.57
Yes	55,581	62.29	15.38
Gender			
Female	73,499	68.01	14.84
Male	66,382	67.84	15.24
Student with Disabilities			
No	130,268	68.96	14.46
Yes	9,614	54.07	15.67

*Note: One student was not reported in the Ethnicity and Gender group, but that student is reflected in “All Students.”

4.5 STATE PERCENTILE RANKINGS

State percentile rankings based on raw score distributions are noted in Table 10. The percentiles are based on the distribution of all students taking the Regents Examination in Geometry (Common Core) for the June 2016 administration. Note that the scale scores for the Regent Examination range from 0 to 100, but some scale scores may not be obtainable depending on the raw score-to-scale score relationship for a specific administration. The percentile ranks are computed in the following manner:

- A student’s assigned “state percentile rank” will be the cumulative percentage of students scoring at the immediate lower score plus half of the percentage of students obtaining the given score.
- Students who obtain the highest possible score will receive a percentile rank of 99.

Table 10 State Percentile Ranking for Raw Score – Regents Examination in Geometry (Common Core)

Scale Score	Percentile Rank						
0	1	26	1	52	16	78	74
1	1	27	1	53	16	79	77
2	1	28	1	54	18	80	79
3	1	29	1	55	20	81	82
4	1	30	1	56	21	82	84
5	1	31	2	57	22	83	86
6	1	32	2	58	23	84	88
7	1	33	2	59	25	85	88
8	1	34	3	60	27	86	90
9	1	35	3	61	29	87	92
10	1	36	3	62	31	88	93
11	1	37	3	63	33	89	94
12	1	38	4	64	34	90	95
13	1	39	5	65	36	91	96
14	1	40	5	66	39	92	97
15	1	41	6	67	42	93	97
16	1	42	7	68	44	94	98
17	1	43	7	69	47	95	98
18	1	44	8	70	50	96	99
19	1	45	9	71	53	97	99
20	1	46	9	72	56	98	99
21	1	47	10	73	58	99	99
22	1	48	11	74	62	100	99
23	1	49	12	75	65		
24	1	50	13	76	68		
25	1	51	15	77	71		

Chapter 5: Validity (Standard 1)

Restating the purpose and uses of the Regents Examination in Geometry (Common Core), this exam measures examinee achievement against the New York State learning standards. The exam is prepared by teacher examination committees and New York State Education Department subject matter and testing specialists, and it provides teachers and students with important information about student learning and performance against the established curriculum standards. Results of this exam may be used to identify student strengths and needs, to guide classroom teaching and learning. The exams also provide students, parents, counselors, administrators, and college admissions officers with objective and easily understood achievement information that may be used to inform empirically based educational and vocational decisions about students. As a state-provided objective benchmark, the Regents Examination in Geometry (Common Core) is intended for use in satisfying state testing requirements for students who have finished a course in Geometry. A passing score on the exam counts toward requirements for a high school diploma, as described in the New York State diploma requirements: <http://www.nysed.gov/common/nysed/files/programs/curriculum-instruction/currentdiplomarequirements2.pdf>. Results of the Regents Examination in Geometry (Common Core) may also be used to satisfy various locally established requirements throughout the state.

The validity of score interpretations for the Regents Examination in Geometry (Common Core) is supported by multiple sources of evidence. Chapter 1 of the *Standards for Educational Psychological Testing* (AERA et al., 2014) specifies five sources of validity evidence that are important to gather and document in order to support validity claims for an assessment:

- test content
- response processes
- internal test structure
- relation to other variables
- consequences of testing

It is important to note that these categories are not mutually exclusive. One source of validity evidence often falls into more than one category, as discussed in more detail in this chapter. Nevertheless, these classifications provide a useful framework within the *Standards* (AERA et al., 2014) for the discussion and documentation of validity evidence, so they are used here. The process of gathering evidence of the validity of score interpretations is best characterized as ongoing throughout the test development, administration, scoring, reporting, and beyond.

5.1 EVIDENCE BASED ON TEST CONTENT

The validity of test content is fundamental to arguments that test scores are valid for their intended purpose. It demands that a test developer provide evidence that test content is well-aligned with the framework and standards used in curriculum and instruction. Accordingly, detailed attention was given to this correspondence between standards and test content during test design and construction.

The Regents Examination in Geometry (Common Core) measures student achievement on the NYS P–12 Common Core Learning Standards for Mathematics, consistent with the Model Content Frameworks for Mathematics provided by the Partnership for the Assessment of Readiness for College and Career (PARCC, 2014). The model content frameworks are located at <http://www.parcconline.org/resources/educator-resources/model-content-frameworks/mathematics-model-content-framework>. The standards for mathematics are located at <http://www.engageny.org/resource/new-york-state-p-12-common-core-learning-standards-for-mathematics>. Clarifications for Geometry (Common Core) standards are located at <https://www.engageny.org/resource/regents-exams-mathematics-geometry-standards-clarifications>.

Content Validity

Content validity is necessarily concerned with the proper definition of the construct, and evidence that the test provides an accurate measure of examinee performance within the defined construct. The test blueprint for the Regents Examination in Geometry (Common Core) is essentially the design document for constructing the exam. It provides explicit definition of the content domain that is to be represented on the exam. The test development process (discussed in the next section) is in place to ensure, to the extent possible, that the blueprint is met in all operational forms of the exam.

Table 11 displays the Conceptual category, domains, and target percent of each for the Regents Examination in Geometry (Common Core). Geometry is associated with the high school content standards within the *conceptual category* of Geometry. This conceptual category contains *domains* of related *clusters* of standards. This chart shows the high school mathematics domains included in Geometry, as well as the corresponding percent of credits on the Regents Examination in Geometry (Common Core).

Table 11 Test Blueprint, Regents Examination in Geometry (Common Core)

Conceptual Category	Percent of Test By Credit	Domains in Geometry
Geometry (Common Core)	27–34%	Congruence (G-CO)
	29–37%	Similarity, Right Triangles, and Trigonometry (G-SRT)
	2–8%	Circles (G-C)
	12–18%	Expressing Geometric Properties with Equations (G-GPE)
	2–8%	Geometric Measurement and Dimensions (G-GMD)
	8–15%	Modeling with Geometry (G-MG)

Item Development Process

Test development for the Regents Examination in Geometry (Common Core) is a detailed, step-by-step process of development and review cycles. An important element of this process is that all test items are developed by New York State educators in a process facilitated by state subject matter and testing experts. Bringing experienced classroom teachers into this central item development role serves to draw a strong connection between classroom and test content.

Only New York State-certified educators may participate in this process. The New York State Education Department asks for nominations from districts, and all recruiting is done with diversity of participants in mind, including diversity in gender, ethnicity, geographic region, and teaching experience. Educators with item-writing skills from around the state are retained to write all items for the Regents Examination in Geometry (Common Core), under strict guidelines that leverage best practices (see Appendix C). State educators also conduct all item quality and bias reviews to ensure that item content is appropriate to the construct being measured and fair for all students. Finally, educators use the defined standards, test blueprint targets, and statistical information generated during field testing, in order to select the highest quality items for use in the operational test.

Figure 7 summarizes the full test development process, with steps 3 and 4 addressing initial item development and review. This figure also demonstrates the ongoing nature of ensuring the content validity of items through field test trials, and final item selection for operational testing.

Initial item development is conducted under the criteria and guidance provided by multiple documents, including the blueprint noted in Table 10 and Item Writing Guidelines noted in Appendix A. To facilitate the alignment of items during development with standards, Standards Interpretations are also provided to developers. These interpretations are noted in Appendix B. Both multiple-choice and constructed-response items are included in the Regents Examination in Geometry (Common Core), to ensure appropriate coverage of the construct domain.

NEW YORK STATE EDUCATION DEPARTMENT TEST DEVELOPMENT PROCESS




Figure 7 New York State Education Department Test Development Process

Item Review Process

The item review process helps to ensure the consistent application of rigorous item reviews intended to assess the quality of the items developed and identify items that require edits or removal from the pool of items to be field tested. This process allows high quality items to be continually developed in a manner that is consistent with the test blueprint. Item review guidelines for multiple-choice items are included in Appendix C.

All reviewers participate in rigorous training designed to assist in a consistent interpretation of the standards throughout the item review process. This is a critical step in item development because consistency between the standards and what the items are asking examinees is a fundamental form of evidence of the validity of the intended score interpretations. Another integral component of this item review process is to review the scoring rules, or “rubrics,” for their clarity and consistency in what the examinee is being asked to demonstrate by responding to each item. Each of these elements of the review process is in place, ultimately, to target fairness for all students by targeting consistency in examinee scores and providing evidence of the validity of their interpretations.

Specifically, the item review process articulates the four major item characteristics that the New York State Education Department looks for in developing quality items:

1. language and graphical appropriateness
2. sensitivity/bias
3. fidelity of measurement to standards
4. conformity to the expectations for the specific item types and formats

Each of the criteria includes pertinent questions that help reviewers determine whether or not an item is of sufficient quality. Within the first two categories, criteria for language appropriateness are used to help ensure that students understand what is asked in each question and that the language in the question does not adversely affect a student's ability to perform the required task. Similarly, sensitivity/bias criteria are used to evaluate whether questions are unbiased, non-offensive, and not disadvantageous to any given subgroup(s).

The third category of item review, alignment, addresses how each item measures a given standard. This category asks the reviewer to comment on key aspects of how the item addresses and calls for the skills demanded by the standards.

The fourth category addresses the specific demands for different item types and formats. Reviewers evaluate each item to ensure that it conforms to the given requirements. For example, multiple-choice items must have, among other characteristics, one unambiguously correct answer and several plausible, but incorrect, answer choices. Following these reviews, only items that are approved by an assigned educator panel move forward for field testing.

Ongoing attention is also given to the relevance of the standards used to guide curriculum and assessment. Consistent with a desire to assess this relevance, the New York State Education Department is committed to ongoing standards review over time, and periodically solicits thoughtful, specific responses from stakeholders about individual standards within the NYS P–12 Standards.

5.2 EVIDENCE BASED ON RESPONSE PROCESSES

The second source of validity evidence is based on examinee response processes. This standard requires evidence that examinees are responding in the manner intended by the test items and rubrics and that raters are scoring those responses in a manner that is consistent with the rubrics. Accordingly, it is important to control and monitor whether or not construct-irrelevant variance in response patterns has been introduced at any point in the test development, administration, or scoring processes.

The controls and monitoring in place for the Regents Examination in Geometry (Common Core) include the item development process, with attention paid to mitigating the introduction of construct-irrelevant variance. The development process described in the previous sections details the process and attention given to reducing the potential for construct irrelevance in response processes by attending to the quality and alignment of test content to the test blueprint and to the item development guidelines. Further evidence is documented in the test

administration and scoring procedures, as well as the results of statistical analyses, which are covered in the following two sections.

Administration and Scoring

Adherence to standardized administration procedures is fundamental to the validity of test scores and their interpretation, as such procedures allow for adequate and consistently applied conditions for scoring the work of every student who takes the examination. For this reason, guidelines, which are contained in the *School Administrator's Manual, Secondary Level Examinations* (<http://www.p12.nysed.gov/assessment/sam/secondary/hssam-update.html>), have been developed and implemented for the New York State Regents testing program. All secondary-level Regents examinations are administered under these standard conditions, in order to support valid inferences for all students. These standard procedures also cover testing students with disabilities who are provided testing accommodations consistent with their Individualized Education Programs (IEPs) or Section 504 Accommodation Plans (504 Plans). Full test administration procedures are available at <http://www.p12.nysed.gov/assessment/hsgen/>.

The implementation of rigorous scoring procedures directly supports the validity of the scores. Regents test-scoring practices therefore focus on producing high quality scores. Multiple-choice items are scored via local scanning at testing centers, and trained educators score constructed-response items. There are many studies that focus on various elements of producing valid and reliable scores for constructed-response items, but generally, attention to the following all contribute to valid and reliable scores for constructed-response items:

- 1) Quality training (Hoyt & Kerns, 1999; Lumley & McNamara, 1995; Wang, Wong, and Kwong, 2010; Gorman & Rentsch, 2009; Schleicher, Day, Bronston, Mayes, and Riggo, 2002; Woehr & Huffcutt, 1994; Johnson, Penny, and Gordon, 2008; Weigle, 1998)
- 2) Detection and correction of rating bias (McQueen & Congdon, 1997; Congdon & McQueen, 2000; Myford, & Wolfe, 2009; Barkaoui, 2011; Patz, Junker, Johnson, and Mariano, 2002)
- 3) Consistency or reliability of ratings (Congdon & McQueen, 2000; Harik, Clauser, Grabovsky, Nungester, Swanson, & Nandakumar, 2009; McQueen & Congdon, 1997; Myford & Wolfe, 2009; Mero & Motowidlo, 1995; Weinrott & Jones, 1984)
- 4) Rubric designs that facilitate consistency of ratings (Pecheone & Chung, 2006; Wolfe & Gitomer, 2000; Cronbach, Linn, Brennan, & Haertel, 1995; Cook & Beckman, 2009; Penny, Johnson, & Gordon, 2000; Smith, 1993; Leacock, Gonzalez, and Conarroe, 2014)

The distinct steps for operational test scoring include close attention to each of these elements and begin before the operational test is even selected. After the field test process, during which many more items than appear on the operational test are administered to a representative sample of students, a set of “anchor” papers representing student responses across the range of possible responses for constructed-response items are selected. The objective of these “range-finding” efforts is to create a training set for scorer training and execution, the scores from which are used to generate important statistical information about

the item. Training scorers to produce reliable and valid scores is the basis for creating rating guides and scoring ancillaries to be used during operational scoring.

To review and select these anchor papers, NYS educators serve as table leaders during the range-finding session. In the range-finding process, committees of educators receive a set of student papers for each field-tested question. Committee members familiarize themselves with each item type and score a number of responses that are representative of each of the different score points. After the independent scoring is completed, the committee reviews and discusses their results and determines consensus scores for the student responses. During this process, atypical responses are important to identify and annotate for use in training and live scoring. The range-finding results are then used to build training materials for the vendor's scorers, who then score the rest of the field test responses to constructed-response items. The final model response set for the June 2016 administration of the Regents Examination in Geometry (Common Core) is located at <http://www.nysedregents.org/geometrycc/616/geomcc62016-mrs.pdf>.

During the range-finding and field test scoring processes, it is important to be aware of and control for sources of variation in scoring. One possible source of variation in constructed-response scores is unintended rater bias associated with items and examinee responses. Because the rater is often unaware of such bias, this type of variation may be the most challenging source of variation in scoring to control and measure. Rater biases can appear as severity or leniency in applying the scoring rubric. Bias also includes phenomena such as the halo effect, which occurs when good or poor performance on one element of the rubric encourages inaccurate scoring of other elements. These types of rater bias can be effectively controlled by training practices with a strict focus on rubric requirements.

The training process for operational scoring by state educators begins with a review and discussion of actual student work on constructed-response test items. This helps raters understand the range and characteristics typical of examinee responses, as well as the kinds of mistakes that students commonly make. This information is used to train raters on how to consistently apply key elements of the scoring rubric across the domain of student responses.

Raters then receive training consistent with the guidelines and ancillaries produced after field testing and are allowed to practice scoring prior to the start of live scoring. Throughout the scoring process, there are important procedures for correcting inconsistent scoring or the misapplication of scoring rubrics for constructed-response items. When monitoring and correction do not occur during scoring, construct-irrelevant variation may be introduced. Accordingly, a scoring lead may be assigned to review the consistency of scoring for their assigned staff against model responses and to be available for consultation throughout the scoring process.

Attention to the rubric design also fundamentally contributes to the validity of examinee response processes. The rubric specifies what the examinee needs to provide as evidence of learning based on the question asked. The more explicit the rubric (and the item), the more clear the response expectations are for examinees. To facilitate the development of constructed-response scoring rubrics, the NYSED training for writing items includes specific attention to rubric development, as follows:

- The rubric should clearly specify the criteria for awarding each credit.
- The rubric should be aligned to what is asked for in the item and correspond to the knowledge or skill being assessed.
- Whenever possible, the rubric should be written to allow for alternate approaches and other legitimate methods.

In support of the goal of valid score interpretations for each examinee, then, such scoring training procedures are implemented for the Regents Examination in Geometry (Common Core). Operational raters are selected based on expertise in the exam subject and are assigned a specific set of items to score. No more than approximately one-half of the items on the test are assigned to any one rater. This has the effect of increasing the consistency of scoring across examinee responses by allowing each rater to focus on a subset of items. It also assures that no one rater is allowed to score the entire test for any one student. This practice reduces the effect of any potential bias of a single rater on individual examinees. Additionally, no rater is allowed to score the responses of his or her own students.

Statistical Analysis

One statistic that is useful for evaluating the response processes for multiple-choice items is an item's point-biserial correlation on the distractors. A high point-biserial on a distractor may indicate that students are not able to identify the correct response for a reason other than the difficulty of the item. A finding of poor model fit for an item may also support a finding that examinees are not responding the way that the item developer intended them to. As documented in Table 2, the point-biserial statistics for distractors in the multiple-choice items all appear to be negative or very close to 0, indicating that examinees are not being drawn to an unintended construct.

5.3 EVIDENCE BASED ON INTERNAL STRUCTURE

The third source of validity evidence comes from the internal structure of the test. This requires that test developers evaluate the test structure to ensure that the test is functioning as intended. Such an evaluation may include attention to item interactions, tests of dimensionality, or indications of test bias for or against one or more subgroups of examinees detected by differential item functioning (DIF) analysis. Evaluation of internal test structure also includes a review of the results of classical item analyses, test reliability, and the IRT scaling and equating.

The following analyses were conducted for the Regents Examination in Geometry (Common Core):

- item difficulty
- item discrimination
- differential item functioning
- IRT model fit
- test reliability
- classification consistency
- test dimensionality

Item Difficulty

Multiple analyses allow an evaluation of item difficulty. For this exam, p -values and Rasch difficulty (item location) estimates were computed for MC and CR items. Items for the June 2016 Regents Examination in Geometry (Common Core) show a range of p -values consistent with the targeted exam difficulty. Item p -value ranged from 0.19 to 0.93, with a mean of 0.53. The difficulty distribution illustrated in Figure 1 shows a wide range of item difficulties on the exam. This is consistent with general test development practice, which seeks to measure student ability along a full range of difficulty. Refer to section 2 of this report for additional details.

Item Discrimination

How well the items on a test discriminate between high- and low-performing examinees is an important measure of the structure of a test. Items that do not discriminate well generally provide less reliable information about student performance. Table 2 and Table 3 provide point-biserial values on the correct responses, and Table 2 also provides point-biserial values on the three distractors for multiple choice items. The values for all items indicate that they are discriminating well between high- and low-performing examinees. Point-biserials for all distractors are negative or very close to zero, indicating that examinees are responding to the items as expected during item and rubric development. Refer to section 2 of this report for additional details.

Differential Item Functioning

Differential item functioning (DIF) for gender was conducted following field testing of the items in 2012–2015. Sample sizes for subgroups based on ethnicity and English language learner status were, unfortunately, too small to reliably compute DIF statistics, so only gender DIF analyses were conducted. The Mantel-Haenszel χ^2 and standardized mean difference were used to detect items that may function differently for any of these subgroups. The Mantel-Haenszel χ^2 is a conditional mean comparison of the ordered response categories for reference and focal groups combined over values of the matching variable score. “Ordered” means that a response earning a score of “1” on an item is better than a response earning a score of “0,” a “2” is better than “1,” and so on. “Conditional,” on the other hand, refers to the comparison of members from the two groups who received the same score on the matching variable — the total test score in our analysis.

Four operational items for the June 2016 administration had DIF flags from the field test. Those four items (#s 1, 16, 19, 24) had moderate DIFs favoring male students. The items were subsequently reviewed by content specialists. They were unable to identify content-based reasons why they might be functioning differently between male students and female students and did not see any issue using them for the operational exam.

Full differential item functioning results are reported in Appendix C of the 2012 technical report and in Appendix E of the 2013, 2014, and 2015 technical reports.

IRT Model Fit

Model fit for the Rasch method used to estimate location (difficulty) parameters for the items on the Regents Examination in Geometry (Common Core) provide important evidence that the internal structure of the test is of high technical quality. The INFIT values for all items

fall within a targeted range of [0.7, 1.3]. The mean INFIT value is 1.00. A finding of 36 out of 36 items falling in the ideal fit range indicates that the Rasch model fits the Regents Examination in Geometry (Common Core) item data well. Refer to section 3 of this report for additional details.

Test Reliability

As discussed, test reliability is a measure of the internal consistency of a test (Cronbach, 1951). It is a measure of the extent to which the items on a test provide consistent information about student mastery of the domain. Reliability should, ultimately, demonstrate that examinee score estimates maximize consistency and, therefore, minimize error or, theoretically speaking, that examinees who take a test multiple times would get the same scores each time. Assessments that include items with higher maximum possible score points may show slightly lower reliabilities than assessments with dichotomous and low maximum possible scores points. The Regents Examination in Geometry (Common Core) contains two constructed response items with maximum possible points of 4 and 6. The reliability estimate for the Regents Examination in Geometry (Common Core) is .91. Refer to section 4 of this report for additional details related to evaluating the standard errors of measurement, and the consistency and accuracy of examinee scores.

Classification Consistency and Accuracy

A decision consistency analysis measures the agreement between the classifications based on two non-overlapping, equally difficult forms of the test. If two parallel forms of the test were given to the same students, the consistency of the measure would be reflected by the extent to which the classification decisions based on the first set of test scores matched the decisions based on the second set of test scores. Decision accuracy is an index to determine the extent to which measurement error causes a classification different from that expected from the true score. High decision consistency and accuracy provide strong evidence that the internal structure of a test is sound.

The results for the dichotomies created by the four cut scores, are presented in Table 7. The tabled values are derived with the program *BB-Class* (Brennan, 2004) using the Livingston and Lewis method. The overall decision consistency ranged from 0.88 to 0.92, and the decision accuracy ranged from 0.92 to 0.94. Both decision consistency and accuracy values indicate good consistency and accuracy of examinee classifications.

Dimensionality

In addition to model fit, a strong assumption of the Rasch model is that the construct measured by a test is unidimensional. Violation of this assumption might suggest that the test is measuring something other than the intended content and indicate that the quality of the test structure is compromised. A principal components analysis was conducted to test the assumption of unidimensionality, and the results provide strong evidence that a single dimension in the Regents Examination in Geometry (Common Core) is explaining a large portion of the variance in student response data. This analysis does not characterize or explain the dimension, but a reasonable assumption can be made that the test is largely unidimensional and that the dimension most present is the targeted construct. Refer to section 3 for details of this analysis.

Considering this collection of analyses on the internal structure of the Regents Examination in Geometry (Common Core), strong evidence exists that the exam is functioning as intended and is providing reasonably valid and reliable information about examinee performance.

5.4 EVIDENCE BASED ON RELATIONS TO OTHER VARIABLES

Another source of validity evidence is based on the relation of the test to other variables. This source commonly encompasses two validity categories prevalent in the literature and practice — concurrent and predictive validity. To make claims about the validity of a test that is to be used for high-stakes purposes, such as the Regents Examination in Geometry (Common Core), these claims could be supported by providing evidence that performance on the Geometry test correlates well with other tests that measure the same or similar constructs. Although not absolute in its ability to offer evidence that concurrent test score validity exists, such correlations can be helpful for supporting a claim of concurrent validity, if the correlation is high. To conduct such studies, matched examinee score data for other tests measuring the same content as the Regents Examination in Geometry (Common Core) is ideal, but the systematic acquisition of such data is complex and costly.

Importantly, a strong connection between classroom curriculum and test content may be inferred by the fact that New York State educators, deeply familiar with both the curriculum standards and their enactment in the classroom, develop all content for the Regents Examination in Geometry (Common Core).

In terms of predictive validity, time is a fundamental constraint on gathering evidence. The gold standard for supporting the validity of predictive Statements about test scores requires empirical evidence of the relationship between test scores and future performance on a defined characteristic. To the extent to which the objective of the CCLS is to prepare students for college and career, it will be important to gather evidence of this empirical relationship over time.

Currently, the predictive validity is supported by expert judgments gathered during the standard-setting process for the Regents Examination in Geometry (Common Core). During this process, subject matter experts described the performance of examinees across five levels and made recommendations on the cut scores to be used in distinguishing such performance. The process reflected best psychometric practice as articulated in the Standards for Educational and Psychological Measurement (AERA et al., 2014) and proceeded according to the plans reviewed by the New York State Technical Advisory Committee and an independent consultant. This effort inherently represents further expert review of the test content and its alignment with the objectives of the CCLS. Participating subject matter experts made explicit judgments about what each item was asking of examinees and what successful performance on the items means for the progress toward college and career readiness as defined by the standards.

After careful consideration of the nature of the new examinations, including their goal of providing evidence to support readiness claims, the rigor of the new curricula, the transitional and aspirational aspects of the State policy directives, and the role of the assessment in

student learning throughout high school and beyond, the standard setting committees made recommendations on the cut scores to the New York State Commissioner of Education. The Commissioner accepted the recommendations of the standard setting panelists. More information is available in the Standard Setting technical report at <http://www.p12.nysed.gov/assessment/reports/commoncore/tr-geometrycc-15w.pdf>.

5.5 EVIDENCE BASED ON TESTING CONSEQUENCES

There are two general approaches in the literature to evaluating consequential validity. Messick (1995) points out that adverse social consequences invalidate test use mainly if they are due to flaws in the test. In this sense, the sources of evidence documented in this report (based on the construct, internal test structure, response processes, and relation to other variables) serve as a consequential validity argument, as well. This evidence supports conclusions based on test scores that social consequences are not likely to be traced to characteristics or qualities of the test itself. Cronbach (1988), on the other hand, argues that negative consequences could invalidate test use. From this perspective, the test user is obligated to make the case for test use and to ensure appropriate and supported uses.

Regardless of perspective on the nature of consequential validity, it is important to caution against uses that are not supported by the validity claims documented for this test. For example, use of this test to predict examinee scores on other tests is not directly supported by either the stated purposes or by the development process and research conducted on examinee data. A brief survey of websites of New York State universities and colleges finds that, beyond the explicitly defined use as a testing requirement toward graduation for students who have completed a course in Geometry, the exam is most commonly used to inform admissions and course placement decisions. Such uses can be considered reasonable, assuming that the competencies demonstrated in the Regents Examination in Geometry (Common Core) are consistent with those required in the courses for which a student is seeking enrollment or placement. Educational institutions using the exam for placement purposes are advised to examine the scoring rules for the Regents Examination in Geometry (Common Core) and to assess their appropriateness for the inferences being made about course placement.

As stated, the nature of validity arguments is not absolute, but it is supported through ongoing processes and studies designed to accumulate support for validity claims. The evidence provided in this report documents the evidence to date that supports the use of the Regents Examination in Geometry (Common Core) scores for the purposes described.

References

- American Educational Research Association, American Psychological Association, & National Council on Measurement in Education. (2014). *Standards for educational and psychological testing*. Washington, DC: American Educational Research Association.
- Barkaoui, Khaled. (2011). Effects of marking method and rater experience on ESL essay scores and rater performance. *Assessment in Education: Principles, Policy & Practice*, 18:3.
- Congdon, P. J., & McQueen, J. (2000). The stability of rater severity in large-scale assessment programs. *Journal of Educational Measurement*, 37(2), 163–178.
- Cook, D. A., & Beckman, T. J. (2009). Does scale length matter? A comparison of nine- versus five-point rating scales for mini-CEX. *Advances in Health Sciences Education*, 14, 655–684.
- Cronbach, L. J., Linn, R. L., Brennan, R. T., & Haertel, E. (1995, Summer). Generalizability analysis for educational assessments. Los Angeles, CA: University of California, Center for the Study of Evaluation/National Center for Research on Evaluation, Standards, and Student Testing. Retrieved February 17, 2016, from www.cse.ucla.edu/products/evaluation/cresst_ec1995_3.pdf.
- Cronbach, L. J. (1951). Coefficient alpha and the internal structure of tests. *Psychometrika*, 16, 297–334.
- Cronbach, L. J. (1988). Five Perspectives on validity argument. In H. Wainer & H. Braun (Eds.), *Test Validity* (pp. 3–17) Hillsdale, NJ: Lawrence Erlbaum.
- National Governors Association Center for Best Practices, & Council of Chief State School Officers. (2010). *Common Core State Standards*. Washington, DC: Authors.
- Gorman, C. A., & Rentsch, J. R. (2009). Evaluating frame-of-reference rater training effectiveness using performance schema accuracy. *Journal of Applied Psychology*, 94(5), 1336–1344.
- Gulliksen, H. (1950). *Theory of mental tests*. New York: Wiley.
- Hambleton, R. K., & Novak, M. R. (1973). Toward an integration of theory and methods for criterion-referenced tests. *Journal of Educational Measurement*, 10, 159–170.
- Hambleton, R. K., Swaminathan, H., & Rogers, H. J. (1991). *Item response theory*. Newbury Park, CA: Sage Publications.
- Hanson, B. A. (1994). Extension of Lord-Wingersky algorithm to computing test scores for polytomous items. Retrieved February 17, 2016 from <http://www.b-a-h.com/papers/note9401.pdf>.

- Harik, P., Clauser, B. E., Grabovsky, I., Nungester, R. J., Swanson, D., & Nandakumar, R. (2009, Spring). An examination of rater drift within a generalizability theory framework. *Journal of Educational Measurement*, 46(1), 43–58.
- Harvill, L. M. (1991). Standard error of measurement. *Educational Measurement: Issues and Practices*, 10(2), 33–41.
- Horn, J. L. (1965). A rationale and test for the number of factors in factor analysis. *Psychometrika*, 32, 179–185.
- Hoyt, W. T., & Kerns, M. (1999). Magnitude and moderators of bias in observer ratings: A meta-analysis. *Psychological Methods*, 4, 403–424.
- Huynh, H. (1976). Statistical consideration of mastery scores. *Psychometrika*, 41, 65–78.
- Johnson, R. L., Penny, J. A., & Gordon, B. (2008). *Assessing performance*. New York, NY: The Guilford Press.
- Kolen, M. J. (2004). POLYCSEM [Computer program]. University of Iowa. Retrieved August 1, 2012, from http://www.education.uiowa.edu/casma/computer_programs.htm.
- Kolen, M. J., & Brennan, R. L. (2005). *Test equating, scaling, and linking: Methods and practices* (2nd ed.). New York: Springer-Verlag.
- Kolen, M. J. & Lee, W. (2011). Psychometric Properties of Raw and Scale Scores on Mixed-Format Tests. *Educational Measurement: Issues and Practice* 30(2), 15–24.
- Kolen, M. J., Zeng, L., & Hanson, B. A. (1996). Conditional standard errors of measurement for scale scores using IRT. *Journal of Educational Measurement*, 33(2), 129–140.
- Leacock, Claudia, Gonzalez, Erin, Conarroe, Mike. (2014). *Developing effective scoring rubrics for AI short answer scoring*. CTB McGraw-Hill Education Innovative Research and Development Grant.
- Livingston, S. A., & Lewis, C. (1995). Estimating the consistency and accuracy of classifications based on test scores. *Journal of Educational Measurement*, 32, 179–197.
- Lumley, T., & McNamara, T. F. (1995). Rater characteristics and rater bias: Implications for training. *Language Testing*, 12, 54–72.
- Lord, F. M. (1980). *Applications of item response theory to practical testing problems*. Hillsdale, NJ: Lawrence Erlbaum.
- Messick, S. (1995). Standards of Validity and the validity of and standards in performance assessment. *Educational Measurement: Issues and Practice*, 14(4), 5–8.

- McDonald, R.P. (1979). The structural analysis of multivariate data: A sketch of general theory. *Multivariate Behavioral Research*, 14, 21–38.
- McQueen, J., & Congdon, P. J. (1997, March). *Rater severity in large-scale assessment: Is it invariant?* Paper presented at the Annual Meeting of the American Educational Research Association, Chicago, IL.
- Mero, N. P., & Motowidlo, S. J. (1995). Effects of rater accountability on the accuracy and the favorability of performance ratings. *Journal of Applied Psychology*, 80(4), 517–524.
- Myford, C. M., & Wolfe, E. W. (2009). Monitoring rater performance over time: A framework for detecting differential accuracy and differential scale use. *Journal of Educational Measurement*, 46(4), 371–389.
- Patz, R. J., Junker, B. W., Johnson, M. S., and Mariano, L. T. (2002). The Hierarchical Rater Model for Rated Test Items and its Application to Large-Scale Educational Assessment Data. *Journal of Educational and Behavioral Statistics*, 27: 341.
- Pearson, K. (1896). Mathematical Contributions to the Theory of Evolution. III. Regression, Heredity and Panmixia. *Philosophical Transactions of the Royal Society of London*, 187, 253–318.
- Pecheone, R. L., & Chung Wei, R. R. (2007). Performance assessment for California teachers: Summary of validity and reliability studies for the 2003–04 pilot year. Palo Alto, CA: Stanford University PACT Consortium.
- Penny, J., Johnson, R. L., & Gordon, B. (2000). Using rating augmentation to expand the scale of an analytic rubric. *The Journal of Experimental Education*, 68(3), 269–287.
- Schleicher, D. J., Day, D. V., Bronston, T., Mayes, B. T., & Riggo, R. E. (2002). A new frame for frame-of-reference training: Enhancing the construct validity of assessment centers. *Journal of Applied Psychology*, 87(4), 735–746.
- Thissen, D., Pommerich, M., Billeaud, K., & Williams, V. S. L. (1995). Item response theory for scores on tests including polytomous items with ordered responses. *Applied Psychological Measurement*, 19, 39–49.
- van der Linden, W. J., & Hambleton, R. K. (Eds.). (1997). *Handbook of modern item response theory*. New York, NY: Springer-Verlag.
- Wang, T., Kolen, M. J., & Harris, D. J. (2000). Psychometric properties of scale scores and performance levels for performance assessments using polytomous IRT. *Journal of Educational Measurement*, 37(2), 141–162.
- Wang, X. M., Wong, K. F. E., & Kwong, J. Y. Y. (2010). The roles of rater goals and ratee performance levels in the distortion of performance ratings. *Journal of Applied Psychology*, 95(3), 546–561.

- Weigle, S.C. (1998). Using FACETS to model rater training effects. *Language Testing* 15, 263–287.
- Weinrott, L., & Jones, B. (1984). Overt verses covert assessment of observer reliability. *Child Development*, 55, 1125–1137.
- Woehr, D. J., & Huffcutt, A. I. (1994). Rater training for performance appraisal: A quantitative review. *Journal of Occupational and Organizational Psychology*, 67, 189–205.
- Wolfe, E. W., & Gitomer, D. H. (2000). *The influence of changes in assessment design on the psychometric quality of scores*. Princeton, NJ: Educational Testing Service.

Appendix A: Operational Test Maps

Table A.1 Test Map for August 2015 Administration

Position	Item Type	Max Points	Weight	Cluster	Mean	Point-Biserial	Rasch Difficulty	INFIT
1	MC	1	2	G-CO.C	0.36	0.47	-0.1393	0.93
2	MC	1	2	G-CO.B	0.84	0.36	-2.4777	0.91
3	MC	1	2	G-GMD.B	0.20	0.40	0.9313	0.99
4	MC	1	2	G-SRT.C	0.36	0.45	-0.0376	1.00
5	MC	1	2	G-CO.A	0.41	0.42	-0.3264	1.10
6	MC	1	2	G-SRT.A	0.58	0.40	-1.1153	1.02
7	MC	1	2	G-CO.A	0.69	0.32	-1.6854	1.05
8	MC	1	2	G-CO.C	0.50	0.48	-0.6801	0.92
9	MC	1	2	G-GPE.A	0.25	0.18	0.8450	1.32
10	MC	1	2	G-GPE.B	0.59	0.46	-1.3051	1.01
11	MC	1	2	G-SRT.C	0.21	0.24	0.9825	1.14
12	MC	1	2	G-C.A	0.58	0.49	-1.1247	0.94
13	MC	1	2	G-CO.A	0.85	0.30	-2.5086	1.04
14	MC	1	2	G-SRT.B	0.39	0.40	-0.1803	1.04
15	MC	1	2	G-C.A	0.36	0.39	-0.1548	1.01
16	MC	1	2	G-MG.A	0.23	0.27	0.6857	1.10
17	MC	1	2	G-SRT.A	0.51	0.58	-0.8270	0.87
18	MC	1	2	G-C.B	0.52	0.22	-0.7566	1.16
19	MC	1	2	G-SRT.B	0.25	0.36	0.8148	1.11
20	MC	1	2	G-SRT.A	0.27	0.42	0.4533	0.98
21	MC	1	2	G-GMD.A	0.33	0.35	0.1083	1.07
22	MC	1	2	G-GPE.B	0.69	0.46	-1.6091	0.96
23	MC	1	2	G-SRT.A	0.34	0.39	0.0439	1.02
24	MC	1	2	G-SRT.A	0.18	0.37	0.9159	1.00
25	CR	2	1	G-MG.A	0.76	0.63	-0.1004	0.91
26	CR	2	1	G-CO.D	0.20	0.47	1.6662	1.03
27	CR	2	1	G-SRT.B	0.65	0.69	0.1088	0.80
28	CR	2	1	G-CO.C	0.60	0.66	0.1946	0.82
29	CR	2	1	G-SRT.A	0.52	0.62	0.7417	0.84
30	CR	2	1	G-CO.B	0.56	0.38	0.3265	1.21
31	CR	2	1	G-GPE.B	0.13	0.19	2.4002	1.21
32	CR	4	1	G-SRT.C	0.24	0.52	1.4039	1.00
33	CR	4	1	G-GPE.B	0.60	0.76	0.8623	0.77
34	CR	4	1	G-CO.B	1.52	0.73	-0.1041	0.82
35	CR	6	1	G-CO.C	0.74	0.76	1.3231	0.70
36	CR	6	1	G-MG.A	0.78	0.74	0.8838	0.77

Table A.2 Test Map for January 2016 Administration

Position	Item Type	Max Points	Weight	Cluster	Mean	Point-Biserial	Rasch Difficulty	INFIT
1	MC	1	2	G-GMD.B	0.70	0.32	-1.6685	1.07
2	MC	1	2	G-GPE.B	0.57	0.53	-1.0674	0.89
3	MC	1	2	G-CO.C	0.54	0.55	-0.8787	0.88
4	MC	1	2	G-GMD.A	0.57	0.38	-1.0336	1.07
5	MC	1	2	G-CO.B	0.48	0.47	-0.6761	0.97
6	MC	1	2	G-CO.C	0.56	0.40	-0.9259	1.01
7	MC	1	2	G-GMD.A	0.60	0.50	-1.0303	0.93
8	MC	1	2	G-CO.A	0.61	0.45	-1.1881	0.93
9	MC	1	2	G-SRT.A	0.36	0.28	0.1001	1.09
10	MC	1	2	G-SRT.A	0.48	0.35	-0.4686	1.09
11	MC	1	2	G-CO.A	0.56	0.44	-0.8128	1.00
12	MC	1	2	G-C.B	0.49	0.37	-0.4403	1.08
13	MC	1	2	G-SRT.B	0.41	0.45	-0.2618	1.00
14	MC	1	2	G-MG.A	0.44	0.40	-0.1497	1.09
15	MC	1	2	G-GPE.B	0.36	0.47	-0.0720	0.99
16	MC	1	2	G-SRT.C	0.40	0.31	0.0217	1.16
17	MC	1	2	G-GPE.A	0.42	0.36	-0.1820	1.08
18	MC	1	2	G-GPE.B	0.28	0.34	0.2987	1.09
19	MC	1	2	G-MG.A	0.37	0.34	0.0859	1.04
20	MC	1	2	G-SRT.B	0.26	0.47	0.4989	0.92
21	MC	1	2	G-C.A	0.25	0.27	0.5511	1.21
22	MC	1	2	G-SRT.B	0.21	0.18	0.7659	1.13
23	MC	1	2	G-MG.A	0.38	0.44	0.1262	1.04
24	MC	1	2	G-SRT.B	0.24	0.21	0.4984	1.21
25	CR	2	1	G-CO.B	1.04	0.60	-0.5945	0.91
26	CR	2	1	G-C.A	0.87	0.61	-0.3011	0.86
27	CR	2	1	G-GPE.B	0.78	0.54	-0.0469	0.94
28	CR	2	1	G-CO.B	0.51	0.51	0.3101	0.98
29	CR	2	1	G-SRT.C	0.20	0.48	1.0871	0.98
30	CR	2	1	G-MG.A	0.35	0.51	1.2951	0.93
31	CR	2	1	G-SRT.A	0.20	0.46	1.7522	0.95
32	CR	4	1	G-SRT.C	1.00	0.73	0.2438	0.87
33	CR	4	1	G-CO.C	0.54	0.65	1.5372	0.88
34	CR	4	1	G-CO.D	1.11	0.75	0.3566	0.84
35	CR	6	1	G-CO.C	0.91	0.83	0.7669	0.60
36	CR	6	1	G-SRT.C	0.04	0.34	1.9614	0.65

Table A.3 Test Map for June 2016 Administration

Position	Item Type	Max Points	Weight	Cluster	Mean	Point-Biserial	Rasch Difficulty	INFIT
1	MC	1	2	G-GMD.B	0.40	0.32	-0.0098	1.14
2	MC	1	2	G-SRT.A	0.70	0.42	-1.6937	0.97
3	MC	1	2	G-GPE.A	0.70	0.28	-1.6179	1.08
4	MC	1	2	G-CO.A	0.66	0.47	-1.5388	0.91
5	MC	1	2	G-SRT.A	0.64	0.37	-1.3489	1.00
6	MC	1	2	G-GMD.A	0.57	0.47	-1.0085	0.93
7	MC	1	2	G-CO.C	0.51	0.27	-0.7094	1.21
8	MC	1	2	G-CO.A	0.84	0.31	-2.6981	1.01
9	MC	1	2	G-CO.C	0.25	0.28	0.6059	1.10
10	MC	1	2	G-CO.C	0.44	0.32	-0.4771	1.06
11	MC	1	2	G-SRT.C	0.33	0.48	0.1541	0.96
12	MC	1	2	G-GPE.B	0.33	0.40	0.0654	1.02
13	MC	1	2	G-SRT.B	0.40	0.39	-0.2813	1.04
14	MC	1	2	G-GPE.B	0.21	0.46	0.7583	0.95
15	MC	1	2	G-SRT.C	0.38	0.41	-0.2000	0.99
16	MC	1	2	G-CO.B	0.40	0.40	-0.1216	1.01
17	MC	1	2	G-CO.C	0.34	0.47	0.0357	0.96
18	MC	1	2	G-MG.A	0.33	0.28	0.0796	1.12
19	MC	1	2	G-GMD.A	0.23	0.27	0.6857	1.10
20	MC	1	2	G-C.A	0.51	0.41	-0.6783	1.00
21	MC	1	2	G-SRT.B	0.28	0.35	0.6095	1.07
22	MC	1	2	G-GPE.B	0.45	0.30	-0.4780	1.18
23	MC	1	2	G-GPE.A	0.22	0.29	0.7421	1.08
24	MC	1	2	G-C.B	0.20	0.35	1.0170	1.03
25	CR	2	1	G-CO.A	0.56	0.57	0.1712	0.99
26	CR	2	1	G-GPE.B	0.40	0.61	0.4406	0.89
27	CR	2	1	G-SRT.B	0.37	0.57	0.6838	0.87
28	CR	2	1	G-SRT.C	0.33	0.60	0.7618	0.85
29	CR	2	1	G-C.B	0.18	0.39	1.0952	1.07
30	CR	2	1	G-SRT.C	0.23	0.48	1.0719	0.94
31	CR	2	1	G-CO.D	0.15	0.53	1.4463	0.87
32	CR	4	1	G-MG.A	1.48	0.76	-0.2554	-0.26
33	CR	4	1	G-SRT.B	0.97	0.77	0.1873	0.80
34	CR	4	1	G-SRT.A	1.54	0.68	0.4551	1.00
35	CR	6	1	G-CO.C	0.40	0.57	1.2120	0.88
36	CR	6	1	G-MG.A	0.19	0.41	1.4166	1.22

Appendix B: Raw-to-Theta-to-Scale Score Conversion Tables

Table B.1 Score Table for August 2015 Administration

Raw Score	Ability	Scale Score
0	-6.0805	0.000
1	-4.8450	3.378
2	-4.1073	6.577
3	-3.6580	9.578
4	-3.3273	12.430
5	-3.0618	15.155
6	-2.8380	17.776
7	-2.6431	20.302
8	-2.4696	22.741
9	-2.3126	25.102
10	-2.1688	27.395
11	-2.0356	29.629
12	-1.9114	31.800
13	-1.7948	33.910
14	-1.6847	35.971
15	-1.5802	37.968
16	-1.4808	39.899
17	-1.3856	41.779
18	-1.2943	43.603
19	-1.2066	45.381
20	-1.1219	47.106
21	-1.0400	48.770
22	-0.9607	50.372
23	-0.8837	51.938
24	-0.8087	53.444
25	-0.7357	54.887
26	-0.6644	56.293
27	-0.5947	57.648
28	-0.5265	58.954
29	-0.4597	60.212
30	-0.3942	61.413
31	-0.3299	62.578
32	-0.2668	63.698
33	-0.2047	64.766
34	-0.1438	65.784
35	-0.0839	66.756
36	-0.0251	67.695
37	0.0326	68.583
38	0.0893	69.436
39	0.1449	70.245
40	0.1994	71.020

Raw Score	Ability	Scale Score
41	0.2527	71.747
42	0.3050	72.442
43	0.3562	73.102
44	0.4062	73.740
45	0.4552	74.350
46	0.5032	74.931
47	0.5503	75.484
48	0.5965	76.026
49	0.6419	76.549
50	0.6866	77.056
51	0.7306	77.549
52	0.7743	78.026
53	0.8175	78.504
54	0.8606	78.971
55	0.9035	79.438
56	0.9464	79.903
57	0.9895	80.359
58	1.0328	80.821
59	1.0765	81.285
60	1.1209	81.754
61	1.1660	82.231
62	1.2119	82.709
63	1.2590	83.193
64	1.3073	83.684
65	1.3572	84.188
66	1.4089	84.708
67	1.4627	85.240
68	1.5191	85.784
69	1.5784	86.348
70	1.6413	86.932
71	1.7084	87.537
72	1.7804	88.167
73	1.8584	88.820
74	1.9435	89.512
75	2.0369	90.236
76	2.1403	90.990
77	2.2557	91.782
78	2.3855	92.605
79	2.5330	93.453
80	2.7030	94.329
81	2.9028	95.226

Raw Score	Ability	Scale Score
82	3.1447	96.140
83	3.4520	97.065
84	3.8777	98.000
85	4.5910	99.006
86	5.8088	100.000

Table B.2 Score Table for January 2016 Administration

Raw Score	Ability	Scale Score
0	-5.6819	0.000
1	-4.4612	5.034
2	-3.7441	8.990
3	-3.3147	12.542
4	-3.0033	15.778
5	-2.7565	18.772
6	-2.5506	21.553
7	-2.3729	24.158
8	-2.2160	26.616
9	-2.0750	28.955
10	-1.9464	31.181
11	-1.8281	33.306
12	-1.7181	35.346
13	-1.6152	37.298
14	-1.5184	39.167
15	-1.4269	40.960
16	-1.3400	42.689
17	-1.2572	44.354
18	-1.1779	45.965
19	-1.1020	47.513
20	-1.0289	48.995
21	-0.9586	50.415
22	-0.8907	51.794
23	-0.8251	53.116
24	-0.7615	54.378
25	-0.6999	55.593
26	-0.6401	56.768
27	-0.5819	57.895
28	-0.5252	58.980
29	-0.4699	60.024
30	-0.4159	61.017
31	-0.3632	61.978
32	-0.3115	62.910
33	-0.2608	63.802
34	-0.2111	64.657
35	-0.1622	65.479
36	-0.1140	66.268
37	-0.0666	67.034
38	-0.0197	67.777
39	0.0266	68.490
40	0.0725	69.189

Raw Score	Ability	Scale Score
41	0.1180	69.856
42	0.1630	70.505
43	0.2079	71.137
44	0.2525	71.743
45	0.2968	72.336
46	0.3410	72.908
47	0.3851	73.472
48	0.4291	74.029
49	0.4731	74.569
50	0.5170	75.095
51	0.5610	75.610
52	0.6052	76.126
53	0.6494	76.635
54	0.6939	77.139
55	0.7386	77.636
56	0.7837	78.131
57	0.8294	78.633
58	0.8756	79.134
59	0.9226	79.647
60	0.9704	80.156
61	1.0193	80.677
62	1.0694	81.209
63	1.1210	81.755
64	1.1743	82.317
65	1.2295	82.890
66	1.2870	83.478
67	1.3470	84.085
68	1.4101	84.719
69	1.4764	85.373
70	1.5466	86.047
71	1.6212	86.747
72	1.7008	87.468
73	1.7860	88.216
74	1.8779	88.981
75	1.9774	89.781
76	2.0858	90.600
77	2.2051	91.442
78	2.3374	92.310
79	2.4861	93.195
80	2.6559	94.099
81	2.8544	95.025

Raw Score	Ability	Scale Score
82	3.0940	95.969
83	3.3981	96.931
84	3.8198	97.911
85	4.5286	98.949
86	5.7429	100.000

Table B.3 Score Table for June 2016 Administration

Raw Score	Ability	Scale Score
0	-5.9808	0.000
1	-4.7438	3.801
2	-4.0049	7.207
3	-3.5553	10.402
4	-3.2249	13.418
5	-2.9604	16.283
6	-2.7378	19.024
7	-2.5445	21.642
8	-2.3729	24.158
9	-2.2180	26.586
10	-2.0763	28.931
11	-1.9457	31.194
12	-1.8242	33.376
13	-1.7105	35.487
14	-1.6036	37.521
15	-1.5026	39.475
16	-1.4069	41.357
17	-1.3160	43.170
18	-1.2294	44.918
19	-1.1467	46.602
20	-1.0676	48.211
21	-0.9917	49.746
22	-0.9189	51.220
23	-0.8489	52.638
24	-0.7815	53.984
25	-0.7165	55.267
26	-0.6535	56.505
27	-0.5926	57.688
28	-0.5335	58.821
29	-0.4761	59.910
30	-0.4201	60.940
31	-0.3655	61.936
32	-0.3121	62.899
33	-0.2597	63.821
34	-0.2084	64.703
35	-0.1579	65.549
36	-0.1082	66.362
37	-0.0592	67.152
38	-0.0109	67.914
39	0.0369	68.649
40	0.0842	69.361

Raw Score	Ability	Scale Score
41	0.1310	70.044
42	0.1773	70.707
43	0.2233	71.347
44	0.2689	71.964
45	0.3142	72.561
46	0.3592	73.141
47	0.4039	73.710
48	0.4484	74.266
49	0.4926	74.803
50	0.5367	75.325
51	0.5807	75.840
52	0.6245	76.350
53	0.6684	76.851
54	0.7124	77.346
55	0.7564	77.830
56	0.8007	78.319
57	0.8453	78.805
58	0.8903	79.294
59	0.9360	79.793
60	0.9823	80.282
61	1.0295	80.786
62	1.0777	81.298
63	1.1272	81.821
64	1.1781	82.357
65	1.2306	82.902
66	1.2851	83.459
67	1.3418	84.033
68	1.4011	84.629
69	1.4633	85.245
70	1.5289	85.877
71	1.5983	86.534
72	1.6723	87.212
73	1.7515	87.914
74	1.8369	88.641
75	1.9297	89.400
76	2.0314	90.194
77	2.1441	91.017
78	2.2706	91.882
79	2.4150	92.786
80	2.5833	93.730
81	2.7849	94.728

Raw Score	Ability	Scale Score
82	3.0358	95.774
83	3.3654	96.849
84	3.8379	97.939
85	4.6426	99.054
86	5.9639	100.000

Appendix C: Item Writing Guidelines

GUIDELINES FOR WRITING MULTIPLE-CHOICE MATH ITEMS

- 1. The item should measure the knowledge, skills, and proficiencies characterized by the standards within the identified cluster.**
- 2. The focus of the problem or topic should be stated clearly and concisely.**
The stem should be meaningful and convey the central problem. A multiple-choice item functions most effectively when a student is required to compare specific alternatives related to the stem. It should not be necessary for the student to read all of the alternatives to understand an item. (*Hint: Cover the alternatives and read the stem on its own. Then ask yourself if the question includes the essential elements or if the essential elements are lost somewhere in the alternatives.*)
- 3. Include problems that come from a real-world context or problems that make use of multiple representations.**
When using real-world problems, use real-world formulas and equations (*e.g., the kinetic energy, k , of an object with mass, m , and velocity, v , is $k = \frac{1}{2} mv^2$*). Use real-world statistics whenever possible.
- 4. The item should be written in clear and simple language, with vocabulary and sentence structure kept as simple as possible.**
Each multiple-choice item should be specific and clear. The important elements should generally appear early in the stem of an item, with qualifications and explanations following. Difficult and technical vocabulary should be avoided unless it is essential for the purpose of the question.
- 5. The stem should be written as a direct question or an incomplete statement**
Direct questions are often more straightforward. However, an incomplete statement may be used to achieve simplicity, clarity, and effectiveness. Use whichever format seems more appropriate to present the item effectively.
- 6. The stem should not contain irrelevant or unnecessary detail.**
Be sure that sufficient information is provided to answer the question, but avoid excessive detail or “window dressing.”
- 7. The phrase *which of the following* should not be used to refer to the alternatives; instead, use *which* followed by a noun.**
In the stem, *which of the following* requires the student to read all of the alternatives before knowing what is being asked and assessed. Expressions such as *which statement*, *which expression*, *which equation*, and/or *which graph* are acceptable.

8. The stem should include any words that would otherwise need to be repeated in each alternative.

In general, the stem should contain everything the alternatives have in common or as much as possible of their common content. This practice makes an item concise. Exceptions include alternatives containing units and alternatives stated as complete sentences.

9. The item should have one and only one correct answer.

Items should not have two or more correct alternatives. *All of the above* and *none of the above* are not acceptable alternatives.

10. The distractors should be plausible and attractive to students who lack the knowledge, understanding, or ability assessed by the item.

Distractors should be designed to reflect common errors or misconceptions of students.

11. The alternatives should be grammatically consistent with the stem.

Use similar terminology, phrasing, or sentence structure in the alternatives. Alternatives must use consistent language, including verb tense, nouns, number (singular/plural), and declarative statements. Place a period at the end of an alternative *only* if the alternative by itself is a complete sentence.

12. The alternatives should be parallel with one another in form.

The length, complexity and specificity of the alternatives should be similar. For example, if the stem refers to a process, then all the alternatives must be processes. Avoid the use of absolutes such as *always* and *never* in phrasing alternatives.

13. The alternatives should be arranged in logical order, when possible.

When the alternatives consist of numbers and letters, they should ordinarily be arranged in ascending or descending order. An exception would be when the number of an alternative and the value of that alternative are the same. For example: (1) 1 (2) 2 (3) 0 (4) 4.

14. The alternatives should be independent and mutually exclusive.

Alternatives that are synonymous or overlap in meaning often assist the student in eliminating distractors.

15. The item should not contain extraneous clues to the correct answer.

Any aspect of the item that provides an unintended clue that can be used to select or eliminate an alternative should be avoided. For example, any term that appears in the stem should not appear in only one of the alternatives.

16. Notation and symbols as presented on Common Core examinations should be used consistently.

For example, AB means the length of line segment AB , \overline{AB} means line segment AB , and $m\angle A$ means the number of degrees in the measure of angle A , etc.

GUIDELINES FOR WRITING CONSTRUCTED-RESPONSE MATH ITEMS

- 1. The item should measure the knowledge, skills, and proficiencies characterized by the standards within the identified cluster.**
- 2. The focus of the problem or topic should be stated clearly and concisely.**
The item should be meaningful, address important knowledge and skills, and focus on key concepts.
- 3. Include problems that come from a real-world context or problems that make use of multiple representations.**
When using real-world problems, use real-world formulas and equations (*e.g., the kinetic energy, k , of an object with mass, m , and velocity, v is $k = \frac{1}{2} mv^2$*). Use real-world statistics whenever possible.
- 4. The item should be written with terminology, vocabulary, and sentence structure kept as simple as possible. The item should be free of irrelevant or unnecessary detail.**
The important elements should generally appear early in the item, with qualifications and explanations following. Present only the information needed to make the context/scenario clear.
- 5. The item should not contain extraneous clues to the correct answer.**
The item should not provide unintended clues that allow a student to obtain credit without the appropriate knowledge or skill.
- 6. The item should require students to demonstrate depth of understanding and higher-order thinking skills through written expression, numerical evidence, and/or diagrams.**
An open-ended item should require more than an either/or answer or any variation such as yes/no, decrease/increase, and faster/slower. Often either/or items can be improved by asking for an explanation.
- 7. The item should require work rather than just recall.**
Students should be required to show their mathematical thinking in symbols or words.
- 8. The stimulus should provide information/data that is mathematically accurate.**
Examples of stimuli include, but are not limited to, art, data tables, and diagrams. It is best to use actual data whenever possible. Hypothetical data, if used, should be plausible and clearly identified as hypothetical.
- 9. The item should be written so that the student does not have to identify units of measurement in the answer, unless the question is testing dimensional analysis.**
For example, consider this question: "A circle has a radius of length 4 centimeters. Find the number of centimeters in the length of the arc intercepted by a central angle measuring 2 radians." Students would receive credit for an answer of "8" and would not be penalized for writing "8 cm."

10. The item should be written to require a specific form of answer.

Phrases like “in terms of π ,” “to the nearest tenth,” and “in simplest radical form” may simplify the writing of the rubric for these types of items.

11. Items that require students to explain in words are encouraged.

One of the emphases of the Common Core standards is to foster student ability to communicate mathematical thinking. An example is to have students construct viable arguments to make conjectures, analyze situations, or justify conclusions. These items would require students to demonstrate precision of knowledge in their responses.

12. Items may be broken into multiple parts that may be labeled *a*, *b*, *c*, etc.

Clear division of the parts of the problems may simplify the writing of the rubric for these types of items.

13. Notation and symbols as presented on Common Core examinations should be used consistently.

For example, AB means the length of line segment AB , \overline{AB} means line segment AB , and $m\angle A$ means the number of degrees in the measure of angle A , etc.

Appendix D: Tables and Figures for August 2015 Administration

Table D.1 Multiple-Choice Item Analysis Summary: Regents Examination in Geometry (Common Core)

Item	Number	<i>p</i> -Value	SD	Point-Biserial	Point-Biserial Distractor 1	Point-Biserial Distractor 2	Point-Biserial Distractor 3
1	5,179	0.23	0.42	0.33	-0.04	-0.20	-0.06
2	5,179	0.86	0.35	0.30	-0.16	-0.18	-0.16
3	5,179	0.41	0.49	0.37	-0.07	-0.33	-0.03
4	5,179	0.54	0.50	0.20	-0.12	-0.11	-0.05
5	5,179	0.29	0.45	0.33	-0.10	-0.15	-0.11
6	5,179	0.58	0.49	0.29	-0.14	-0.11	-0.19
7	5,179	0.79	0.41	0.24	-0.14	-0.14	-0.10
8	5,179	0.36	0.48	0.41	-0.10	-0.11	-0.28
9	5,179	0.29	0.45	0.19	-0.07	-0.15	0.00
10	5,179	0.62	0.49	0.33	-0.18	-0.20	-0.10
11	5,179	0.17	0.37	0.24	-0.17	0.02	-0.03
12	5,179	0.59	0.49	0.32	-0.13	-0.21	-0.12
13	5,179	0.80	0.40	0.26	-0.10	-0.13	-0.18
14	5,179	0.41	0.49	0.32	-0.15	-0.09	-0.17
15	5,179	0.35	0.48	0.30	-0.13	-0.14	-0.09
16	5,179	0.25	0.43	0.30	-0.07	-0.15	-0.09
17	5,179	0.44	0.50	0.41	-0.19	-0.13	-0.20
18	5,179	0.52	0.50	0.22	-0.12	-0.10	-0.08
19	5,179	0.24	0.43	0.28	-0.12	-0.06	-0.10
20	5,179	0.19	0.39	0.36	0.01	-0.06	-0.25
21	5,179	0.28	0.45	0.33	-0.11	-0.12	-0.12
22	5,179	0.71	0.45	0.31	-0.23	-0.13	-0.10
23	5,179	0.47	0.50	0.25	-0.04	-0.16	-0.12
24	5,179	0.22	0.41	0.26	-0.15	-0.15	0.02

Table D.2 Constructed-Response Item Analysis Summary: Regents Examination in Geometry (Common Core)

Item	Min. score	Max. score	Number of Students	Mean	SD	<i>p</i> -Value	Point-Biserial
25	0	2	5,179	0.69	0.89	0.34	0.51
26	0	2	5,179	0.35	0.66	0.17	0.39
27	0	2	5,179	0.43	0.72	0.21	0.61
28	0	2	5,179	0.38	0.63	0.19	0.56
29	0	2	5,179	0.54	0.74	0.27	0.51
30	0	2	5,179	0.85	0.77	0.42	0.40
31	0	2	5,179	0.21	0.53	0.11	0.49
32	0	4	5,179	0.33	0.95	0.08	0.62
33	0	4	5,179	0.43	1.02	0.11	0.58
34	0	4	5,179	1.95	1.32	0.49	0.50
35	0	6	5,179	0.33	0.97	0.06	0.57
36	0	6	5,179	1.21	1.57	0.20	0.64




Figure D.1 Scatter Plot: Regents Examination in Geometry (Common Core)

Table D.3 Descriptive Statistics in *p*-value and Point-Biserial Correlation: Regents Examination in Geometry (Common Core)

Statistics	N	Mean	Min	Q1	Median	Q3	Max
<i>p</i> -value	36	0.37	0.06	0.21	0.31	0.50	0.86
Point-Biserial	36	0.38	0.19	0.28	0.33	0.50	0.64




Figure D.2 Student Performance Map: Regents Examination in Geometry (Common Core)




Figure D.3 Scree Plot: Regents Examination in Geometry (Common Core)

Table D.4 Summary of Item Residual Correlations: Regents Examination in Geometry (Common Core)

Statistic Type	Value
N	630
Mean	-0.02
SD	0.03
Minimum	-0.12
P ₁₀	-0.06
P ₂₅	-0.04
P ₅₀	-0.02
P ₇₅	-0.01
P ₉₀	0.01
Maximum	0.26
> 0.20	1

Table D.5 Summary of INFIT Mean Square Statistics: Regents Examination in Geometry (Common Core)

	INFIT Mean Square					
	N	Mean	SD	Min	Max	[0.7, 1.3]
Geometry (Common Core)	36	1	0.08	0.80	1.18	[36/36]

Table D.6 Reliabilities and Standard Errors of Measurement: Regents Examination in Geometry (Common Core)

Subject	Coefficient Alpha	SEM
Geometry (Common Core)	0.84	4.95

Table D.7 Decision Consistency and Accuracy Results: Regents Examination in Geometry (Common Core)

Statistic	1/2	2/3	3/4	4/5
Consistency	0.83	0.85	0.96	0.98
Accuracy	0.87	0.90	0.97	0.98




Figure D.4 Conditional Standard Error Plot: Regents Examination in Geometry (Common Core)

Table D.8 Group Means: Regents Examination in Geometry (Common Core)

Demographics	Number	Mean Scale Score	SD Scale Score
All Students*	5,179	57.16	13.03
Ethnicity			
American Indian/Alaska Native	28	61.14	11.66
Asian/Native Hawaiian/Other Pacific Islander	424	63.68	15.90
Black/African American	1,229	52.85	11.98
Hispanic/Latino	1,169	53.27	11.81
Multiracial	71	59.08	13.62
White	2,256	60.19	12.22
Gender			
Female	2,638	57.00	12.40
Male	2,539	57.33	13.67
Economically Disadvantaged			
No	2,633	59.51	13.34
Yes	2,546	54.74	12.25
English Language Learner			
No	5,072	57.34	12.85
Yes	107	48.70	18.06
Student with Disabilities			
No	4,598	57.93	12.89
Yes	581	51.05	12.57

*Note: Two students were not reported in the Ethnicity and Gender group, but they are reflected in “All Students.”

Appendix E: Tables and Figures for January 2016 Administration

Table E.1 Multiple-Choice Item Analysis Summary: Regents Examination in Geometry (Common Core)

Item	Number	<i>p</i> -Value	SD	Point Biserial	Point-Biserial Distractor 1	Point-Biserial Distractor 2	Point-Biserial Distractor 3
1	5,707	0.75	0.43	0.16	-0.05	-0.10	-0.09
2	5,707	0.53	0.50	0.43	-0.17	-0.24	-0.18
3	5,707	0.50	0.50	0.42	-0.16	-0.21	-0.19
4	5,707	0.48	0.50	0.27	-0.16	-0.23	0.00
5	5,707	0.47	0.50	0.42	-0.19	-0.21	-0.17
6	5,707	0.55	0.50	0.25	-0.08	-0.17	-0.14
7	5,707	0.38	0.48	0.47	-0.38	-0.13	0.02
8	5,707	0.65	0.48	0.33	-0.20	-0.17	-0.11
9	5,707	0.50	0.50	0.42	-0.15	-0.17	-0.24
10	5,707	0.44	0.50	0.27	-0.22	-0.12	0.00
11	5,707	0.43	0.49	0.31	-0.10	-0.18	-0.12
12	5,707	0.58	0.49	0.30	-0.14	-0.20	-0.07
13	5,707	0.39	0.49	0.45	-0.18	-0.27	-0.08
14	5,707	0.48	0.50	0.46	-0.14	-0.23	-0.24
15	5,707	0.34	0.47	0.39	-0.13	-0.22	-0.08
16	5,707	0.40	0.49	0.42	-0.20	-0.19	-0.13
17	5,707	0.41	0.49	0.39	-0.17	-0.15	-0.17
18	5,707	0.39	0.49	0.33	-0.15	-0.15	-0.14
19	5,707	0.39	0.49	0.47	-0.14	-0.22	-0.21
20	5,707	0.23	0.42	0.41	-0.16	-0.12	-0.09
21	5,707	0.38	0.49	0.24	-0.06	-0.19	-0.08
22	5,707	0.16	0.37	0.12	-0.07	-0.12	0.06
23	5,707	0.33	0.47	0.33	-0.07	-0.15	-0.16
24	5,707	0.26	0.44	0.00	0.18	-0.15	-0.06

Table E.2 Constructed-Response Item Analysis Summary: Regents Examination in Geometry (Common Core)

Item	Min. score	Max. score	Number of Students	Mean	SD	<i>p</i> -Value	Point-Biserial
25	0	2	5,707	0.95	0.79	0.47	0.50
26	0	2	5,707	0.80	0.93	0.40	0.58
27	0	2	5,707	0.68	0.83	0.34	0.56
28	0	2	5,707	0.76	0.75	0.38	0.49
29	0	2	5,707	0.42	0.74	0.21	0.65
30	0	2	5,707	0.29	0.57	0.15	0.58
31	0	2	5,707	0.34	0.59	0.17	0.50
32	0	4	5,707	0.65	1.26	0.16	0.72
33	0	4	5,707	0.59	0.92	0.15	0.65
34	0	4	5,707	0.91	1.34	0.23	0.61
35	0	6	5,707	0.61	1.26	0.10	0.72
36	0	6	5,707	0.27	0.97	0.04	0.56




Figure E.1 Scatter Plot: Regents Examination in Geometry (Common Core)

Table E.3 Descriptive Statistics in *p*-value and Point-Biserial Correlation: Regents Examination in Geometry (Common Core)

Statistics	N	Mean	Min	Q1	Median	Q3	Max
<i>p</i> -value	36	0.37	0.04	0.23	0.39	0.48	0.75
Point-Biserial	36	0.42	0.00	0.32	0.42	0.53	0.72




Figure E.2 Student Performance Map: Regents Examination in Geometry (Common Core)




Figure E.3 Scree Plot: Regents Examination in Geometry (Common Core)

Table E.4 Summary of Item Residual Correlations: Regents Examination in Geometry (Common Core)

Statistic Type	Value
N	630
Mean	-0.03
SD	0.03
Minimum	-0.13
P ₁₀	-0.06
P ₂₅	-0.05
P ₅₀	-0.03
P ₇₅	-0.01
P ₉₀	0.02
Maximum	0.14
> 0.20	0

Table E.5 Summary of INFIT Mean Square Statistics: Regents Examination in Geometry (Common Core)

	INFIT Mean Square					
	N	Mean	SD	Min	Max	[0.7, 1.3]
Geometry (Common Core)	36	1.01	0.11	0.81	1.33	[35/36]

Table E.6 Reliabilities and Standard Errors of Measurement: Regents Examination in Geometry (Common Core)

Subject	Coefficient Alpha	SEM
Geometry (Common Core)	0.88	4.98

Table E.7 Decision Consistency and Accuracy Results: Regents Examination in Geometry (Common Core)

Statistic	1/2	2/3	3/4	4/5
Consistency	0.85	0.89	0.96	0.98
Accuracy	0.89	0.92	0.97	0.99




Figure E.4 Conditional Standard Error Plot: Regents Examination in Geometry (Common Core)

Table E.8 Group Means: Regents Examination in Geometry (Common Core)

Demographics	Number	Mean Scale Score	SD Scale Score
All Students	5,707	55.73	13.88
Ethnicity			
American Indian/Alaska Native	42	57.48	12.91
Asian/Native Hawaiian/Other Pacific Islander	641	62.71	15.08
Black/African American	1,574	52.26	12.08
Hispanic/Latino	1,685	51.20	12.05
Multiracial	75	56.00	12.33
White	1,688	60.78	14.03
Gender			
Female	3,019	55.52	13.79
Male	2,686	55.96	13.96
Economically Disadvantaged			
No	2,106	58.57	14.40
Yes	3,601	54.07	13.28
English Language Learner			
No	5,286	55.88	13.62
Yes	421	53.85	16.66
Student with Disabilities			
No	5,144	56.50	13.85
Yes	563	48.72	12.02

*Note: Two students were not reported in the Ethnicity and Gender group, but they are reflected in “All Students.”