

New York State Regents Examination in Integrated Algebra

2010 Field Test Analysis, Equating Procedure, and Scaling of Operational Test Forms

Technical Report



Prepared for the New York State Education Department
by Pearson

August 2011

Copyright

Developed and published under contract with the New York State Education Department by Pearson. Copyright © 2010 by the New York State Education Department.

Secure Materials.

All rights reserved. No part of this document may be reproduced or transmitted by any means. Use of these materials is expressly limited to the New York State Education Department.

Table of Contents

| | |
|--|----|
| Table of Contents..... | i |
| List of Tables | ii |
| Section I: Introduction | 1 |
| Purpose | 1 |
| Section II: Field Test Analysis..... | 1 |
| File Merging and Data Clean-up | 2 |
| Classical Analysis..... | 2 |
| <i>Item Difficulty</i> | 3 |
| <i>Point-Biserial Correlation</i> | 3 |
| <i>Test Reliability</i> | 5 |
| <i>Scoring Reliability</i> | 8 |
| <i>Inter-rater Agreement</i> | 8 |
| <i>Constructed-Response Item Means and Standard Deviations</i> | 17 |
| <i>Intra-class Correlation</i> | 17 |
| <i>Weighted Kappa</i> | 17 |
| Item Response Theory (IRT) Statistics | 18 |
| <i>Item Calibration</i> | 18 |
| <i>Item Fit Evaluation</i> | 19 |
| Differential Item Functioning (DIF) Statistics..... | 21 |
| Section III: Equating Procedure | 22 |
| Section IV: Scaling of Operational Test Forms | 25 |
| References | 27 |
| Appendix A: Classical Item Analysis..... | 28 |
| Appendix B: Partial Credit Model Item Analysis..... | 49 |
| Appendix C: DIF Statistics | 70 |
| Appendix D: Operational Test Maps | 81 |
| Appendix E: Scoring Tables..... | 88 |

List of Tables

| | |
|---|----|
| Table 1. Need/Resource Capacity Category Definitions | 1 |
| Table 2. Classical Item Analysis | 4 |
| Table 3. Test and Scoring Reliability..... | 7 |
| Table 4. Point Differences Between First and Second Reads | 9 |
| Table 5. First and Second Read Descriptive Statistics and Agreement | 13 |
| Table 6. Partial Credit Model Item Analysis | 20 |
| Table 7. Initial Mean Abilities and Equating Constants | 24 |
| Table 8. Classical Item Analysis | 29 |
| Table 9. Partial Credit Model Item Analysis | 50 |
| Table 10. DIF Statistics..... | 71 |
| Table 11. Operational Test Map for January 2010..... | 82 |
| Table 12. Operational Test Map for June 2010..... | 84 |
| Table 13. Operational Test Map for August 2010 | 86 |
| Table 14. Scoring Tables for January 2010 | 89 |
| Table 15. Scoring Tables for June 2010 | 90 |
| Table 16. Scoring Tables for August 2010..... | 91 |

Section I: Introduction

Purpose

The purpose of this report is to document the psychometric work on the New York State Regents Examination in Integrated Algebra in 2010. Specifically, contained within this report are procedures for and results of field test analysis, equating, and scaling of operational test forms. Because of a change in vendor mid-year, the field test equating was conducted by Pearson while the scaling was conducted by the previous vendor. Information on test development can be found in the test design and development report for the New York State Regents Examination in Integrated Algebra.

Section II: Field Test Analysis

In May 2010, field testing was conducted for the New York State Regents Examination in Integrated Algebra to better understand the psychometric quality of the items. The results of this testing are used to help determine which items will be selected for use on operational tests.

Target student samples for participation in this testing were selected such that each would represent the student population expected to take the operational test. The Need/Resource Capacity Categories were used as variables in the sampling plan. See Table 1 for the seven Need/Resource Capacity Categories and their definitions.

Table 1. Need/Resource Capacity Category Definitions

| Need/Resource Capacity (N/RC) Category | Definition |
|---|---|
| High N/RC Districts: New York City | New York City |
| Large Cities | Buffalo, Rochester, Syracuse, Yonkers |
| Urban-Suburban | Districts at or above 70 th percentile on the index with at least 100 students per square mile or enrollment greater than 2500 |
| Rural | All districts at or above the 70 th percentile with fewer than 50 students per square mile or enrollment of less than 2500 |
| Average N/RC Districts | All districts between the 20 th and 70 th percentiles on the index |
| Low N/RC Districts | All districts below the 20 th percentile on the index |
| Charter Schools | Each charter school is a district |

The data collected from field testing were scored by two entities. The multiple-choice items were scored by the New York State Education Department and the constructed-response items were scored by Measurement Incorporated. Therefore, it was necessary to combine data files for data analysis. Both classical and item response theory analyses were conducted using the data to evaluate the quality of the test items.

File Merging and Data Clean-up

Field test forms contained multiple-choice and constructed-response item types. Response data were contained in two separate files. The multiple-choice data file contained 30,601 student records and the constructed-response data file contained 30,310 student records. To combine the two files, the multiple-choice file served as the base file and constructed-response records were merged to the multiple-choice records using unique test booklet numbers. For multiple-choice records that did not have corresponding constructed-response records, constructed-response items were treated as non-attempted and scored as 0. After the exclusion rules were applied, the resulting field test data file contained 29,294 records.

Multiple-choice response data were then compared to the answer key. All item responses not matching the answer key were assigned scores of 0. The responses matching the answer key were assigned scores of 1. With respect to the constructed-response items, scores from 0 to the maximum point value available for each tested item were kept while out of range values were assigned scores of 0. For IRT calibrations, blanks (i.e., missing data) were assigned scores of 0 to be consistent with how operational test items are scored.

The final data file contained both the scored and unscored student responses. Unscored data were used to calculate the percentage of students who selected the various answer choices for the multiple-choice items or the percentage of students who received the range of possible raw score points for the constructed-response items. Thus, the frequency of students leaving items blank can be calculated. The scored data were used for all other analyses.

Classical Analysis

Classical Test Theory is based on the assumption that an observed test score x is composed of both true score t and error score e . This assumption is expressed as follows:

$$x = t + e$$

In other words, error is associated with measuring a student's true score. For example, the choice of test items or the administration conditions may influence student responses making a student's observed score higher or lower than the

student's true score. The error is considered random. After repeated administrations, the mean of the error scores is virtually zero. Thus, a student's observed score is expected to equal his or her true score. This expectation is expressed as follows:

$$E(x) = t$$

Using a Classical Test Theory framework, field test data can be analyzed to provide information about the quality of test items. Item difficulties, point-biserial correlations, reliability estimates, and various statistics related to rater agreement have been calculated and are summarized in the following section.

Item Difficulty

Item difficulty is an indication of student performance on a specific item. Because this examination contains polytomous items, item means are not appropriate for comparing difficulty across items. Instead, weighted item means were calculated by dividing an item's mean by the maximum points possible for that item.

For multiple-choice items, the item difficulty is the proportion of students who answer an item correctly. If 90% of the student responses to a multiple-choice item are correct, then this item is considered easier than a multiple-choice item with correct responses by 30% of the students.

Point-Biserial Correlation

The point-biserial correlation is another classical statistic that can be used to evaluate items. For multiple-choice items, it is the correlation between students' performance on a given item (correct or incorrect) and overall performance scores. This statistic is used to evaluate how well an item identifies students who understand the concept being measured and can be generalized for constructed-response items. The possible range for the point-biserial correlation is -1 to 1, with higher values being more desirable.

Table 2 presents a summary of the classical item analysis for each of the field test forms. The first three columns identify the form number, the number of students who took each form, and the number of items on each field test form. The remaining columns are divided into two sections (i.e., item difficulty and point-biserial correlations). Recall that for constructed-response items, item means were divided by the maximum number of points possible in order to place them in the same metric as the multiple-choice items. For all items except one, item difficulties were below 0.90. With respect to the point-biserial correlations, most of these correlations fell between 0.25 and 0.50.

Table 2. Classical Item Analysis

| Form | N-Count | No. of Items | Item Difficulty | | | Point-Biserial | | |
|------|---------|--------------|-----------------|--------------|-------|----------------|--------------|-------|
| | | | <0.50 | 0.50 to 0.90 | >0.90 | <0.25 | 0.25 to 0.50 | >0.50 |
| 960 | 734 | 11 | 7 | 4 | 0 | 1 | 8 | 2 |
| 961 | 747 | 11 | 9 | 2 | 0 | 1 | 8 | 2 |
| 962 | 740 | 11 | 7 | 4 | 0 | 0 | 8 | 3 |
| 963 | 751 | 11 | 7 | 4 | 0 | 0 | 8 | 3 |
| 964 | 757 | 11 | 7 | 4 | 0 | 0 | 10 | 1 |
| 965 | 758 | 11 | 8 | 3 | 0 | 0 | 8 | 3 |
| 966 | 755 | 11 | 8 | 3 | 0 | 2 | 6 | 3 |
| 967 | 750 | 11 | 7 | 4 | 0 | 0 | 7 | 4 |
| 968 | 760 | 11 | 7 | 4 | 0 | 0 | 8 | 3 |
| 969 | 763 | 11 | 8 | 3 | 0 | 0 | 9 | 2 |
| 970 | 751 | 11 | 6 | 5 | 0 | 0 | 8 | 3 |
| 971 | 747 | 11 | 6 | 5 | 0 | 1 | 5 | 5 |
| 972 | 749 | 11 | 8 | 2 | 0 | 0 | 9 | 1 |
| 973 | 741 | 11 | 5 | 6 | 0 | 2 | 7 | 2 |
| 974 | 732 | 11 | 8 | 3 | 0 | 1 | 7 | 3 |
| 975 | 724 | 11 | 8 | 3 | 0 | 1 | 7 | 3 |
| 976 | 720 | 11 | 10 | 1 | 0 | 1 | 8 | 2 |
| 977 | 724 | 11 | 7 | 4 | 0 | 0 | 8 | 3 |
| 978 | 730 | 11 | 7 | 4 | 0 | 0 | 7 | 4 |
| 979 | 731 | 11 | 6 | 5 | 0 | 0 | 6 | 5 |
| 980 | 742 | 11 | 8 | 3 | 0 | 1 | 8 | 2 |
| 981 | 717 | 11 | 9 | 2 | 0 | 2 | 6 | 3 |
| 982 | 732 | 11 | 7 | 3 | 0 | 0 | 7 | 3 |
| 983 | 724 | 11 | 8 | 3 | 0 | 1 | 7 | 3 |
| 984 | 732 | 11 | 11 | 0 | 0 | 0 | 8 | 3 |
| 985 | 726 | 11 | 6 | 5 | 0 | 0 | 8 | 3 |
| 986 | 738 | 11 | 7 | 4 | 0 | 1 | 7 | 3 |
| 987 | 739 | 11 | 8 | 3 | 0 | 0 | 9 | 2 |
| 988 | 716 | 11 | 9 | 2 | 0 | 0 | 8 | 3 |
| 989 | 714 | 11 | 9 | 2 | 0 | 1 | 8 | 2 |

Table 2. Classical Item Analysis (continued)

| Form | N-Count | No. of Items | Item Difficulty | | | Point-Biserial | | |
|------|---------|--------------|-----------------|--------------|-------|----------------|--------------|-------|
| | | | <0.50 | 0.50 to 0.90 | >0.90 | <0.25 | 0.25 to 0.50 | >0.50 |
| 990 | 705 | 11 | 9 | 2 | 0 | 0 | 8 | 3 |
| 991 | 702 | 11 | 8 | 3 | 0 | 1 | 7 | 3 |
| 992 | 703 | 11 | 10 | 1 | 0 | 0 | 7 | 4 |
| 993 | 710 | 11 | 8 | 3 | 0 | 1 | 7 | 3 |
| 994 | 717 | 11 | 7 | 4 | 0 | 2 | 6 | 3 |
| 995 | 723 | 11 | 8 | 3 | 0 | 0 | 8 | 3 |
| 996 | 724 | 11 | 7 | 4 | 0 | 0 | 9 | 2 |
| 997 | 732 | 11 | 8 | 3 | 0 | 1 | 8 | 2 |
| 998 | 724 | 11 | 3 | 8 | 0 | 1 | 7 | 3 |
| 999 | 710 | 11 | 4 | 6 | 1 | 2 | 6 | 3 |

* For some forms, the item counts in the 'Item Difficulty' and 'Point Biserial' columns may not sum to the value in the 'No. of Items' column due to 'DNS' (do not score) items.

In addition to the summary information provided in Table 2, all of the classical item statistics are provided in Appendix A. 'Max' is the maximum number of possible points. 'N-Count' refers to the number of student records in the analysis. 'Alpha' contains the internal consistency statistics discussed below. For multiple-choice items, 'B' represents the proportion of students who left the item blank and 'M1' through 'M4' are the proportions of students who selected each of the four answer choices. For constructed-response items, 'B' represents the proportion of students who left the item blank and 'M0' through 'M4' are the proportions of students who received scores 0 through 4. 'Mean' is the average of the scores received by the students. The final column contains the point-biserial correlation for each item. There are some instances of items missing statistics; this occurs when an item was not scored.

Test Reliability

Classical analysis can also be used to measure the reliability of the test. Reliability is the consistency of the results obtained from a measurement with respect to time or among items or subjects that constitute a test. As such, test reliability can be estimated in a variety of ways. Internal consistency indices are a measure of how consistently examinees respond to items within a test. Two factors influence estimates of internal consistency: test length and homogeneity of items. In general, the more items on the examination the higher the reliability, and the more similar the items are the higher the reliability.

Cronbach's α (alpha) (Cronbach, 1951) has an important use as a measure of the internal consistency of a test. This formula is the extension of an earlier version, the Kuder-Richardson Formula 20 (KR-20), which is the equivalent for dichotomous items.

Table 3 contains the internal consistency statistics for all of the field test forms. These statistics ranged from 0.49 to 0.69 and are based solely on the items in the individual field test forms. It is expected that these statistics associated with the operational tests would be greater because there are more items on the operational test forms.

Table 3. Test and Scoring Reliability

| Form Number | Test Reliability | Scoring Reliability |
|--------------------|-------------------------|----------------------------|
| 960 | 0.58 | 0.93 |
| 961 | 0.57 | 0.93 |
| 962 | 0.62 | 0.88 |
| 963 | 0.66 | 0.84 |
| 964 | 0.62 | 0.80 |
| 965 | 0.59 | 0.84 |
| 966 | 0.54 | 0.84 |
| 967 | 0.66 | 0.88 |
| 968 | 0.67 | 0.83 |
| 969 | 0.60 | 0.91 |
| 970 | 0.62 | 0.92 |
| 971 | 0.62 | 0.82 |
| 972 | 0.49 | 0.92 |
| 973 | 0.54 | 0.86 |
| 974 | 0.60 | 0.92 |
| 975 | 0.63 | 0.94 |
| 976 | 0.55 | 0.91 |
| 977 | 0.62 | 0.92 |
| 978 | 0.63 | 0.93 |
| 979 | 0.64 | 0.90 |
| 980 | 0.59 | 0.91 |
| 981 | 0.57 | 0.90 |
| 982 | 0.59 | 0.93 |
| 983 | 0.60 | 0.94 |
| 984 | 0.64 | 0.93 |
| 985 | 0.65 | 0.90 |
| 986 | 0.63 | 0.88 |
| 987 | 0.69 | 0.84 |
| 988 | 0.61 | 0.90 |
| 989 | 0.55 | 0.85 |
| 990 | 0.63 | 0.90 |
| 991 | 0.65 | 0.85 |
| 992 | 0.69 | 0.87 |

Table 3. Test and Scoring Reliability (continued)

| Form Number | Test Reliability | Scoring Reliability |
|-------------|------------------|---------------------|
| 993 | 0.59 | 0.87 |
| 994 | 0.67 | 0.95 |
| 995 | 0.65 | 0.92 |
| 996 | 0.58 | 0.95 |
| 997 | 0.57 | 0.94 |
| 998 | 0.58 | 0.95 |
| 999 | 0.55 | 0.92 |

Scoring Reliability

One concern with constructed-response items is the reliability of the scoring process (i.e., consistency of the score assignment). Constructed-response items must be read by scorers who assign scores based on a comparison between the rubric and students' responses. Consistency in the way scores are assigned is a critical part of the reliability of the assessment. To measure this consistency, 10% of the test booklets are scored a second time (i.e., second read scores) and compared to the original set of scores (i.e., first read scores).

As an overall measure of scoring reliability, the Pearson Correlation Coefficient between the first and second scores for each of the constructed-response items was computed. This statistic is often used as an overall indicator of scoring reliability and generally ranges from 0 to near 1. Table 3 contains the results from these analyses in the column headed Scoring Reliability. The correlations ranged from 0.80 to 0.95, indicating high scoring reliability.

Inter-rater Agreement

For each constructed-response item, the difference between the first and second reads was computed. When examining inter-rater agreement statistics, it should be kept in mind that the maximum number of points per item varies as shown in the 'Score Points' column of the following tables.

Table 4 contains the proportion of occurrence of these differences for each item. There were no instances of the first read and second read differing by more than 2.

Table 4. Point Differences Between First and Second Reads

| | | | Difference (First Read minus Second Read) | | | | | | |
|------|------|--------------|---|------|------|------|------|------|------|
| Form | Item | Score Points | -3 | -2 | -1 | 0 | 1 | 2 | 3 |
| 960 | 9 | 2 | 0.00 | 0.00 | 0.06 | 0.86 | 0.07 | 0.01 | 0.00 |
| 960 | 10 | 4 | 0.00 | 0.02 | 0.15 | 0.78 | 0.05 | 0.01 | 0.00 |
| 960 | 11 | 3 | 0.00 | 0.01 | 0.03 | 0.83 | 0.08 | 0.04 | 0.00 |
| 961 | 9 | 2 | 0.00 | 0.00 | 0.06 | 0.93 | 0.02 | 0.00 | 0.00 |
| 961 | 10 | 3 | 0.00 | 0.03 | 0.02 | 0.92 | 0.02 | 0.01 | 0.00 |
| 961 | 11 | 4 | 0.00 | 0.03 | 0.03 | 0.82 | 0.11 | 0.02 | 0.00 |
| 962 | 9 | 4 | 0.00 | 0.03 | 0.13 | 0.69 | 0.12 | 0.03 | 0.00 |
| 962 | 10 | 2 | 0.00 | 0.00 | 0.02 | 0.94 | 0.04 | 0.00 | 0.00 |
| 962 | 11 | 2 | 0.00 | 0.01 | 0.09 | 0.79 | 0.11 | 0.00 | 0.00 |
| 963 | 9 | 4 | 0.00 | 0.03 | 0.04 | 0.84 | 0.02 | 0.07 | 0.00 |
| 963 | 10 | 2 | 0.00 | 0.00 | 0.04 | 0.86 | 0.10 | 0.00 | 0.00 |
| 963 | 11 | 3 | 0.00 | 0.01 | 0.07 | 0.85 | 0.06 | 0.01 | 0.00 |
| 964 | 9 | 2 | 0.00 | 0.02 | 0.14 | 0.75 | 0.10 | 0.00 | 0.00 |
| 964 | 10 | 4 | 0.00 | 0.02 | 0.17 | 0.68 | 0.11 | 0.02 | 0.00 |
| 964 | 11 | 3 | 0.00 | 0.00 | 0.03 | 0.90 | 0.06 | 0.01 | 0.00 |
| 965 | 9 | 3 | 0.00 | 0.00 | 0.07 | 0.83 | 0.09 | 0.01 | 0.00 |
| 965 | 10 | 4 | 0.00 | 0.00 | 0.11 | 0.72 | 0.15 | 0.02 | 0.00 |
| 965 | 11 | 2 | 0.00 | 0.01 | 0.13 | 0.80 | 0.06 | 0.00 | 0.00 |
| 966 | 9 | 4 | 0.00 | 0.04 | 0.03 | 0.85 | 0.05 | 0.03 | 0.00 |
| 966 | 10 | 3 | 0.00 | 0.01 | 0.13 | 0.73 | 0.11 | 0.02 | 0.00 |
| 966 | 11 | 2 | 0.00 | 0.00 | 0.03 | 0.91 | 0.03 | 0.02 | 0.00 |
| 967 | 9 | 2 | 0.00 | 0.00 | 0.08 | 0.80 | 0.12 | 0.00 | 0.00 |
| 967 | 10 | 3 | 0.00 | 0.01 | 0.05 | 0.91 | 0.02 | 0.01 | 0.00 |
| 967 | 11 | 4 | 0.00 | 0.01 | 0.09 | 0.88 | 0.02 | 0.00 | 0.00 |
| 968 | 9 | 3 | 0.00 | 0.01 | 0.09 | 0.75 | 0.15 | 0.01 | 0.00 |
| 968 | 10 | 4 | 0.00 | 0.04 | 0.07 | 0.81 | 0.07 | 0.01 | 0.00 |
| 968 | 11 | 2 | 0.00 | 0.00 | 0.13 | 0.83 | 0.03 | 0.00 | 0.00 |
| 969 | 9 | 4 | 0.00 | 0.03 | 0.04 | 0.89 | 0.04 | 0.00 | 0.00 |
| 969 | 10 | 2 | 0.00 | 0.00 | 0.03 | 0.91 | 0.06 | 0.00 | 0.00 |
| 969 | 11 | 3 | 0.00 | 0.01 | 0.04 | 0.83 | 0.10 | 0.02 | 0.00 |
| 970 | 9 | 2 | 0.00 | 0.00 | 0.12 | 0.81 | 0.07 | 0.00 | 0.00 |

Table 4. Point Differences Between First and Second Reads (continued)

| | | | Difference (First Read minus Second Read) | | | | | | |
|------|------|--------------|---|------|------|------|------|------|------|
| Form | Item | Score Points | -3 | -2 | -1 | 0 | 1 | 2 | 3 |
| 970 | 10 | 3 | 0.00 | 0.00 | 0.06 | 0.87 | 0.07 | 0.01 | 0.00 |
| 970 | 11 | 4 | 0.00 | 0.03 | 0.05 | 0.83 | 0.08 | 0.01 | 0.00 |
| 971 | 9 | 3 | 0.00 | 0.02 | 0.07 | 0.80 | 0.10 | 0.02 | 0.00 |
| 971 | 10 | 4 | 0.00 | 0.04 | 0.10 | 0.74 | 0.09 | 0.03 | 0.00 |
| 971 | 11 | 2 | 0.00 | 0.02 | 0.10 | 0.78 | 0.09 | 0.01 | 0.00 |
| 972 | 9 | 4 | 0.00 | 0.02 | 0.05 | 0.88 | 0.04 | 0.02 | 0.00 |
| 972 | 10 | 2 | 0.00 | 0.00 | 0.14 | 0.80 | 0.06 | 0.00 | 0.00 |
| 973 | 9 | 2 | 0.00 | 0.00 | 0.05 | 0.92 | 0.03 | 0.00 | 0.00 |
| 973 | 10 | 3 | 0.00 | 0.01 | 0.09 | 0.81 | 0.10 | 0.00 | 0.00 |
| 973 | 11 | 4 | 0.00 | 0.00 | 0.02 | 0.94 | 0.04 | 0.00 | 0.00 |
| 974 | 9 | 4 | 0.00 | 0.02 | 0.02 | 0.89 | 0.07 | 0.00 | 0.00 |
| 974 | 10 | 4 | 0.00 | 0.01 | 0.06 | 0.81 | 0.08 | 0.04 | 0.00 |
| 974 | 11 | 2 | 0.00 | 0.00 | 0.07 | 0.89 | 0.04 | 0.00 | 0.00 |
| 975 | 9 | 2 | 0.00 | 0.00 | 0.08 | 0.87 | 0.06 | 0.00 | 0.00 |
| 975 | 10 | 3 | 0.00 | 0.00 | 0.10 | 0.75 | 0.13 | 0.02 | 0.00 |
| 975 | 11 | 4 | 0.00 | 0.00 | 0.04 | 0.91 | 0.04 | 0.01 | 0.00 |
| 976 | 9 | 3 | 0.00 | 0.01 | 0.04 | 0.90 | 0.02 | 0.02 | 0.00 |
| 976 | 10 | 4 | 0.00 | 0.02 | 0.02 | 0.92 | 0.02 | 0.02 | 0.00 |
| 976 | 11 | 2 | 0.00 | 0.00 | 0.07 | 0.85 | 0.07 | 0.00 | 0.00 |
| 977 | 9 | 2 | 0.00 | 0.00 | 0.03 | 0.91 | 0.06 | 0.00 | 0.00 |
| 977 | 10 | 4 | 0.00 | 0.05 | 0.15 | 0.69 | 0.11 | 0.01 | 0.00 |
| 977 | 11 | 3 | 0.00 | 0.00 | 0.05 | 0.87 | 0.08 | 0.00 | 0.00 |
| 978 | 9 | 2 | 0.00 | 0.00 | 0.04 | 0.92 | 0.04 | 0.00 | 0.00 |
| 978 | 10 | 3 | 0.00 | 0.00 | 0.09 | 0.82 | 0.09 | 0.00 | 0.00 |
| 978 | 11 | 4 | 0.00 | 0.01 | 0.08 | 0.86 | 0.05 | 0.01 | 0.00 |
| 979 | 9 | 3 | 0.00 | 0.00 | 0.06 | 0.83 | 0.09 | 0.02 | 0.00 |
| 979 | 10 | 4 | 0.00 | 0.01 | 0.10 | 0.83 | 0.06 | 0.00 | 0.00 |
| 979 | 11 | 2 | 0.00 | 0.00 | 0.10 | 0.83 | 0.07 | 0.00 | 0.00 |
| 980 | 9 | 4 | 0.00 | 0.00 | 0.03 | 0.94 | 0.02 | 0.02 | 0.00 |
| 980 | 10 | 2 | 0.00 | 0.00 | 0.06 | 0.91 | 0.03 | 0.00 | 0.00 |
| 980 | 11 | 3 | 0.00 | 0.02 | 0.10 | 0.78 | 0.08 | 0.02 | 0.00 |

Table 4. Point Differences Between First and Second Reads (continued)

| | | | Difference (First Read minus Second Read) | | | | | | |
|------|------|--------------|---|------|------|------|------|------|------|
| Form | Item | Score Points | -3 | -2 | -1 | 0 | 1 | 2 | 3 |
| 981 | 9 | 2 | 0.00 | 0.00 | 0.06 | 0.88 | 0.06 | 0.00 | 0.00 |
| 981 | 10 | 4 | 0.00 | 0.02 | 0.11 | 0.75 | 0.09 | 0.03 | 0.00 |
| 981 | 11 | 3 | 0.00 | 0.01 | 0.04 | 0.87 | 0.03 | 0.05 | 0.00 |
| 982 | 10 | 4 | 0.00 | 0.00 | 0.08 | 0.81 | 0.11 | 0.00 | 0.00 |
| 982 | 11 | 2 | 0.00 | 0.00 | 0.08 | 0.87 | 0.04 | 0.01 | 0.00 |
| 983 | 9 | 2 | 0.00 | 0.00 | 0.02 | 0.98 | 0.01 | 0.00 | 0.00 |
| 983 | 10 | 3 | 0.00 | 0.00 | 0.04 | 0.88 | 0.07 | 0.01 | 0.00 |
| 983 | 11 | 4 | 0.00 | 0.00 | 0.08 | 0.77 | 0.12 | 0.03 | 0.00 |
| 984 | 9 | 2 | 0.00 | 0.00 | 0.09 | 0.87 | 0.04 | 0.00 | 0.00 |
| 984 | 10 | 3 | 0.00 | 0.02 | 0.11 | 0.77 | 0.10 | 0.01 | 0.00 |
| 984 | 11 | 4 | 0.00 | 0.02 | 0.03 | 0.91 | 0.04 | 0.00 | 0.00 |
| 985 | 9 | 2 | 0.00 | 0.00 | 0.04 | 0.87 | 0.09 | 0.00 | 0.00 |
| 985 | 10 | 3 | 0.00 | 0.00 | 0.06 | 0.87 | 0.05 | 0.02 | 0.00 |
| 985 | 11 | 4 | 0.00 | 0.01 | 0.06 | 0.87 | 0.05 | 0.02 | 0.00 |
| 986 | 9 | 2 | 0.00 | 0.01 | 0.04 | 0.90 | 0.06 | 0.00 | 0.00 |
| 986 | 10 | 3 | 0.00 | 0.02 | 0.07 | 0.88 | 0.03 | 0.00 | 0.00 |
| 986 | 11 | 4 | 0.00 | 0.03 | 0.12 | 0.75 | 0.05 | 0.04 | 0.00 |
| 987 | 9 | 2 | 0.00 | 0.00 | 0.06 | 0.91 | 0.04 | 0.00 | 0.00 |
| 987 | 10 | 3 | 0.00 | 0.04 | 0.07 | 0.82 | 0.06 | 0.00 | 0.00 |
| 987 | 11 | 4 | 0.00 | 0.03 | 0.02 | 0.90 | 0.02 | 0.02 | 0.00 |
| 988 | 9 | 2 | 0.00 | 0.00 | 0.08 | 0.85 | 0.07 | 0.00 | 0.00 |
| 988 | 10 | 3 | 0.00 | 0.01 | 0.03 | 0.92 | 0.05 | 0.00 | 0.00 |
| 988 | 11 | 4 | 0.00 | 0.02 | 0.02 | 0.93 | 0.03 | 0.00 | 0.00 |
| 989 | 9 | 2 | 0.00 | 0.02 | 0.11 | 0.78 | 0.09 | 0.00 | 0.00 |
| 989 | 10 | 3 | 0.00 | 0.03 | 0.06 | 0.81 | 0.09 | 0.01 | 0.00 |
| 989 | 11 | 4 | 0.00 | 0.03 | 0.08 | 0.83 | 0.04 | 0.02 | 0.00 |
| 990 | 9 | 2 | 0.00 | 0.00 | 0.06 | 0.88 | 0.06 | 0.00 | 0.00 |
| 990 | 10 | 3 | 0.00 | 0.01 | 0.10 | 0.74 | 0.13 | 0.03 | 0.00 |
| 990 | 11 | 4 | 0.00 | 0.01 | 0.10 | 0.78 | 0.10 | 0.02 | 0.00 |
| 991 | 9 | 2 | 0.00 | 0.00 | 0.06 | 0.91 | 0.03 | 0.00 | 0.00 |
| 991 | 10 | 3 | 0.00 | 0.00 | 0.09 | 0.77 | 0.12 | 0.03 | 0.00 |

Table 4. Point Differences Between First and Second Reads (continued)

| | | | Difference (First Read minus Second Read) | | | | | | |
|------|------|--------------|---|------|------|------|------|------|------|
| Form | Item | Score Points | -3 | -2 | -1 | 0 | 1 | 2 | 3 |
| 991 | 11 | 4 | 0.00 | 0.02 | 0.10 | 0.67 | 0.10 | 0.10 | 0.00 |
| 992 | 9 | 2 | 0.00 | 0.01 | 0.08 | 0.86 | 0.05 | 0.00 | 0.00 |
| 992 | 10 | 3 | 0.00 | 0.00 | 0.09 | 0.78 | 0.09 | 0.03 | 0.00 |
| 992 | 11 | 4 | 0.00 | 0.02 | 0.07 | 0.83 | 0.05 | 0.03 | 0.00 |
| 993 | 9 | 2 | 0.00 | 0.00 | 0.08 | 0.89 | 0.03 | 0.00 | 0.00 |
| 993 | 10 | 3 | 0.00 | 0.00 | 0.04 | 0.91 | 0.04 | 0.00 | 0.00 |
| 993 | 11 | 4 | 0.00 | 0.01 | 0.13 | 0.74 | 0.11 | 0.02 | 0.00 |
| 994 | 9 | 2 | 0.00 | 0.00 | 0.05 | 0.91 | 0.04 | 0.00 | 0.00 |
| 994 | 10 | 3 | 0.00 | 0.01 | 0.08 | 0.88 | 0.03 | 0.00 | 0.00 |
| 994 | 11 | 4 | 0.00 | 0.01 | 0.07 | 0.88 | 0.05 | 0.00 | 0.00 |
| 995 | 9 | 2 | 0.00 | 0.00 | 0.11 | 0.80 | 0.09 | 0.00 | 0.00 |
| 995 | 10 | 3 | 0.00 | 0.00 | 0.08 | 0.80 | 0.10 | 0.02 | 0.00 |
| 995 | 11 | 4 | 0.00 | 0.02 | 0.06 | 0.86 | 0.04 | 0.02 | 0.00 |
| 996 | 9 | 2 | 0.00 | 0.00 | 0.06 | 0.89 | 0.05 | 0.01 | 0.00 |
| 996 | 10 | 3 | 0.00 | 0.03 | 0.13 | 0.72 | 0.11 | 0.01 | 0.00 |
| 996 | 11 | 4 | 0.00 | 0.01 | 0.04 | 0.92 | 0.03 | 0.00 | 0.00 |
| 997 | 9 | 2 | 0.00 | 0.01 | 0.05 | 0.85 | 0.09 | 0.01 | 0.00 |
| 997 | 10 | 4 | 0.00 | 0.02 | 0.18 | 0.71 | 0.07 | 0.02 | 0.00 |
| 997 | 11 | 3 | 0.00 | 0.00 | 0.03 | 0.94 | 0.02 | 0.01 | 0.00 |
| 998 | 9 | 2 | 0.00 | 0.00 | 0.04 | 0.93 | 0.03 | 0.00 | 0.00 |
| 998 | 10 | 3 | 0.00 | 0.03 | 0.13 | 0.73 | 0.10 | 0.02 | 0.00 |
| 998 | 11 | 4 | 0.00 | 0.01 | 0.01 | 0.93 | 0.04 | 0.02 | 0.00 |
| 999 | 9 | 2 | 0.00 | 0.00 | 0.11 | 0.77 | 0.12 | 0.00 | 0.00 |
| 999 | 10 | 3 | 0.00 | 0.00 | 0.05 | 0.90 | 0.05 | 0.00 | 0.00 |
| 999 | 11 | 4 | 0.00 | 0.00 | 0.05 | 0.86 | 0.08 | 0.02 | 0.00 |

Table 5 contains additional summary information regarding the first and second reads. In the fourth column the percent of exact matches between the first and second scores is provided. 'Adj.' is the percentage of differences with a magnitude of one. 'Total' is the sum of the two prior columns and contains values between 87.9% and 100%. These values indicate a high degree of agreement.

Table 5. First and Second Read Descriptive Statistics and Agreement

| | | | | Agreement (%) | | | Raw Score Mean | | Raw Score Standard Deviation | | | |
|------|------|--------------|---------------|---------------|------|-------|----------------|-------------|------------------------------|-------------|-------------------------|----------|
| Form | Item | Score Points | Total N-Count | Exact | Adj. | Total | First Read | Second Read | First Read | Second Read | Intra-Class Correlation | Wt Kappa |
| 960 | 9 | 2 | 122 | 86.1 | 13.1 | 99.2 | 0.2 | 0.2 | 0.56 | 0.51 | 0.72 | 0.61 |
| 960 | 10 | 4 | 124 | 78.2 | 19.4 | 97.6 | 1.3 | 1.4 | 1.62 | 1.60 | 0.95 | 0.86 |
| 960 | 11 | 3 | 119 | 83.2 | 11.8 | 95.0 | 1.3 | 1.2 | 1.33 | 1.33 | 0.91 | 0.85 |
| 961 | 9 | 2 | 121 | 92.6 | 7.4 | 100.0 | 0.7 | 0.7 | 0.77 | 0.76 | 0.94 | 0.91 |
| 961 | 10 | 3 | 122 | 91.8 | 4.1 | 95.9 | 0.6 | 0.7 | 1.09 | 1.13 | 0.92 | 0.87 |
| 961 | 11 | 4 | 119 | 81.5 | 14.3 | 95.8 | 1.4 | 1.4 | 1.45 | 1.45 | 0.93 | 0.85 |
| 962 | 9 | 4 | 117 | 69.2 | 24.8 | 94.0 | 0.9 | 0.9 | 1.29 | 1.24 | 0.85 | 0.70 |
| 962 | 10 | 2 | 126 | 94.4 | 5.6 | 100.0 | 0.4 | 0.4 | 0.69 | 0.68 | 0.94 | 0.91 |
| 962 | 11 | 2 | 121 | 79.3 | 19.8 | 99.2 | 1.0 | 1.0 | 0.91 | 0.90 | 0.86 | 0.78 |
| 963 | 9 | 4 | 123 | 83.7 | 6.5 | 90.2 | 0.6 | 0.6 | 1.27 | 1.23 | 0.85 | 0.74 |
| 963 | 10 | 2 | 127 | 85.8 | 14.2 | 100.0 | 0.4 | 0.4 | 0.65 | 0.63 | 0.83 | 0.76 |
| 963 | 11 | 3 | 122 | 85.2 | 13.1 | 98.4 | 0.3 | 0.3 | 0.73 | 0.73 | 0.81 | 0.69 |
| 964 | 9 | 2 | 130 | 74.6 | 23.8 | 98.5 | 1.0 | 1.1 | 0.81 | 0.79 | 0.77 | 0.69 |
| 964 | 10 | 4 | 124 | 67.7 | 28.2 | 96.0 | 0.6 | 0.6 | 0.90 | 0.99 | 0.75 | 0.59 |
| 964 | 11 | 3 | 124 | 90.3 | 8.9 | 99.2 | 0.3 | 0.2 | 0.59 | 0.56 | 0.82 | 0.73 |
| 965 | 9 | 3 | 122 | 82.8 | 16.4 | 99.2 | 0.7 | 0.6 | 1.08 | 1.07 | 0.91 | 0.82 |
| 965 | 10 | 4 | 126 | 72.2 | 26.2 | 98.4 | 0.5 | 0.4 | 0.80 | 0.77 | 0.74 | 0.58 |
| 965 | 11 | 2 | 128 | 80.5 | 18.7 | 99.2 | 0.4 | 0.5 | 0.70 | 0.75 | 0.80 | 0.68 |
| 966 | 9 | 4 | 125 | 84.8 | 8.0 | 92.8 | 0.4 | 0.4 | 0.96 | 0.92 | 0.79 | 0.65 |
| 966 | 10 | 3 | 128 | 73.4 | 23.4 | 96.9 | 1.1 | 1.1 | 1.07 | 1.03 | 0.84 | 0.74 |
| 966 | 11 | 2 | 126 | 91.3 | 6.3 | 97.6 | 0.5 | 0.5 | 0.69 | 0.64 | 0.82 | 0.83 |
| 967 | 9 | 2 | 126 | 80.2 | 19.8 | 100.0 | 0.5 | 0.5 | 0.69 | 0.65 | 0.78 | 0.70 |
| 967 | 10 | 3 | 128 | 91.4 | 7.0 | 98.4 | 0.3 | 0.3 | 0.78 | 0.80 | 0.89 | 0.81 |
| 967 | 11 | 4 | 119 | 88.2 | 10.9 | 99.2 | 0.6 | 0.7 | 0.92 | 1.01 | 0.93 | 0.86 |
| 968 | 9 | 3 | 124 | 75.0 | 23.4 | 98.4 | 0.7 | 0.6 | 0.90 | 0.85 | 0.81 | 0.69 |
| 968 | 10 | 4 | 122 | 81.1 | 13.9 | 95.1 | 0.4 | 0.5 | 0.86 | 0.97 | 0.81 | 0.68 |
| 968 | 11 | 2 | 126 | 83.3 | 16.7 | 100.0 | 0.7 | 0.8 | 0.83 | 0.86 | 0.89 | 0.81 |
| 969 | 9 | 4 | 128 | 89.1 | 7.8 | 96.9 | 0.5 | 0.6 | 1.26 | 1.31 | 0.94 | 0.86 |
| 969 | 10 | 2 | 129 | 90.7 | 9.3 | 100.0 | 0.5 | 0.5 | 0.71 | 0.67 | 0.90 | 0.86 |
| 969 | 11 | 3 | 124 | 83.1 | 14.5 | 97.6 | 0.9 | 0.8 | 0.94 | 0.85 | 0.86 | 0.78 |

Table 5. First and Second Read Descriptive Statistics and Agreement (continued)

| | | | | Agreement (%) | | | Raw Score Mean | | Raw Score Standard Deviation | | | |
|------|------|--------------|---------------|---------------|------|-------|----------------|-------------|------------------------------|-------------|-------------------------|----------|
| Form | Item | Score Points | Total N-Count | Exact | Adj. | Total | First Read | Second Read | First Read | Second Read | Intra-Class Correlation | Wt Kappa |
| 970 | 9 | 2 | 127 | 81.1 | 18.9 | 100.0 | 1.0 | 1.0 | 0.91 | 0.90 | 0.88 | 0.80 |
| 970 | 10 | 3 | 126 | 86.5 | 12.7 | 99.2 | 0.5 | 0.5 | 0.85 | 0.86 | 0.89 | 0.82 |
| 970 | 11 | 4 | 127 | 83.5 | 12.6 | 96.1 | 1.0 | 1.0 | 1.50 | 1.49 | 0.94 | 0.86 |
| 971 | 9 | 3 | 120 | 80.0 | 16.7 | 96.7 | 0.6 | 0.6 | 1.00 | 1.00 | 0.85 | 0.74 |
| 971 | 10 | 4 | 129 | 74.4 | 18.6 | 93.0 | 0.7 | 0.8 | 1.14 | 1.20 | 0.83 | 0.70 |
| 971 | 11 | 2 | 128 | 78.1 | 19.5 | 97.7 | 0.4 | 0.4 | 0.71 | 0.68 | 0.70 | 0.60 |
| 972 | 9 | 4 | 124 | 87.9 | 8.9 | 96.8 | 0.9 | 0.9 | 1.43 | 1.43 | 0.95 | 0.88 |
| 972 | 10 | 2 | 125 | 80.0 | 20.0 | 100.0 | 0.2 | 0.3 | 0.45 | 0.51 | 0.58 | 0.47 |
| 973 | 9 | 2 | 123 | 91.9 | 8.1 | 100.0 | 0.1 | 0.1 | 0.34 | 0.40 | 0.72 | 0.63 |
| 973 | 10 | 3 | 124 | 80.6 | 18.5 | 99.2 | 0.3 | 0.3 | 0.70 | 0.74 | 0.79 | 0.63 |
| 973 | 11 | 4 | 125 | 93.6 | 6.4 | 100.0 | 0.3 | 0.3 | 0.79 | 0.78 | 0.95 | 0.87 |
| 974 | 9 | 4 | 121 | 89.3 | 9.1 | 98.3 | 0.4 | 0.4 | 0.99 | 1.02 | 0.92 | 0.83 |
| 974 | 10 | 4 | 115 | 80.9 | 13.9 | 94.8 | 1.1 | 1.0 | 1.46 | 1.46 | 0.92 | 0.83 |
| 974 | 11 | 2 | 119 | 89.1 | 10.9 | 100.0 | 0.6 | 0.6 | 0.83 | 0.85 | 0.92 | 0.87 |
| 975 | 9 | 2 | 119 | 86.6 | 13.4 | 100.0 | 0.9 | 0.9 | 0.96 | 0.96 | 0.93 | 0.86 |
| 975 | 10 | 3 | 124 | 75.0 | 23.4 | 98.4 | 1.3 | 1.2 | 1.30 | 1.31 | 0.91 | 0.81 |
| 975 | 11 | 4 | 121 | 90.9 | 8.3 | 99.2 | 0.7 | 0.7 | 1.32 | 1.32 | 0.97 | 0.91 |
| 976 | 9 | 3 | 122 | 90.2 | 6.6 | 96.7 | 0.9 | 0.9 | 1.30 | 1.28 | 0.94 | 0.89 |
| 976 | 10 | 4 | 121 | 91.7 | 4.1 | 95.9 | 0.3 | 0.3 | 0.91 | 0.93 | 0.88 | 0.79 |
| 976 | 11 | 2 | 123 | 85.4 | 14.6 | 100.0 | 0.2 | 0.2 | 0.41 | 0.38 | 0.53 | 0.45 |
| 977 | 9 | 2 | 117 | 90.6 | 9.4 | 100.0 | 1.0 | 1.0 | 0.95 | 0.91 | 0.95 | 0.90 |
| 977 | 10 | 4 | 124 | 68.5 | 25.8 | 94.4 | 1.6 | 1.8 | 1.29 | 1.39 | 0.87 | 0.75 |
| 977 | 11 | 3 | 124 | 87.1 | 12.9 | 100.0 | 0.7 | 0.6 | 1.15 | 1.13 | 0.95 | 0.87 |
| 978 | 9 | 2 | 122 | 91.8 | 8.2 | 100.0 | 1.0 | 1.0 | 0.93 | 0.94 | 0.95 | 0.92 |
| 978 | 10 | 3 | 122 | 82.0 | 18.0 | 100.0 | 0.6 | 0.6 | 1.03 | 1.00 | 0.91 | 0.81 |
| 978 | 11 | 4 | 120 | 85.8 | 12.5 | 98.3 | 0.5 | 0.5 | 1.10 | 1.10 | 0.92 | 0.80 |
| 979 | 9 | 3 | 122 | 82.8 | 14.8 | 97.5 | 0.5 | 0.5 | 0.93 | 0.89 | 0.86 | 0.75 |
| 979 | 10 | 4 | 127 | 83.5 | 15.7 | 99.2 | 0.6 | 0.6 | 1.17 | 1.23 | 0.94 | 0.82 |
| 979 | 11 | 2 | 126 | 83.3 | 16.7 | 100.0 | 0.7 | 0.7 | 0.89 | 0.88 | 0.89 | 0.81 |
| 980 | 9 | 4 | 125 | 93.6 | 4.8 | 98.4 | 0.2 | 0.2 | 0.66 | 0.65 | 0.87 | 0.75 |

Table 5. First and Second Read Descriptive Statistics and Agreement (continued)

| | | | | Agreement (%) | | | Raw Score Mean | | Raw Score Standard Deviation | | | |
|------|------|--------------|---------------|---------------|------|-------|----------------|-------------|------------------------------|-------------|-------------------------|----------|
| Form | Item | Score Points | Total N-Count | Exact | Adj. | Total | First Read | Second Read | First Read | Second Read | Intra-Class Correlation | Wt Kappa |
| 980 | 10 | 2 | 127 | 91.3 | 8.7 | 100.0 | 0.8 | 0.8 | 0.76 | 0.78 | 0.93 | 0.89 |
| 980 | 11 | 3 | 121 | 77.7 | 18.2 | 95.9 | 1.3 | 1.3 | 1.21 | 1.24 | 0.88 | 0.80 |
| 981 | 9 | 2 | 117 | 88.0 | 12.0 | 100.0 | 0.3 | 0.3 | 0.56 | 0.56 | 0.81 | 0.73 |
| 981 | 10 | 4 | 116 | 75.0 | 20.7 | 95.7 | 1.0 | 1.0 | 1.37 | 1.31 | 0.89 | 0.78 |
| 981 | 11 | 3 | 119 | 87.4 | 6.7 | 94.1 | 1.3 | 1.2 | 1.22 | 1.19 | 0.90 | 0.86 |
| 982 | 10 | 4 | 120 | 80.8 | 19.2 | 100.0 | 1.2 | 1.2 | 1.26 | 1.25 | 0.94 | 0.86 |
| 982 | 11 | 2 | 119 | 87.4 | 11.8 | 99.2 | 0.6 | 0.7 | 0.86 | 0.86 | 0.90 | 0.84 |
| 983 | 9 | 2 | 122 | 97.5 | 2.5 | 100.0 | 1.0 | 1.0 | 0.96 | 0.94 | 0.99 | 0.98 |
| 983 | 10 | 3 | 120 | 88.3 | 10.8 | 99.2 | 0.6 | 0.5 | 1.01 | 0.99 | 0.93 | 0.85 |
| 983 | 11 | 4 | 119 | 77.3 | 20.2 | 97.5 | 1.0 | 0.9 | 1.31 | 1.31 | 0.91 | 0.81 |
| 984 | 9 | 2 | 122 | 86.9 | 13.1 | 100.0 | 0.3 | 0.3 | 0.56 | 0.59 | 0.81 | 0.72 |
| 984 | 10 | 3 | 122 | 77.0 | 20.5 | 97.5 | 0.9 | 0.9 | 1.16 | 1.15 | 0.89 | 0.78 |
| 984 | 11 | 4 | 123 | 91.1 | 7.3 | 98.4 | 1.3 | 1.3 | 1.40 | 1.38 | 0.96 | 0.93 |
| 985 | 9 | 2 | 119 | 86.6 | 13.4 | 100.0 | 0.7 | 0.6 | 0.82 | 0.82 | 0.90 | 0.84 |
| 985 | 10 | 3 | 121 | 86.8 | 10.7 | 97.5 | 0.5 | 0.5 | 1.00 | 0.92 | 0.89 | 0.81 |
| 985 | 11 | 4 | 124 | 87.1 | 10.5 | 97.6 | 0.5 | 0.5 | 1.10 | 1.05 | 0.91 | 0.81 |
| 986 | 9 | 2 | 125 | 89.6 | 9.6 | 99.2 | 0.5 | 0.5 | 0.79 | 0.82 | 0.90 | 0.85 |
| 986 | 10 | 3 | 120 | 88.3 | 10.0 | 98.3 | 0.5 | 0.5 | 0.90 | 0.93 | 0.90 | 0.83 |
| 986 | 11 | 4 | 121 | 75.2 | 17.4 | 92.6 | 0.8 | 0.8 | 1.18 | 1.27 | 0.85 | 0.72 |
| 987 | 9 | 2 | 127 | 90.6 | 9.4 | 100.0 | 0.7 | 0.7 | 0.89 | 0.88 | 0.94 | 0.90 |
| 987 | 10 | 3 | 124 | 82.3 | 13.7 | 96.0 | 0.5 | 0.6 | 0.88 | 0.96 | 0.83 | 0.74 |
| 987 | 11 | 4 | 124 | 89.5 | 4.8 | 94.4 | 0.1 | 0.2 | 0.59 | 0.51 | 0.55 | 0.41 |
| 988 | 9 | 2 | 119 | 84.9 | 15.1 | 100.0 | 0.4 | 0.4 | 0.68 | 0.70 | 0.84 | 0.76 |
| 988 | 10 | 3 | 119 | 91.6 | 7.6 | 99.2 | 0.6 | 0.6 | 1.02 | 1.03 | 0.95 | 0.90 |
| 988 | 11 | 4 | 124 | 92.7 | 5.6 | 98.4 | 0.1 | 0.2 | 0.53 | 0.60 | 0.82 | 0.67 |
| 989 | 9 | 2 | 120 | 78.3 | 20.0 | 98.3 | 0.4 | 0.5 | 0.63 | 0.66 | 0.68 | 0.63 |
| 989 | 10 | 3 | 117 | 81.2 | 15.4 | 96.6 | 0.6 | 0.6 | 1.07 | 1.06 | 0.87 | 0.76 |
| 989 | 11 | 4 | 115 | 82.6 | 12.2 | 94.8 | 0.5 | 0.6 | 1.21 | 1.17 | 0.88 | 0.76 |
| 990 | 9 | 2 | 119 | 88.2 | 11.8 | 100.0 | 0.8 | 0.8 | 0.72 | 0.72 | 0.89 | 0.85 |
| 990 | 10 | 3 | 115 | 73.9 | 22.6 | 96.5 | 0.8 | 0.7 | 1.10 | 1.09 | 0.85 | 0.72 |

Table 5. First and Second Read Descriptive Statistics and Agreement (continued)

| | | | | Agreement (%) | | | Raw Score Mean | | Raw Score Standard Deviation | | | |
|------|------|--------------|---------------|---------------|------|-------|----------------|-------------|------------------------------|-------------|-------------------------|----------|
| Form | Item | Score Points | Total N-Count | Exact | Adj. | Total | First Read | Second Read | First Read | Second Read | Intra-Class Correlation | Wt Kappa |
| 990 | 11 | 4 | 120 | 77.5 | 20.0 | 97.5 | 1.1 | 1.1 | 1.53 | 1.51 | 0.93 | 0.83 |
| 991 | 9 | 2 | 120 | 90.8 | 9.2 | 100.0 | 0.8 | 0.8 | 0.69 | 0.68 | 0.90 | 0.87 |
| 991 | 10 | 3 | 112 | 76.8 | 20.5 | 97.3 | 0.7 | 0.6 | 1.09 | 1.03 | 0.86 | 0.74 |
| 991 | 11 | 4 | 116 | 67.2 | 20.7 | 87.9 | 1.1 | 0.9 | 1.38 | 1.38 | 0.83 | 0.68 |
| 992 | 9 | 2 | 114 | 86.0 | 13.2 | 99.1 | 0.7 | 0.8 | 0.85 | 0.90 | 0.89 | 0.83 |
| 992 | 10 | 3 | 118 | 78.0 | 18.6 | 96.6 | 1.2 | 1.2 | 1.11 | 1.14 | 0.87 | 0.79 |
| 992 | 11 | 4 | 117 | 82.9 | 12.0 | 94.9 | 0.4 | 0.4 | 0.86 | 0.83 | 0.77 | 0.66 |
| 993 | 9 | 2 | 117 | 88.9 | 11.1 | 100.0 | 0.4 | 0.5 | 0.75 | 0.78 | 0.91 | 0.84 |
| 993 | 10 | 3 | 115 | 91.3 | 8.7 | 100.0 | 0.3 | 0.3 | 0.77 | 0.74 | 0.92 | 0.84 |
| 993 | 11 | 4 | 120 | 74.2 | 23.3 | 97.5 | 0.6 | 0.6 | 0.99 | 0.94 | 0.82 | 0.68 |
| 994 | 9 | 2 | 120 | 90.8 | 9.2 | 100.0 | 1.1 | 1.1 | 0.90 | 0.89 | 0.94 | 0.90 |
| 994 | 10 | 3 | 119 | 88.2 | 10.9 | 99.2 | 1.1 | 1.2 | 1.17 | 1.14 | 0.95 | 0.90 |
| 994 | 11 | 4 | 123 | 87.8 | 11.4 | 99.2 | 1.0 | 1.1 | 1.26 | 1.32 | 0.96 | 0.90 |
| 995 | 9 | 2 | 122 | 80.3 | 19.7 | 100.0 | 0.7 | 0.7 | 0.77 | 0.76 | 0.83 | 0.75 |
| 995 | 10 | 3 | 115 | 80.0 | 18.3 | 98.3 | 1.5 | 1.4 | 1.16 | 1.14 | 0.91 | 0.83 |
| 995 | 11 | 4 | 122 | 86.1 | 9.8 | 95.9 | 1.8 | 1.8 | 1.46 | 1.45 | 0.94 | 0.89 |
| 996 | 9 | 2 | 123 | 88.6 | 10.6 | 99.2 | 0.3 | 0.3 | 0.66 | 0.62 | 0.83 | 0.75 |
| 996 | 10 | 3 | 121 | 71.9 | 24.0 | 95.9 | 1.4 | 1.5 | 1.07 | 1.13 | 0.83 | 0.74 |
| 996 | 11 | 4 | 118 | 92.4 | 6.8 | 99.2 | 2.1 | 2.1 | 1.82 | 1.80 | 0.98 | 0.96 |
| 997 | 9 | 2 | 117 | 84.6 | 13.7 | 98.3 | 0.8 | 0.8 | 0.87 | 0.87 | 0.86 | 0.81 |
| 997 | 10 | 4 | 122 | 71.3 | 25.4 | 96.7 | 2.1 | 2.2 | 1.50 | 1.54 | 0.92 | 0.81 |
| 997 | 11 | 3 | 121 | 94.2 | 5.0 | 99.2 | 0.2 | 0.2 | 0.68 | 0.65 | 0.91 | 0.84 |
| 998 | 9 | 2 | 122 | 92.6 | 7.4 | 100.0 | 1.6 | 1.6 | 0.79 | 0.78 | 0.94 | 0.89 |
| 998 | 10 | 3 | 119 | 73.1 | 22.7 | 95.8 | 0.8 | 0.8 | 1.12 | 1.13 | 0.84 | 0.72 |
| 998 | 11 | 4 | 123 | 92.7 | 4.9 | 97.6 | 2.5 | 2.5 | 1.71 | 1.76 | 0.98 | 0.95 |
| 999 | 9 | 2 | 119 | 77.3 | 22.7 | 100.0 | 1.0 | 1.0 | 0.86 | 0.84 | 0.84 | 0.75 |
| 999 | 10 | 3 | 120 | 90.0 | 10.0 | 100.0 | 0.8 | 0.8 | 0.87 | 0.89 | 0.94 | 0.89 |
| 999 | 11 | 4 | 119 | 85.7 | 12.6 | 98.3 | 1.1 | 1.0 | 1.35 | 1.35 | 0.95 | 0.88 |

* Adj. = difference of one

Constructed-Response Item Means and Standard Deviations

The average score for each constructed-response item was computed based on the first and second reads. In addition, the standard deviation of the scores was computed.

Table 5 contains the means and standard deviations for the first and second read scores. The largest difference between the item means for the first and second scores was 0.2, while there were minimal differences among standard deviation statistics.

Intra-class Correlation

The intra-class correlation was computed for each item. This correlation is an estimate of the reliability of scoring based on an average of the first and second reads. Correlations greater than 0.60 are considered very strong because they explain more than one-third of the variance in scores. All but three items had intra-class correlations greater than or equal to 0.68 (See Table 5). Consistent with other information provided in the table, these values indicate a very high level of scoring reliability.

Weighted Kappa

Weighted Kappa (Cohen, 1968) was calculated for each item based on the first and second reads. This statistic produces an estimate of the reliability of the score classifications relative to what would be expected to occur by chance.

Weighted Kappa is an estimate of the reliability of the score classifications. That is, the Kappa statistic is a measure of reproducibility for categorical data. Guidelines for the evaluation of this statistic are:

- $k > 0.75$ denotes excellent reproducibility
- $0.4 < k \leq 0.75$ denotes good reproducibility
- $0 < k \leq 0.4$ denotes marginal reproducibility

The results found in Table 5 show a high degree of consistency between the first and second reads. The Weighted Kappa statistics ranged from 0.41 to 0.98, which in all cases indicates good to excellent reproducibility.

Based on the scoring reliability analyses, there is strong evidence that the scoring of the constructed-response items was performed in a highly reliable manner.

Item Response Theory (IRT) Statistics

As discussed above, the item mean is a statistic used to evaluate item difficulty. However, many different test forms are used during field testing and different samples of students are responding to these items. The average ability of the different samples of students varies and a direct comparison of item means across test forms may lead to inaccurate interpretations. Therefore, Item Response Theory (IRT) was also used to evaluate item difficulty.

Specifically, the Rasch Partial Credit Model (PCM) (Masters, 1982) was used. With use of this model, the difficulty of items and the ability of examinees are placed on the same metric. Thus, the difficulty of an item and the ability of a person can be meaningfully compared across field test forms. Also, the use of this model provides greater flexibility in situations where different samples or test forms are used because the parameters generated are generally not considered to be sample dependent or test dependent. A description of this model, results of item calibration, and item fit evaluation are below.

The PCM provides an overall difficulty estimate for each item. Specifically for constructed-response items when there are several points possible, individual estimates of difficulty for each of the possible score points are also calculated (i.e., step values). Each step value represents the difficulty of a student receiving a particular score point given that they have already received the prior score point. For example, if a 3-point item had step values of -1.0, 1.0, and 0.0, one could say that it is relatively easy to obtain a score of 1. However, it is much more difficult to obtain a 2 given the student has the ability to score a 1 because the difference in difficulty between a 1 and a 2 is much greater than the difference between a 0 and a 1. Also, the difference between a 2 and a 3 is not as great as the difference between a 1 and a 2. Thus, with this example, a small step is needed to go from a 0 to a 1, a large step is needed to move from a 1 to a 2, and a moderate step is needed to proceed from a 2 to a 3.

Item Calibration

As discussed above, the use of Rasch item difficulty statistics provides an advantage over the use of classical item means because they can be compared across test forms. Different samples of students responded to the various test forms. Although the samples were selected to be similar with respect to student ability, there are differences. By equating the test forms (See the Equating Procedure section below), the Rasch item difficulties account for those differences and these statistics can be compared across test forms.

Rasch item difficulty values generally range from -3.00 to +3.00. An item with a Rasch difficulty greater than +2.0 is considered very difficult and should be

examined carefully. If the item is measuring an important concept that students are having difficulty with, then the item can be useful. However, if the item is measuring a trivial concept or is written in a confusing manner, then it may not be appropriate to use on an operational test form. Likewise, any item with a Rasch difficulty less than -2.0 is considered very easy and usually provides little information regarding student achievement. The vast majority of test items should range between -2.0 and +2.0. This range represents approximately two standard deviations around the average difficulty of 0. Thus, one would expect that, based on chance, roughly 5% of the items will fall outside of that range and therefore, these are items that should be closely examined for content.

Item Fit Evaluation

The INFIT statistic is used to determine whether items are functioning in a way that is congruent with the assumptions of the Rasch model. Under these assumptions, how a student will respond to an item depends on the proficiency of the student and the difficulty of the item, both of which are on the same measurement scale. If an item is as difficult as a student is able, the student will have a 50% chance of getting the item correct. If a student is more able than an item is difficult, under the assumptions of the Rasch model, that student has a greater than 50% chance of correctly answering the item. On the other hand, if the item is more difficult than the student is able, he or she has a less than 50% chance of correctly responding to the item. Rasch fit statistics estimate the extent to which an item is functioning in this predicted manner. Items showing a poor fit with the Rasch model typically have values outside the range of 0.7 to 1.3.

Table 6 contains a summary of the Partial Credit Model item analysis for each of the field test forms. The first column lists the form numbers. The next two columns list the number of students who participated and the number of items on each field test form. The remaining columns are divided into two sections. The first section pertains to the Rasch item difficulties while the second pertains to the INFIT statistics. Nearly all of the items fell within the moderate -2.0 to +2.0 difficulty range and only one item had an INFIT statistic outside the typical range.

Table 6. Partial Credit Model Item Analysis

| Form | N-Count | No. of Items | Rasch | | | INFIT | | |
|------|---------|--------------|-------|-------------|------|--------|---------------|-------|
| | | | <-2.0 | -2.0 to 2.0 | >2.0 | <-0.70 | -0.70 to 1.30 | >1.30 |
| 960 | 734 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 961 | 747 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 962 | 740 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 963 | 751 | 11 | 1 | 10 | 0 | 0 | 11 | 0 |
| 964 | 757 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 965 | 758 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 966 | 755 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 967 | 750 | 11 | 1 | 10 | 0 | 0 | 11 | 0 |
| 968 | 760 | 11 | 1 | 10 | 0 | 0 | 11 | 0 |
| 969 | 763 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 970 | 751 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 971 | 747 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 972 | 749 | 11 | 0 | 10 | 0 | 0 | 10 | 0 |
| 973 | 741 | 11 | 0 | 10 | 1 | 0 | 11 | 0 |
| 974 | 732 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 975 | 724 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 976 | 720 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 977 | 724 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 978 | 730 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 979 | 731 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 980 | 742 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 981 | 717 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 982 | 732 | 11 | 0 | 10 | 0 | 0 | 10 | 0 |
| 983 | 724 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 984 | 732 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 985 | 726 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 986 | 738 | 11 | 0 | 11 | 0 | 0 | 10 | 1 |
| 987 | 739 | 11 | 0 | 10 | 1 | 0 | 11 | 0 |
| 988 | 716 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 989 | 714 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 990 | 705 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |

Table 6. Partial Credit Model Item Analysis (continued)

| Form | N-Count | No. of Items | Rasch | | | INFIT | | |
|------|---------|--------------|-------|-------------|------|--------|---------------|-------|
| | | | <-2.0 | -2.0 to 2.0 | >2.0 | <-0.70 | -0.70 to 1.30 | >1.30 |
| 991 | 702 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 992 | 703 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 993 | 710 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 994 | 717 | 11 | 0 | 10 | 1 | 0 | 11 | 0 |
| 995 | 723 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 996 | 724 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 997 | 732 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 998 | 724 | 11 | 0 | 11 | 0 | 0 | 11 | 0 |
| 999 | 710 | 11 | 1 | 9 | 1 | 0 | 11 | 0 |

* For some forms, the item counts in the 'Rasch' and 'INFIT' columns may not sum to the value in the 'No. of Items' column due to 'DNS' (do not score) items.

All of the individual IRT item statistics are provided in Appendix B. The column titled RID contains the Rasch item difficulty statistics. S1–S6 contain the step values for the constructed-response items. Finally, INFIT contains the INFIT statistic for each item.

Differential Item Functioning (DIF) Statistics

Statistical procedures are employed to observe whether, on the basis of data, there exists the possibility of unfair treatment of different populations. DIF statistics are used to identify items for which members of a focal group have a different probability of getting the items correct than members of a reference group after the groups have been matched on ability level on the test.

For the multiple-choice items, the Mantel-Haenszel Delta (MHD) DIF statistics were computed (Dorans & Holland, 1992) to classify test items in three levels of DIF for each comparison: negligible DIF (A), moderate DIF (B), and large DIF (C). An item was flagged if it exhibited a B or C category of DIF using the following rules derived from National Assessment of Educational Progress (NAEP) guidelines (Allen, Carlson, & Zalanak, 1999):

- MHD not significantly different from 0 (based on $\alpha = 0.05$) **or** $|MHD| < 1.0$ are classified as A.
- MHD significantly different from 0 and $\{|MHD| \geq 1.0 \text{ and } < 1.5\}$ **or** MHD not significantly different from 0 and $|MHD| \geq 1.0$ are classified as B.
- $|MHD| \geq 1.5$ and significantly different from 0 are classified as C.

For the constructed-response items, the effect size of the standardized mean difference (SMD) was used to flag DIF. The SMD reflects the size of the differences in performance on constructed-response items between student groups matched on the total score. It is the difference between the unweighted item mean of the focal group and the weighted item mean of the reference group. The weights applied to the reference group are applied so that the weighted number of reference group students is the same as in the focal group (within the same ability group). The SMD is divided by the total group item standard deviation to get a measure of the effect size (ES) for the SMD. The SMD effect size groups each item into one of three categories: negligible DIF (AA), moderate DIF (BB), and large DIF (CC). Only categories BB and CC were flagged in the results.

- Probability is > 0.05 or if $|ES|$ is ≤ 0.17 , classified as AA.
- Probability is > 0.05 and if $0.17 < |ES| \leq 0.25$, classified as BB.
- Probability is > 0.05 and if $|ES|$ is > 0.25 , classified as CC.

Although DIF statistics are typically conducted by gender and ethnicity, the low n-counts for ethnic subgroups did not allow for these statistics to be meaningful. The n-counts for gender allowed for comparisons to be made, but were still somewhat low so resulting statistics should be interpreted with caution.

The DIF statistics for gender are shown in Appendix C. Flagging of items appears in the 'DIF Category' column, and if an item is flagged, the 'Favored Group' column indicates which gender is favored.

Section III: Equating Procedure

The 2010 field test administration for the New York State Regents Examination in Integrated Algebra consisted of 38 field test forms numbered 960, 963–999 and two anchor forms labeled 961 and 962. The field test forms contained multiple-choice and constructed-response items. All students participating in the field test were administered one of the 40 test forms. The test forms were spiraled within the classroom so that the groups of students taking each form were equivalent. A complete listing of these field test forms can be seen in Appendix A where item type (e.g., multiple-choice, constructed-response) and the maximum points for each item are displayed.

The anchor forms were equated to the item bank using a common-item equating design. The anchor item difficulty parameters were fixed to their 2009 item bank values. This places the item difficulty estimates and the ability estimates of the students taking the anchor forms onto the item bank scale. After the anchor forms were placed onto the bank scale, the average of the two mean ability estimates for the two forms was computed using ability estimates of non-extreme students. This

average ability estimate was used to equate the remaining field test forms as well as updating the item parameters for the anchor forms.

As part of the anchor item equating, an item-stability check was performed. After fixing all of the items to their 2009 bank values, any item with a displacement value with a magnitude greater than 0.30 was no longer fixed and the test form was reanalyzed. If more than one item had a displacement value with a magnitude greater than 0.30, then the item with the largest displacement was freed and the test form was reanalyzed. In a stepwise fashion, this procedure was repeated until all remaining fixed anchor items had displacements with magnitudes less than or equal to 0.30.

Applying the anchor item-stability check to each of the anchor forms resulted in no items having a displacement value with a magnitude greater than 0.30. This indicates a strong level of stability in the items used on the anchor forms.

The equated mean ability estimate for form 961 was -0.53 and for form 962 the mean was -0.39. This produced a target mean ability estimate of -0.46 which was used for the remainder of the equating process.

After the anchor forms were equated and the target mean was computed, the field test forms were equated using the equivalent groups design. The first step was to calibrate each form separately where all the item parameters were free to estimate (without constraint). From those initial calibrations, the mean ability estimates for each field test form were obtained. The second step was to determine the equating constant for each form by subtracting the mean ability for a given field test form from the target mean ability calculated from the anchor forms (i.e., forms 961 and 962). The respective equating constant was then added to each of the item parameters on a given form. If the resulting mean of the ability estimates for those students did not equal that of the target mean, then the procedure was repeated until the mean abilities for each of the field test forms equaled the target mean ability. Table 7 shows the mean abilities and constants used for the equating.

Table 7. Initial Mean Abilities and Equating Constants

| Form Number | Mean Ability | Constant |
|--------------------|---------------------|-----------------|
| 960 | -0.04 | -0.40 |
| 961 | -0.51 | 0.05 |
| 962 | -0.34 | -0.10 |
| 963 | -0.48 | 0.02 |
| 964 | -0.51 | 0.05 |
| 965 | -0.52 | 0.07 |
| 966 | -0.71 | 0.24 |
| 967 | -0.24 | -0.20 |
| 968 | -0.21 | -0.23 |
| 969 | -0.63 | 0.17 |
| 970 | -0.01 | -0.42 |
| 971 | -0.17 | -0.27 |
| 972 | -0.41 | -0.04 |
| 973 | -0.62 | 0.16 |
| 974 | -0.52 | 0.06 |
| 975 | -0.40 | -0.06 |
| 976 | -0.71 | 0.24 |
| 977 | -0.17 | -0.27 |
| 978 | -0.33 | -0.11 |
| 979 | -0.16 | -0.28 |
| 980 | -0.54 | 0.08 |
| 981 | -0.70 | 0.24 |
| 982 | -0.32 | -0.12 |
| 983 | -0.35 | -0.10 |
| 984 | -0.69 | 0.23 |
| 985 | -0.24 | -0.20 |
| 986 | -0.25 | -0.20 |
| 987 | -0.43 | -0.02 |
| 988 | -0.66 | 0.20 |
| 989 | -0.68 | 0.22 |
| 990 | -0.39 | -0.06 |
| 991 | -0.34 | -0.11 |
| 992 | -0.65 | 0.19 |

Table 7. Initial Mean Abilities and Equating Constants (*continued*)

| Form Number | Mean Ability | Constant |
|--------------------|---------------------|-----------------|
| 993 | -0.62 | 0.16 |
| 994 | -0.46 | 0.00 |
| 995 | -0.31 | -0.14 |
| 996 | -0.21 | -0.23 |
| 997 | -0.44 | -0.01 |
| 998 | 0.05 | -0.49 |
| 999 | 0.13 | -0.56 |

The equated item parameters for the field test items can now be compared across test forms since the equating process places all items on the same scale. In addition, when items are combined to form unique operational test forms, raw score to scale score tables can be generated based on these parameters. The following section contains a description of the development of the operational test forms and scoring tables.

Section IV: Scaling of Operational Test Forms

Operational test items are selected based on content coverage, content accuracy, and statistical quality. The sets of items on each operational test conform to the coverage suggested by content experts. These expert judgments are based on the learning standards established by the New York State Education Department. With respect to statistical quality, classical and Rasch statistics are examined to determine how well items function. Also, items are selected such that they range in difficulty in order to measure students across ability levels. Appendix D contains the 2010 operational test maps with content information regarding each item included on the January 2010, June 2010 and August 2010 operational test forms.

In order to limit wide fluctuations of raw scores that correspond to scale scores of 65 and 85 across administrations, the average Rasch item difficulty for the operational test is considered. For this examination, an average Rasch difficulty of approximately 0.083 is used as a target for each administration. In most cases, meeting this target will provide raw scores of similar magnitude to other forms. However, differences with these scores also occur due to the distribution of the Rasch item difficulty parameters.

Scoring tables display the relationship between raw scores on the operational test and assigned scale scores. Appendix E contains the scoring tables used for the January, June, and August 2010 operational test forms. Four steps are taken in order to produce these tables and resulting conversion charts.

The first step is to develop a raw score (i.e., number of points on the test form) to theta (i.e., student ability) to scale score relationship for the baseline operational test form. This relationship is determined when standards are set and then used for every administration moving forward until the standards are revisited. The baseline target was determined by the New York State Education Department to be June 2008. The raw score to theta relationship from that examination was used and then scale scores are calculated based on the raw score cuts according to the following formula:

$$p(x) = m_3x^3 + m_2x^2 + m_1x + m_0$$

The raw score of zero was assigned a scale score of zero and the maximum raw score was assigned a scale score of 100. The raw scores corresponding to the scale scores of 65 and 85 were also fixed. The polynomial relationship shown above was then used to assign all scale scores to the remaining raw scores. The resulting values for $m_1 - m_3$ are the transformation constants used to produce the final raw score to scale score table.

The second step is to develop a raw score to theta relationship for the new operational test form using the field test equated PCM item parameters. This is accomplished by doing a calibration where all items are anchored to their field test parameters. The number of points on the test form (i.e., raw score) expected across student ability levels is based on the difficulty of the items on the form. Thus, given a particular student ability level (i.e., theta), if the points are more difficult to earn on the new test than the points on the June 2008 test, the number of points expected of this student on the new test will be less than the number of points expected of this student on the baseline form.

The third step is to use linear interpolation to determine the raw score to theta to scale score relationship for the new test. The theta values associated with scale scores of 65 and 85 on the baseline form are used along with the raw score to theta relationship developed in the previous step. In other words, the baseline 65 and 85 theta values are used as reference points and linear interpolation assigns the other scale scores.

Finally, a conversion chart is created based on the scoring table generated in the third step. Scale scores are rounded to the nearest whole number in all cases except for 0, 65, 85, and 100. A raw score of zero is assigned a scale score of zero. The maximum raw score is assigned a scale score of 100. With respect to 65 and 85 scale scores, the raw scores with scale scores of 65 or 85 after rounding are assigned those values.

References

- Allen, N.L., Carlson, J.E., and Zalanak, C.A. 1999. *The NAEP 1996 Technical Report*. Washington, DC: National Center for Education Statistics.
- Cohen, J. 1968. Weighted kappa: Nominal scale agreement with provision for scaled disagreement or partial credit. *Psychological Bulletin*, 70, 213–20.
- Cronbach, L.J. 1951. Coefficient alpha and the internal structure of tests. *Psychometrika*, 16(3), 297–334.
- Dorans, N.J. and Holland, P.W. 1992. DIF Detection and Description: Mantel–Haenszel and Standardization. In *Differential Item Functioning: Theory and Practice*, edited by P.W. Holland and H. Wainer, 35–66. Hillsdale, NJ: Erlbaum.
- Masters, G.N. 1982. A Rasch model for partial credit scoring. *Psychometrika*, 47, 149–174.

Appendix A: Classical Item Analysis

Table 8. Classical Item Analysis

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 960 | MC | 01 | 1 | 734 | 0.58 | 0.01 | | 0.47 | 0.07 | 0.11 | 0.35 | | | 0.47 | 0.29 |
| 2010_IAlg_FT | 960 | MC | 02 | 1 | 734 | 0.58 | 0.01 | | 0.47 | 0.17 | 0.23 | 0.11 | | | 0.47 | 0.39 |
| 2010_IAlg_FT | 960 | MC | 03 | 1 | 734 | 0.58 | 0.00 | | 0.67 | 0.04 | 0.16 | 0.12 | | | 0.67 | 0.34 |
| 2010_IAlg_FT | 960 | MC | 04 | 1 | 734 | 0.58 | 0.01 | | 0.18 | 0.24 | 0.29 | 0.29 | | | 0.29 | 0.24 |
| 2010_IAlg_FT | 960 | MC | 05 | 1 | 734 | 0.58 | 0.00 | | 0.18 | 0.26 | 0.07 | 0.48 | | | 0.48 | 0.42 |
| 2010_IAlg_FT | 960 | MC | 06 | 1 | 734 | 0.58 | 0.00 | | 0.06 | 0.17 | 0.72 | 0.04 | | | 0.72 | 0.34 |
| 2010_IAlg_FT | 960 | MC | 07 | 1 | 734 | 0.58 | 0.01 | | 0.07 | 0.74 | 0.13 | 0.05 | | | 0.74 | 0.38 |
| 2010_IAlg_FT | 960 | MC | 08 | 1 | 734 | 0.58 | 0.01 | | 0.21 | 0.09 | 0.61 | 0.08 | | | 0.61 | 0.46 |
| 2010_IAlg_FT | 960 | CR | 09 | 2 | 734 | 0.58 | 0.07 | 0.72 | 0.13 | 0.08 | | | | | 0.28 | 0.42 |
| 2010_IAlg_FT | 960 | CR | 10 | 4 | 734 | 0.58 | 0.16 | 0.38 | 0.11 | 0.07 | 0.14 | 0.14 | | | 1.25 | 0.72 |
| 2010_IAlg_FT | 960 | CR | 11 | 3 | 734 | 0.58 | 0.15 | 0.38 | 0.18 | 0.04 | 0.25 | | | | 1.01 | 0.70 |
| 2010_IAlg_FT | 961 | MC | 01 | 1 | 747 | 0.57 | 0.03 | | 0.24 | 0.20 | 0.44 | 0.10 | | | 0.44 | 0.37 |
| 2010_IAlg_FT | 961 | MC | 02 | 1 | 747 | 0.57 | 0.01 | | 0.41 | 0.11 | 0.31 | 0.16 | | | 0.31 | 0.27 |
| 2010_IAlg_FT | 961 | MC | 03 | 1 | 747 | 0.57 | 0.01 | | 0.34 | 0.05 | 0.04 | 0.57 | | | 0.57 | 0.42 |
| 2010_IAlg_FT | 961 | MC | 04 | 1 | 747 | 0.57 | 0.02 | | 0.32 | 0.28 | 0.24 | 0.15 | | | 0.32 | 0.28 |
| 2010_IAlg_FT | 961 | MC | 05 | 1 | 747 | 0.57 | 0.02 | | 0.19 | 0.20 | 0.38 | 0.22 | | | 0.22 | 0.24 |
| 2010_IAlg_FT | 961 | MC | 06 | 1 | 747 | 0.57 | 0.01 | | 0.11 | 0.23 | 0.22 | 0.43 | | | 0.43 | 0.41 |
| 2010_IAlg_FT | 961 | MC | 07 | 1 | 747 | 0.57 | 0.01 | | 0.06 | 0.40 | 0.18 | 0.35 | | | 0.40 | 0.43 |
| 2010_IAlg_FT | 961 | MC | 08 | 1 | 747 | 0.57 | 0.02 | | 0.10 | 0.60 | 0.07 | 0.21 | | | 0.60 | 0.45 |
| 2010_IAlg_FT | 961 | CR | 09 | 2 | 747 | 0.57 | 0.10 | 0.41 | 0.24 | 0.25 | | | | | 0.73 | 0.60 |
| 2010_IAlg_FT | 961 | CR | 10 | 3 | 747 | 0.57 | 0.16 | 0.54 | 0.14 | 0.03 | 0.12 | | | | 0.57 | 0.50 |

Table 8. Classical Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 961 | CR | 11 | 4 | 747 | 0.57 | 0.21 | 0.28 | 0.05 | 0.30 | 0.03 | 0.13 | | | 1.27 | 0.72 |
| 2010_IAlg_FT | 962 | MC | 01 | 1 | 740 | 0.62 | 0.02 | | 0.53 | 0.20 | 0.15 | 0.10 | | | 0.53 | 0.38 |
| 2010_IAlg_FT | 962 | MC | 02 | 1 | 740 | 0.62 | 0.00 | | 0.11 | 0.07 | 0.05 | 0.76 | | | 0.76 | 0.44 |
| 2010_IAlg_FT | 962 | MC | 03 | 1 | 740 | 0.62 | 0.01 | | 0.28 | 0.47 | 0.16 | 0.09 | | | 0.47 | 0.37 |
| 2010_IAlg_FT | 962 | MC | 04 | 1 | 740 | 0.62 | 0.02 | | 0.09 | 0.34 | 0.46 | 0.10 | | | 0.46 | 0.30 |
| 2010_IAlg_FT | 962 | MC | 05 | 1 | 740 | 0.62 | 0.00 | | 0.04 | 0.30 | 0.52 | 0.14 | | | 0.52 | 0.49 |
| 2010_IAlg_FT | 962 | MC | 06 | 1 | 740 | 0.62 | 0.02 | | 0.08 | 0.22 | 0.56 | 0.12 | | | 0.22 | 0.35 |
| 2010_IAlg_FT | 962 | MC | 07 | 1 | 740 | 0.62 | 0.01 | | 0.15 | 0.28 | 0.34 | 0.22 | | | 0.34 | 0.31 |
| 2010_IAlg_FT | 962 | MC | 08 | 1 | 740 | 0.62 | 0.04 | | 0.17 | 0.22 | 0.24 | 0.33 | | | 0.33 | 0.39 |
| 2010_IAlg_FT | 962 | CR | 09 | 4 | 740 | 0.62 | 0.13 | 0.43 | 0.17 | 0.12 | 0.03 | 0.12 | | | 0.97 | 0.76 |
| 2010_IAlg_FT | 962 | CR | 10 | 2 | 740 | 0.62 | 0.21 | 0.44 | 0.24 | 0.11 | | | | | 0.47 | 0.57 |
| 2010_IAlg_FT | 962 | CR | 11 | 2 | 740 | 0.62 | 0.17 | 0.19 | 0.20 | 0.44 | | | | | 1.09 | 0.54 |
| 2010_IAlg_FT | 963 | MC | 01 | 1 | 751 | 0.66 | 0.00 | | 0.16 | 0.26 | 0.52 | 0.06 | | | 0.26 | 0.44 |
| 2010_IAlg_FT | 963 | MC | 02 | 1 | 751 | 0.66 | 0.00 | | 0.03 | 0.61 | 0.30 | 0.05 | | | 0.30 | 0.36 |
| 2010_IAlg_FT | 963 | MC | 03 | 1 | 751 | 0.66 | 0.01 | | 0.11 | 0.42 | 0.11 | 0.35 | | | 0.35 | 0.39 |
| 2010_IAlg_FT | 963 | MC | 04 | 1 | 751 | 0.66 | 0.00 | | 0.25 | 0.34 | 0.34 | 0.07 | | | 0.34 | 0.40 |
| 2010_IAlg_FT | 963 | MC | 05 | 1 | 751 | 0.66 | 0.01 | | 0.06 | 0.03 | 0.81 | 0.09 | | | 0.81 | 0.35 |
| 2010_IAlg_FT | 963 | MC | 06 | 1 | 751 | 0.66 | 0.01 | | 0.53 | 0.14 | 0.15 | 0.17 | | | 0.53 | 0.43 |
| 2010_IAlg_FT | 963 | MC | 07 | 1 | 751 | 0.66 | 0.00 | | 0.06 | 0.20 | 0.64 | 0.09 | | | 0.64 | 0.46 |
| 2010_IAlg_FT | 963 | MC | 08 | 1 | 751 | 0.66 | 0.02 | | 0.58 | 0.24 | 0.10 | 0.07 | | | 0.58 | 0.42 |
| 2010_IAlg_FT | 963 | CR | 09 | 4 | 751 | 0.66 | 0.16 | 0.61 | 0.05 | 0.07 | 0.02 | 0.10 | | | 0.62 | 0.76 |
| 2010_IAlg_FT | 963 | CR | 10 | 2 | 751 | 0.66 | 0.17 | 0.48 | 0.24 | 0.11 | | | | | 0.47 | 0.61 |

Table 8. Classical Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 963 | CR | 11 | 3 | 751 | 0.66 | 0.17 | 0.60 | 0.15 | 0.06 | 0.03 | | | | 0.35 | 0.56 |
| 2010_IAlg_FT | 964 | MC | 01 | 1 | 757 | 0.62 | 0.00 | | 0.46 | 0.09 | 0.38 | 0.07 | | | 0.38 | 0.45 |
| 2010_IAlg_FT | 964 | MC | 02 | 1 | 757 | 0.62 | 0.01 | | 0.08 | 0.48 | 0.13 | 0.30 | | | 0.48 | 0.33 |
| 2010_IAlg_FT | 964 | MC | 03 | 1 | 757 | 0.62 | 0.01 | | 0.18 | 0.23 | 0.47 | 0.10 | | | 0.23 | 0.30 |
| 2010_IAlg_FT | 964 | MC | 04 | 1 | 757 | 0.62 | 0.03 | | 0.39 | 0.34 | 0.17 | 0.07 | | | 0.39 | 0.43 |
| 2010_IAlg_FT | 964 | MC | 05 | 1 | 757 | 0.62 | 0.01 | | 0.10 | 0.43 | 0.09 | 0.38 | | | 0.38 | 0.49 |
| 2010_IAlg_FT | 964 | MC | 06 | 1 | 757 | 0.62 | 0.02 | | 0.58 | 0.19 | 0.14 | 0.07 | | | 0.58 | 0.48 |
| 2010_IAlg_FT | 964 | MC | 07 | 1 | 757 | 0.62 | 0.02 | | 0.03 | 0.08 | 0.32 | 0.55 | | | 0.55 | 0.47 |
| 2010_IAlg_FT | 964 | MC | 08 | 1 | 757 | 0.62 | 0.03 | | 0.12 | 0.60 | 0.20 | 0.06 | | | 0.60 | 0.42 |
| 2010_IAlg_FT | 964 | CR | 09 | 2 | 757 | 0.62 | 0.08 | 0.21 | 0.39 | 0.32 | | | | | 1.03 | 0.46 |
| 2010_IAlg_FT | 964 | CR | 10 | 4 | 757 | 0.62 | 0.21 | 0.46 | 0.16 | 0.11 | 0.05 | 0.02 | | | 0.60 | 0.66 |
| 2010_IAlg_FT | 964 | CR | 11 | 3 | 757 | 0.62 | 0.25 | 0.59 | 0.14 | 0.01 | 0.02 | | | | 0.20 | 0.50 |
| 2010_IAlg_FT | 965 | MC | 01 | 1 | 758 | 0.59 | 0.01 | | 0.16 | 0.10 | 0.60 | 0.13 | | | 0.60 | 0.39 |
| 2010_IAlg_FT | 965 | MC | 02 | 1 | 758 | 0.59 | 0.02 | | 0.28 | 0.17 | 0.36 | 0.17 | | | 0.36 | 0.41 |
| 2010_IAlg_FT | 965 | MC | 03 | 1 | 758 | 0.59 | 0.01 | | 0.12 | 0.50 | 0.29 | 0.08 | | | 0.50 | 0.48 |
| 2010_IAlg_FT | 965 | MC | 04 | 1 | 758 | 0.59 | 0.00 | | 0.54 | 0.25 | 0.13 | 0.07 | | | 0.54 | 0.32 |
| 2010_IAlg_FT | 965 | MC | 05 | 1 | 758 | 0.59 | 0.01 | | 0.15 | 0.23 | 0.20 | 0.42 | | | 0.42 | 0.27 |
| 2010_IAlg_FT | 965 | MC | 06 | 1 | 758 | 0.59 | 0.01 | | 0.10 | 0.37 | 0.29 | 0.23 | | | 0.37 | 0.34 |
| 2010_IAlg_FT | 965 | MC | 07 | 1 | 758 | 0.59 | 0.03 | | 0.15 | 0.39 | 0.23 | 0.20 | | | 0.39 | 0.37 |
| 2010_IAlg_FT | 965 | MC | 08 | 1 | 758 | 0.59 | 0.01 | | 0.05 | 0.47 | 0.06 | 0.41 | | | 0.41 | 0.50 |
| 2010_IAlg_FT | 965 | CR | 09 | 3 | 758 | 0.59 | 0.13 | 0.55 | 0.14 | 0.04 | 0.13 | | | | 0.62 | 0.63 |
| 2010_IAlg_FT | 965 | CR | 10 | 4 | 758 | 0.59 | 0.09 | 0.61 | 0.17 | 0.08 | 0.03 | 0.01 | | | 0.47 | 0.54 |

Table 8. Classical Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 965 | CR | 11 | 2 | 758 | 0.59 | 0.22 | 0.55 | 0.09 | 0.14 | | | | | 0.37 | 0.57 |
| 2010_IAlg_FT | 966 | MC | 01 | 1 | 755 | 0.54 | 0.01 | | 0.82 | 0.04 | 0.12 | 0.01 | | | 0.12 | 0.22 |
| 2010_IAlg_FT | 966 | MC | 02 | 1 | 755 | 0.54 | 0.00 | | 0.58 | 0.12 | 0.10 | 0.20 | | | 0.58 | 0.32 |
| 2010_IAlg_FT | 966 | MC | 03 | 1 | 755 | 0.54 | 0.01 | | 0.12 | 0.69 | 0.10 | 0.07 | | | 0.69 | 0.28 |
| 2010_IAlg_FT | 966 | MC | 04 | 1 | 755 | 0.54 | 0.01 | | 0.28 | 0.41 | 0.11 | 0.19 | | | 0.19 | 0.26 |
| 2010_IAlg_FT | 966 | MC | 05 | 1 | 755 | 0.54 | 0.02 | | 0.28 | 0.29 | 0.16 | 0.25 | | | 0.28 | 0.24 |
| 2010_IAlg_FT | 966 | MC | 06 | 1 | 755 | 0.54 | 0.03 | | 0.52 | 0.28 | 0.14 | 0.04 | | | 0.52 | 0.42 |
| 2010_IAlg_FT | 966 | MC | 07 | 1 | 755 | 0.54 | 0.01 | | 0.09 | 0.04 | 0.47 | 0.39 | | | 0.39 | 0.40 |
| 2010_IAlg_FT | 966 | MC | 08 | 1 | 755 | 0.54 | 0.02 | | 0.14 | 0.35 | 0.14 | 0.35 | | | 0.35 | 0.46 |
| 2010_IAlg_FT | 966 | CR | 09 | 4 | 755 | 0.54 | 0.14 | 0.68 | 0.09 | 0.05 | 0.01 | 0.04 | | | 0.37 | 0.64 |
| 2010_IAlg_FT | 966 | CR | 10 | 3 | 755 | 0.54 | 0.11 | 0.24 | 0.26 | 0.21 | 0.18 | | | | 1.23 | 0.63 |
| 2010_IAlg_FT | 966 | CR | 11 | 2 | 755 | 0.54 | 0.24 | 0.37 | 0.29 | 0.10 | | | | | 0.48 | 0.56 |
| 2010_IAlg_FT | 967 | MC | 01 | 1 | 750 | 0.66 | 0.00 | | 0.07 | 0.76 | 0.06 | 0.10 | | | 0.76 | 0.41 |
| 2010_IAlg_FT | 967 | MC | 02 | 1 | 750 | 0.66 | 0.01 | | 0.47 | 0.34 | 0.16 | 0.03 | | | 0.47 | 0.46 |
| 2010_IAlg_FT | 967 | MC | 03 | 1 | 750 | 0.66 | 0.01 | | 0.57 | 0.27 | 0.09 | 0.05 | | | 0.57 | 0.51 |
| 2010_IAlg_FT | 967 | MC | 04 | 1 | 750 | 0.66 | 0.01 | | 0.21 | 0.34 | 0.11 | 0.33 | | | 0.33 | 0.37 |
| 2010_IAlg_FT | 967 | MC | 05 | 1 | 750 | 0.66 | 0.00 | | 0.82 | 0.05 | 0.06 | 0.07 | | | 0.82 | 0.37 |
| 2010_IAlg_FT | 967 | MC | 06 | 1 | 750 | 0.66 | 0.01 | | 0.22 | 0.16 | 0.53 | 0.07 | | | 0.53 | 0.34 |
| 2010_IAlg_FT | 967 | MC | 07 | 1 | 750 | 0.66 | 0.01 | | 0.09 | 0.37 | 0.27 | 0.27 | | | 0.27 | 0.35 |
| 2010_IAlg_FT | 967 | MC | 08 | 1 | 750 | 0.66 | 0.02 | | 0.21 | 0.41 | 0.16 | 0.20 | | | 0.41 | 0.45 |
| 2010_IAlg_FT | 967 | CR | 09 | 2 | 750 | 0.66 | 0.12 | 0.42 | 0.26 | 0.20 | | | | | 0.66 | 0.63 |
| 2010_IAlg_FT | 967 | CR | 10 | 3 | 750 | 0.66 | 0.14 | 0.66 | 0.08 | 0.04 | 0.08 | | | | 0.38 | 0.60 |

Table 8. Classical Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 967 | CR | 11 | 4 | 750 | 0.66 | 0.16 | 0.42 | 0.22 | 0.11 | 0.07 | 0.02 | | | 0.72 | 0.67 |
| 2010_IAlg_FT | 968 | MC | 01 | 1 | 760 | 0.67 | 0.01 | | 0.11 | 0.17 | 0.13 | 0.57 | | | 0.57 | 0.43 |
| 2010_IAlg_FT | 968 | MC | 02 | 1 | 760 | 0.67 | 0.01 | | 0.05 | 0.12 | 0.46 | 0.36 | | | 0.46 | 0.44 |
| 2010_IAlg_FT | 968 | MC | 03 | 1 | 760 | 0.67 | 0.01 | | 0.42 | 0.18 | 0.19 | 0.20 | | | 0.42 | 0.48 |
| 2010_IAlg_FT | 968 | MC | 04 | 1 | 760 | 0.67 | 0.00 | | 0.69 | 0.03 | 0.23 | 0.05 | | | 0.69 | 0.41 |
| 2010_IAlg_FT | 968 | MC | 05 | 1 | 760 | 0.67 | 0.01 | | 0.23 | 0.28 | 0.38 | 0.11 | | | 0.38 | 0.38 |
| 2010_IAlg_FT | 968 | MC | 06 | 1 | 760 | 0.67 | 0.00 | | 0.11 | 0.78 | 0.07 | 0.03 | | | 0.78 | 0.35 |
| 2010_IAlg_FT | 968 | MC | 07 | 1 | 760 | 0.67 | 0.00 | | 0.50 | 0.22 | 0.16 | 0.11 | | | 0.50 | 0.44 |
| 2010_IAlg_FT | 968 | MC | 08 | 1 | 760 | 0.67 | 0.01 | | 0.19 | 0.27 | 0.13 | 0.40 | | | 0.40 | 0.50 |
| 2010_IAlg_FT | 968 | CR | 09 | 3 | 760 | 0.67 | 0.08 | 0.47 | 0.27 | 0.10 | 0.07 | | | | 0.69 | 0.66 |
| 2010_IAlg_FT | 968 | CR | 10 | 4 | 760 | 0.67 | 0.14 | 0.66 | 0.06 | 0.08 | 0.04 | 0.02 | | | 0.40 | 0.60 |
| 2010_IAlg_FT | 968 | CR | 11 | 2 | 760 | 0.67 | 0.15 | 0.36 | 0.20 | 0.29 | | | | | 0.78 | 0.59 |
| 2010_IAlg_FT | 969 | MC | 01 | 1 | 763 | 0.60 | 0.01 | | 0.30 | 0.32 | 0.19 | 0.18 | | | 0.30 | 0.39 |
| 2010_IAlg_FT | 969 | MC | 02 | 1 | 763 | 0.60 | 0.01 | | 0.26 | 0.13 | 0.45 | 0.14 | | | 0.45 | 0.45 |
| 2010_IAlg_FT | 969 | MC | 03 | 1 | 763 | 0.60 | 0.01 | | 0.08 | 0.04 | 0.42 | 0.45 | | | 0.45 | 0.32 |
| 2010_IAlg_FT | 969 | MC | 04 | 1 | 763 | 0.60 | 0.00 | | 0.04 | 0.12 | 0.25 | 0.59 | | | 0.12 | 0.27 |
| 2010_IAlg_FT | 969 | MC | 05 | 1 | 763 | 0.60 | 0.01 | | 0.25 | 0.19 | 0.50 | 0.04 | | | 0.50 | 0.33 |
| 2010_IAlg_FT | 969 | MC | 06 | 1 | 763 | 0.60 | 0.01 | | 0.20 | 0.51 | 0.18 | 0.10 | | | 0.51 | 0.42 |
| 2010_IAlg_FT | 969 | MC | 07 | 1 | 763 | 0.60 | 0.01 | | 0.21 | 0.18 | 0.39 | 0.20 | | | 0.39 | 0.46 |
| 2010_IAlg_FT | 969 | MC | 08 | 1 | 763 | 0.60 | 0.02 | | 0.19 | 0.58 | 0.07 | 0.15 | | | 0.58 | 0.39 |
| 2010_IAlg_FT | 969 | CR | 09 | 4 | 763 | 0.60 | 0.20 | 0.59 | 0.06 | 0.05 | 0.02 | 0.08 | | | 0.52 | 0.65 |
| 2010_IAlg_FT | 969 | CR | 10 | 2 | 763 | 0.60 | 0.08 | 0.48 | 0.29 | 0.15 | | | | | 0.59 | 0.50 |

Table 8. Classical Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 969 | CR | 11 | 3 | 763 | 0.60 | 0.13 | 0.31 | 0.43 | 0.05 | 0.08 | | | | 0.77 | 0.64 |
| 2010_IAlg_FT | 970 | MC | 01 | 1 | 751 | 0.62 | 0.00 | | 0.14 | 0.12 | 0.74 | 0.00 | | | 0.74 | 0.46 |
| 2010_IAlg_FT | 970 | MC | 02 | 1 | 751 | 0.62 | 0.01 | | 0.14 | 0.64 | 0.11 | 0.10 | | | 0.64 | 0.40 |
| 2010_IAlg_FT | 970 | MC | 03 | 1 | 751 | 0.62 | 0.00 | | 0.08 | 0.34 | 0.39 | 0.19 | | | 0.39 | 0.39 |
| 2010_IAlg_FT | 970 | MC | 04 | 1 | 751 | 0.62 | 0.01 | | 0.34 | 0.28 | 0.28 | 0.09 | | | 0.28 | 0.25 |
| 2010_IAlg_FT | 970 | MC | 05 | 1 | 751 | 0.62 | 0.00 | | 0.62 | 0.15 | 0.14 | 0.08 | | | 0.62 | 0.38 |
| 2010_IAlg_FT | 970 | MC | 06 | 1 | 751 | 0.62 | 0.00 | | 0.14 | 0.05 | 0.76 | 0.04 | | | 0.76 | 0.45 |
| 2010_IAlg_FT | 970 | MC | 07 | 1 | 751 | 0.62 | 0.02 | | 0.08 | 0.36 | 0.20 | 0.34 | | | 0.36 | 0.30 |
| 2010_IAlg_FT | 970 | MC | 08 | 1 | 751 | 0.62 | 0.01 | | 0.15 | 0.10 | 0.11 | 0.63 | | | 0.63 | 0.38 |
| 2010_IAlg_FT | 970 | CR | 09 | 2 | 751 | 0.62 | 0.15 | 0.30 | 0.21 | 0.34 | | | | | 0.89 | 0.62 |
| 2010_IAlg_FT | 970 | CR | 10 | 3 | 751 | 0.62 | 0.21 | 0.46 | 0.19 | 0.05 | 0.09 | | | | 0.56 | 0.64 |
| 2010_IAlg_FT | 970 | CR | 11 | 4 | 751 | 0.62 | 0.17 | 0.42 | 0.11 | 0.11 | 0.06 | 0.13 | | | 1.05 | 0.69 |
| 2010_IAlg_FT | 971 | MC | 01 | 1 | 747 | 0.62 | 0.00 | | 0.09 | 0.69 | 0.18 | 0.03 | | | 0.69 | 0.33 |
| 2010_IAlg_FT | 971 | MC | 02 | 1 | 747 | 0.62 | 0.01 | | 0.19 | 0.42 | 0.09 | 0.30 | | | 0.42 | 0.23 |
| 2010_IAlg_FT | 971 | MC | 03 | 1 | 747 | 0.62 | 0.01 | | 0.10 | 0.11 | 0.54 | 0.25 | | | 0.54 | 0.43 |
| 2010_IAlg_FT | 971 | MC | 04 | 1 | 747 | 0.62 | 0.01 | | 0.39 | 0.21 | 0.25 | 0.14 | | | 0.39 | 0.26 |
| 2010_IAlg_FT | 971 | MC | 05 | 1 | 747 | 0.62 | 0.00 | | 0.72 | 0.17 | 0.07 | 0.03 | | | 0.72 | 0.45 |
| 2010_IAlg_FT | 971 | MC | 06 | 1 | 747 | 0.62 | 0.01 | | 0.10 | 0.19 | 0.16 | 0.54 | | | 0.54 | 0.51 |
| 2010_IAlg_FT | 971 | MC | 07 | 1 | 747 | 0.62 | 0.01 | | 0.18 | 0.22 | 0.40 | 0.19 | | | 0.40 | 0.31 |
| 2010_IAlg_FT | 971 | MC | 08 | 1 | 747 | 0.62 | 0.02 | | 0.20 | 0.61 | 0.10 | 0.08 | | | 0.61 | 0.54 |
| 2010_IAlg_FT | 971 | CR | 09 | 3 | 747 | 0.62 | 0.14 | 0.49 | 0.19 | 0.05 | 0.13 | | | | 0.69 | 0.59 |
| 2010_IAlg_FT | 971 | CR | 10 | 4 | 747 | 0.62 | 0.14 | 0.51 | 0.10 | 0.15 | 0.05 | 0.05 | | | 0.74 | 0.71 |

Table 8. Classical Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 971 | CR | 11 | 2 | 747 | 0.62 | 0.24 | 0.47 | 0.15 | 0.15 | | | | | 0.45 | 0.57 |
| 2010_IAlg_FT | 972 | MC | 01 | 1 | 749 | 0.49 | 0.01 | | 0.15 | 0.10 | 0.21 | 0.54 | | | 0.54 | 0.42 |
| 2010_IAlg_FT | 972 | MC | 02 | 1 | 749 | 0.49 | 0.01 | | 0.10 | 0.15 | 0.27 | 0.48 | | | 0.48 | 0.43 |
| 2010_IAlg_FT | 972 | MC | 03 | 1 | 749 | 0.49 | 0.01 | | 0.13 | 0.20 | 0.46 | 0.20 | | | 0.46 | 0.36 |
| 2010_IAlg_FT | 972 | MC | 04 | 1 | 749 | 0.49 | 0.01 | | 0.16 | 0.48 | 0.12 | 0.22 | | | 0.48 | 0.29 |
| 2010_IAlg_FT | 972 | MC | 05 | 1 | 749 | 0.49 | 0.01 | | 0.23 | 0.49 | 0.20 | 0.07 | | | 0.49 | 0.38 |
| 2010_IAlg_FT | 972 | MC | 06 | 1 | 749 | 0.49 | 0.02 | | 0.21 | 0.20 | 0.31 | 0.26 | | | 0.26 | 0.32 |
| 2010_IAlg_FT | 972 | MC | 07 | 1 | 749 | 0.49 | 0.01 | | 0.15 | 0.42 | 0.20 | 0.22 | | | 0.42 | 0.36 |
| 2010_IAlg_FT | 972 | MC | 08 | 1 | 749 | 0.49 | 0.04 | | 0.58 | 0.20 | 0.11 | 0.07 | | | 0.58 | 0.29 |
| 2010_IAlg_FT | 972 | CR | 09 | 4 | 749 | 0.49 | 0.14 | 0.46 | 0.16 | 0.05 | 0.03 | 0.16 | | | 0.99 | 0.79 |
| 2010_IAlg_FT | 972 | CR | 10 | 2 | 749 | 0.49 | 0.19 | 0.63 | 0.14 | 0.04 | | | | | 0.22 | 0.47 |
| 2010_IAlg_FT | 972 | CR | 11 | | | | | | | | | | | | | |
| 2010_IAlg_FT | 973 | MC | 01 | 1 | 741 | 0.54 | 0.01 | | 0.53 | 0.10 | 0.26 | 0.11 | | | 0.26 | 0.24 |
| 2010_IAlg_FT | 973 | MC | 02 | 1 | 741 | 0.54 | 0.00 | | 0.59 | 0.18 | 0.14 | 0.09 | | | 0.59 | 0.44 |
| 2010_IAlg_FT | 973 | MC | 03 | 1 | 741 | 0.54 | 0.00 | | 0.15 | 0.57 | 0.23 | 0.05 | | | 0.57 | 0.48 |
| 2010_IAlg_FT | 973 | MC | 04 | 1 | 741 | 0.54 | 0.01 | | 0.13 | 0.16 | 0.57 | 0.13 | | | 0.57 | 0.41 |
| 2010_IAlg_FT | 973 | MC | 05 | 1 | 741 | 0.54 | 0.02 | | 0.15 | 0.56 | 0.19 | 0.09 | | | 0.56 | 0.38 |
| 2010_IAlg_FT | 973 | MC | 06 | 1 | 741 | 0.54 | 0.00 | | 0.12 | 0.11 | 0.17 | 0.60 | | | 0.60 | 0.45 |
| 2010_IAlg_FT | 973 | MC | 07 | 1 | 741 | 0.54 | 0.01 | | 0.52 | 0.09 | 0.28 | 0.09 | | | 0.52 | 0.41 |
| 2010_IAlg_FT | 973 | MC | 08 | 1 | 741 | 0.54 | 0.03 | | 0.17 | 0.23 | 0.32 | 0.25 | | | 0.23 | 0.20 |
| 2010_IAlg_FT | 973 | CR | 09 | 2 | 741 | 0.54 | 0.32 | 0.58 | 0.08 | 0.02 | | | | | 0.11 | 0.40 |
| 2010_IAlg_FT | 973 | CR | 10 | 3 | 741 | 0.54 | 0.15 | 0.63 | 0.13 | 0.05 | 0.05 | | | | 0.36 | 0.62 |

Table 8. Classical Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 973 | CR | 11 | 4 | 741 | 0.54 | 0.13 | 0.76 | 0.03 | 0.05 | 0.01 | 0.02 | | | 0.25 | 0.52 |
| 2010_IAlg_FT | 974 | MC | 01 | 1 | 732 | 0.60 | 0.01 | | 0.07 | 0.55 | 0.06 | 0.32 | | | 0.32 | 0.34 |
| 2010_IAlg_FT | 974 | MC | 02 | 1 | 732 | 0.60 | 0.01 | | 0.17 | 0.28 | 0.37 | 0.17 | | | 0.37 | 0.29 |
| 2010_IAlg_FT | 974 | MC | 03 | 1 | 732 | 0.60 | 0.01 | | 0.16 | 0.10 | 0.14 | 0.59 | | | 0.59 | 0.42 |
| 2010_IAlg_FT | 974 | MC | 04 | 1 | 732 | 0.60 | 0.02 | | 0.16 | 0.57 | 0.17 | 0.08 | | | 0.57 | 0.41 |
| 2010_IAlg_FT | 974 | MC | 05 | 1 | 732 | 0.60 | 0.02 | | 0.36 | 0.32 | 0.23 | 0.08 | | | 0.23 | 0.20 |
| 2010_IAlg_FT | 974 | MC | 06 | 1 | 732 | 0.60 | 0.01 | | 0.12 | 0.69 | 0.06 | 0.13 | | | 0.69 | 0.28 |
| 2010_IAlg_FT | 974 | MC | 07 | 1 | 732 | 0.60 | 0.02 | | 0.30 | 0.03 | 0.59 | 0.06 | | | 0.30 | 0.36 |
| 2010_IAlg_FT | 974 | MC | 08 | 1 | 732 | 0.60 | 0.05 | | 0.22 | 0.26 | 0.34 | 0.13 | | | 0.34 | 0.44 |
| 2010_IAlg_FT | 974 | CR | 09 | 4 | 732 | 0.60 | 0.11 | 0.71 | 0.06 | 0.03 | 0.06 | 0.03 | | | 0.43 | 0.59 |
| 2010_IAlg_FT | 974 | CR | 10 | 4 | 732 | 0.60 | 0.15 | 0.40 | 0.12 | 0.06 | 0.16 | 0.11 | | | 1.14 | 0.77 |
| 2010_IAlg_FT | 974 | CR | 11 | 2 | 732 | 0.60 | 0.17 | 0.45 | 0.16 | 0.22 | | | | | 0.60 | 0.59 |
| 2010_IAlg_FT | 975 | MC | 01 | 1 | 724 | 0.63 | 0.00 | | 0.22 | 0.30 | 0.32 | 0.15 | | | 0.15 | 0.40 |
| 2010_IAlg_FT | 975 | MC | 02 | 1 | 724 | 0.63 | 0.01 | | 0.10 | 0.30 | 0.51 | 0.08 | | | 0.30 | 0.38 |
| 2010_IAlg_FT | 975 | MC | 03 | 1 | 724 | 0.63 | 0.01 | | 0.38 | 0.14 | 0.31 | 0.16 | | | 0.38 | 0.19 |
| 2010_IAlg_FT | 975 | MC | 04 | 1 | 724 | 0.63 | 0.00 | | 0.06 | 0.10 | 0.12 | 0.72 | | | 0.72 | 0.46 |
| 2010_IAlg_FT | 975 | MC | 05 | 1 | 724 | 0.63 | 0.01 | | 0.17 | 0.53 | 0.09 | 0.20 | | | 0.53 | 0.40 |
| 2010_IAlg_FT | 975 | MC | 06 | 1 | 724 | 0.63 | 0.02 | | 0.20 | 0.37 | 0.19 | 0.23 | | | 0.37 | 0.41 |
| 2010_IAlg_FT | 975 | MC | 07 | 1 | 724 | 0.63 | 0.02 | | 0.21 | 0.14 | 0.57 | 0.07 | | | 0.57 | 0.49 |
| 2010_IAlg_FT | 975 | MC | 08 | 1 | 724 | 0.63 | 0.02 | | 0.31 | 0.10 | 0.08 | 0.49 | | | 0.49 | 0.28 |
| 2010_IAlg_FT | 975 | CR | 09 | 2 | 724 | 0.63 | 0.09 | 0.43 | 0.10 | 0.38 | | | | | 0.86 | 0.59 |
| 2010_IAlg_FT | 975 | CR | 10 | 3 | 724 | 0.63 | 0.14 | 0.29 | 0.13 | 0.18 | 0.25 | | | | 1.25 | 0.69 |

Table 8. Classical Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 975 | CR | 11 | 4 | 724 | 0.63 | 0.15 | 0.55 | 0.11 | 0.05 | 0.05 | 0.09 | | | 0.74 | 0.70 |
| 2010_IAlg_FT | 976 | MC | 01 | 1 | 720 | 0.55 | 0.00 | | 0.07 | 0.48 | 0.09 | 0.35 | | | 0.48 | 0.27 |
| 2010_IAlg_FT | 976 | MC | 02 | 1 | 720 | 0.55 | 0.01 | | 0.14 | 0.21 | 0.26 | 0.38 | | | 0.38 | 0.41 |
| 2010_IAlg_FT | 976 | MC | 03 | 1 | 720 | 0.55 | 0.01 | | 0.45 | 0.25 | 0.16 | 0.13 | | | 0.45 | 0.46 |
| 2010_IAlg_FT | 976 | MC | 04 | 1 | 720 | 0.55 | 0.00 | | 0.02 | 0.12 | 0.71 | 0.15 | | | 0.71 | 0.45 |
| 2010_IAlg_FT | 976 | MC | 05 | 1 | 720 | 0.55 | 0.01 | | 0.32 | 0.34 | 0.11 | 0.23 | | | 0.23 | 0.25 |
| 2010_IAlg_FT | 976 | MC | 06 | 1 | 720 | 0.55 | 0.01 | | 0.48 | 0.18 | 0.27 | 0.06 | | | 0.48 | 0.41 |
| 2010_IAlg_FT | 976 | MC | 07 | 1 | 720 | 0.55 | 0.01 | | 0.16 | 0.23 | 0.27 | 0.33 | | | 0.33 | 0.42 |
| 2010_IAlg_FT | 976 | MC | 08 | 1 | 720 | 0.55 | 0.02 | | 0.19 | 0.25 | 0.22 | 0.31 | | | 0.25 | 0.20 |
| 2010_IAlg_FT | 976 | CR | 09 | 3 | 720 | 0.55 | 0.10 | 0.54 | 0.08 | 0.04 | 0.24 | | | | 0.87 | 0.72 |
| 2010_IAlg_FT | 976 | CR | 10 | 4 | 720 | 0.55 | 0.15 | 0.71 | 0.03 | 0.06 | 0.02 | 0.03 | | | 0.33 | 0.52 |
| 2010_IAlg_FT | 976 | CR | 11 | 2 | 720 | 0.55 | 0.23 | 0.63 | 0.11 | 0.02 | | | | | 0.16 | 0.48 |
| 2010_IAlg_FT | 977 | MC | 01 | 1 | 724 | 0.62 | 0.02 | | 0.12 | 0.71 | 0.08 | 0.07 | | | 0.71 | 0.42 |
| 2010_IAlg_FT | 977 | MC | 02 | 1 | 724 | 0.62 | 0.01 | | 0.39 | 0.08 | 0.20 | 0.31 | | | 0.31 | 0.38 |
| 2010_IAlg_FT | 977 | MC | 03 | 1 | 724 | 0.62 | 0.02 | | 0.14 | 0.29 | 0.37 | 0.17 | | | 0.37 | 0.31 |
| 2010_IAlg_FT | 977 | MC | 04 | 1 | 724 | 0.62 | 0.02 | | 0.15 | 0.53 | 0.14 | 0.16 | | | 0.53 | 0.25 |
| 2010_IAlg_FT | 977 | MC | 05 | 1 | 724 | 0.62 | 0.02 | | 0.12 | 0.69 | 0.09 | 0.09 | | | 0.69 | 0.46 |
| 2010_IAlg_FT | 977 | MC | 06 | 1 | 724 | 0.62 | 0.01 | | 0.51 | 0.28 | 0.13 | 0.07 | | | 0.51 | 0.48 |
| 2010_IAlg_FT | 977 | MC | 07 | 1 | 724 | 0.62 | 0.02 | | 0.34 | 0.27 | 0.21 | 0.16 | | | 0.34 | 0.29 |
| 2010_IAlg_FT | 977 | MC | 08 | 1 | 724 | 0.62 | 0.03 | | 0.18 | 0.16 | 0.21 | 0.42 | | | 0.42 | 0.49 |
| 2010_IAlg_FT | 977 | CR | 09 | 2 | 724 | 0.62 | 0.11 | 0.35 | 0.12 | 0.42 | | | | | 0.95 | 0.60 |
| 2010_IAlg_FT | 977 | CR | 10 | 4 | 724 | 0.62 | 0.07 | 0.19 | 0.24 | 0.22 | 0.17 | 0.10 | | | 1.62 | 0.68 |

Table 8. Classical Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 977 | CR | 11 | 3 | 724 | 0.62 | 0.31 | 0.40 | 0.08 | 0.06 | 0.14 | | | | 0.62 | 0.62 |
| 2010_IAlg_FT | 978 | MC | 01 | 1 | 730 | 0.63 | 0.01 | | 0.26 | 0.21 | 0.40 | 0.13 | | | 0.40 | 0.42 |
| 2010_IAlg_FT | 978 | MC | 02 | 1 | 730 | 0.63 | 0.02 | | 0.12 | 0.34 | 0.23 | 0.28 | | | 0.34 | 0.31 |
| 2010_IAlg_FT | 978 | MC | 03 | 1 | 730 | 0.63 | 0.01 | | 0.18 | 0.67 | 0.11 | 0.03 | | | 0.67 | 0.35 |
| 2010_IAlg_FT | 978 | MC | 04 | 1 | 730 | 0.63 | 0.00 | | 0.24 | 0.12 | 0.55 | 0.09 | | | 0.55 | 0.56 |
| 2010_IAlg_FT | 978 | MC | 05 | 1 | 730 | 0.63 | 0.01 | | 0.59 | 0.14 | 0.18 | 0.09 | | | 0.59 | 0.37 |
| 2010_IAlg_FT | 978 | MC | 06 | 1 | 730 | 0.63 | 0.02 | | 0.16 | 0.24 | 0.22 | 0.36 | | | 0.36 | 0.38 |
| 2010_IAlg_FT | 978 | MC | 07 | 1 | 730 | 0.63 | 0.02 | | 0.20 | 0.16 | 0.57 | 0.05 | | | 0.57 | 0.43 |
| 2010_IAlg_FT | 978 | MC | 08 | 1 | 730 | 0.63 | 0.03 | | 0.29 | 0.15 | 0.18 | 0.36 | | | 0.36 | 0.38 |
| 2010_IAlg_FT | 978 | CR | 09 | 2 | 730 | 0.63 | 0.11 | 0.33 | 0.17 | 0.39 | | | | | 0.95 | 0.59 |
| 2010_IAlg_FT | 978 | CR | 10 | 3 | 730 | 0.63 | 0.20 | 0.45 | 0.16 | 0.12 | 0.08 | | | | 0.62 | 0.66 |
| 2010_IAlg_FT | 978 | CR | 11 | 4 | 730 | 0.63 | 0.18 | 0.65 | 0.06 | 0.05 | 0.02 | 0.04 | | | 0.36 | 0.56 |
| 2010_IAlg_FT | 979 | MC | 01 | 1 | 731 | 0.64 | 0.00 | | 0.11 | 0.34 | 0.02 | 0.52 | | | 0.34 | 0.38 |
| 2010_IAlg_FT | 979 | MC | 02 | 1 | 731 | 0.64 | 0.01 | | 0.15 | 0.18 | 0.43 | 0.23 | | | 0.43 | 0.25 |
| 2010_IAlg_FT | 979 | MC | 03 | 1 | 731 | 0.64 | 0.01 | | 0.21 | 0.53 | 0.22 | 0.03 | | | 0.53 | 0.43 |
| 2010_IAlg_FT | 979 | MC | 04 | 1 | 731 | 0.64 | 0.00 | | 0.04 | 0.04 | 0.35 | 0.56 | | | 0.56 | 0.33 |
| 2010_IAlg_FT | 979 | MC | 05 | 1 | 731 | 0.64 | 0.00 | | 0.77 | 0.08 | 0.08 | 0.06 | | | 0.77 | 0.42 |
| 2010_IAlg_FT | 979 | MC | 06 | 1 | 731 | 0.64 | 0.01 | | 0.33 | 0.15 | 0.16 | 0.35 | | | 0.35 | 0.51 |
| 2010_IAlg_FT | 979 | MC | 07 | 1 | 731 | 0.64 | 0.01 | | 0.14 | 0.12 | 0.69 | 0.04 | | | 0.69 | 0.51 |
| 2010_IAlg_FT | 979 | MC | 08 | 1 | 731 | 0.64 | 0.02 | | 0.14 | 0.58 | 0.12 | 0.14 | | | 0.58 | 0.35 |
| 2010_IAlg_FT | 979 | CR | 09 | 3 | 731 | 0.64 | 0.15 | 0.54 | 0.17 | 0.05 | 0.10 | | | | 0.55 | 0.64 |
| 2010_IAlg_FT | 979 | CR | 10 | 4 | 731 | 0.64 | 0.17 | 0.57 | 0.11 | 0.03 | 0.07 | 0.05 | | | 0.56 | 0.65 |

Table 8. Classical Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 979 | CR | 11 | 2 | 731 | 0.64 | 0.16 | 0.45 | 0.11 | 0.27 | | | | | 0.66 | 0.61 |
| 2010_IAlg_FT | 980 | MC | 01 | 1 | 742 | 0.59 | 0.01 | | 0.16 | 0.58 | 0.16 | 0.09 | | | 0.58 | 0.37 |
| 2010_IAlg_FT | 980 | MC | 02 | 1 | 742 | 0.59 | 0.01 | | 0.64 | 0.09 | 0.10 | 0.17 | | | 0.64 | 0.45 |
| 2010_IAlg_FT | 980 | MC | 03 | 1 | 742 | 0.59 | 0.01 | | 0.28 | 0.38 | 0.16 | 0.16 | | | 0.28 | 0.39 |
| 2010_IAlg_FT | 980 | MC | 04 | 1 | 742 | 0.59 | 0.01 | | 0.54 | 0.19 | 0.19 | 0.07 | | | 0.19 | 0.22 |
| 2010_IAlg_FT | 980 | MC | 05 | 1 | 742 | 0.59 | 0.00 | | 0.55 | 0.29 | 0.11 | 0.04 | | | 0.29 | 0.43 |
| 2010_IAlg_FT | 980 | MC | 06 | 1 | 742 | 0.59 | 0.01 | | 0.11 | 0.20 | 0.26 | 0.42 | | | 0.42 | 0.48 |
| 2010_IAlg_FT | 980 | MC | 07 | 1 | 742 | 0.59 | 0.01 | | 0.27 | 0.55 | 0.09 | 0.08 | | | 0.55 | 0.39 |
| 2010_IAlg_FT | 980 | MC | 08 | 1 | 742 | 0.59 | 0.01 | | 0.24 | 0.10 | 0.18 | 0.46 | | | 0.46 | 0.28 |
| 2010_IAlg_FT | 980 | CR | 09 | 4 | 742 | 0.59 | 0.14 | 0.75 | 0.06 | 0.02 | 0.01 | 0.02 | | | 0.20 | 0.45 |
| 2010_IAlg_FT | 980 | CR | 10 | 2 | 742 | 0.59 | 0.12 | 0.32 | 0.35 | 0.21 | | | | | 0.77 | 0.62 |
| 2010_IAlg_FT | 980 | CR | 11 | 3 | 742 | 0.59 | 0.13 | 0.20 | 0.30 | 0.12 | 0.24 | | | | 1.27 | 0.68 |
| 2010_IAlg_FT | 981 | MC | 01 | 1 | 717 | 0.57 | 0.01 | | 0.38 | 0.24 | 0.15 | 0.23 | | | 0.24 | 0.17 |
| 2010_IAlg_FT | 981 | MC | 02 | 1 | 717 | 0.57 | 0.00 | | 0.05 | 0.35 | 0.54 | 0.05 | | | 0.54 | 0.32 |
| 2010_IAlg_FT | 981 | MC | 03 | 1 | 717 | 0.57 | 0.01 | | 0.36 | 0.20 | 0.11 | 0.32 | | | 0.32 | 0.43 |
| 2010_IAlg_FT | 981 | MC | 04 | 1 | 717 | 0.57 | 0.02 | | 0.28 | 0.22 | 0.24 | 0.24 | | | 0.24 | 0.26 |
| 2010_IAlg_FT | 981 | MC | 05 | 1 | 717 | 0.57 | 0.01 | | 0.22 | 0.15 | 0.39 | 0.22 | | | 0.39 | 0.39 |
| 2010_IAlg_FT | 981 | MC | 06 | 1 | 717 | 0.57 | 0.01 | | 0.21 | 0.22 | 0.34 | 0.22 | | | 0.21 | 0.17 |
| 2010_IAlg_FT | 981 | MC | 07 | 1 | 717 | 0.57 | 0.01 | | 0.11 | 0.60 | 0.13 | 0.15 | | | 0.60 | 0.47 |
| 2010_IAlg_FT | 981 | MC | 08 | 1 | 717 | 0.57 | 0.02 | | 0.25 | 0.46 | 0.24 | 0.03 | | | 0.46 | 0.34 |
| 2010_IAlg_FT | 981 | CR | 09 | 2 | 717 | 0.57 | 0.07 | 0.68 | 0.18 | 0.08 | | | | | 0.33 | 0.55 |
| 2010_IAlg_FT | 981 | CR | 10 | 4 | 717 | 0.57 | 0.15 | 0.46 | 0.14 | 0.11 | 0.07 | 0.06 | | | 0.82 | 0.71 |

Table 8. Classical Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 981 | CR | 11 | 3 | 717 | 0.57 | 0.15 | 0.22 | 0.28 | 0.09 | 0.26 | | | | 1.25 | 0.70 |
| 2010_IAlg_FT | 982 | MC | 01 | 1 | 732 | 0.59 | 0.01 | | 0.29 | 0.35 | 0.23 | 0.11 | | | 0.23 | 0.32 |
| 2010_IAlg_FT | 982 | MC | 02 | 1 | 732 | 0.59 | 0.00 | | 0.38 | 0.12 | 0.10 | 0.40 | | | 0.40 | 0.44 |
| 2010_IAlg_FT | 982 | MC | 03 | 1 | 732 | 0.59 | 0.00 | | 0.18 | 0.59 | 0.07 | 0.14 | | | 0.59 | 0.43 |
| 2010_IAlg_FT | 982 | MC | 04 | 1 | 732 | 0.59 | 0.01 | | 0.11 | 0.11 | 0.64 | 0.12 | | | 0.64 | 0.52 |
| 2010_IAlg_FT | 982 | MC | 05 | 1 | 732 | 0.59 | 0.02 | | 0.41 | 0.25 | 0.21 | 0.12 | | | 0.41 | 0.38 |
| 2010_IAlg_FT | 982 | MC | 06 | 1 | 732 | 0.59 | 0.02 | | 0.18 | 0.23 | 0.25 | 0.32 | | | 0.32 | 0.34 |
| 2010_IAlg_FT | 982 | MC | 07 | 1 | 732 | 0.59 | 0.01 | | 0.22 | 0.07 | 0.68 | 0.04 | | | 0.68 | 0.50 |
| 2010_IAlg_FT | 982 | MC | 08 | 1 | 732 | 0.59 | 0.03 | | 0.14 | 0.30 | 0.21 | 0.31 | | | 0.31 | 0.35 |
| 2010_IAlg_FT | 982 | CR | 09 | | | | | | | | | | | | | |
| 2010_IAlg_FT | 982 | CR | 10 | 4 | 732 | 0.59 | 0.11 | 0.30 | 0.25 | 0.21 | 0.05 | 0.08 | | | 1.12 | 0.71 |
| 2010_IAlg_FT | 982 | CR | 11 | 2 | 732 | 0.59 | 0.19 | 0.37 | 0.19 | 0.25 | | | | | 0.68 | 0.60 |
| 2010_IAlg_FT | 983 | MC | 01 | 1 | 724 | 0.60 | 0.00 | | 0.14 | 0.76 | 0.05 | 0.06 | | | 0.76 | 0.37 |
| 2010_IAlg_FT | 983 | MC | 02 | 1 | 724 | 0.60 | 0.01 | | 0.24 | 0.17 | 0.25 | 0.34 | | | 0.34 | 0.35 |
| 2010_IAlg_FT | 983 | MC | 03 | 1 | 724 | 0.60 | 0.02 | | 0.28 | 0.17 | 0.39 | 0.15 | | | 0.39 | 0.34 |
| 2010_IAlg_FT | 983 | MC | 04 | 1 | 724 | 0.60 | 0.01 | | 0.18 | 0.37 | 0.35 | 0.10 | | | 0.37 | 0.36 |
| 2010_IAlg_FT | 983 | MC | 05 | 1 | 724 | 0.60 | 0.02 | | 0.29 | 0.25 | 0.23 | 0.21 | | | 0.29 | 0.22 |
| 2010_IAlg_FT | 983 | MC | 06 | 1 | 724 | 0.60 | 0.02 | | 0.13 | 0.20 | 0.30 | 0.35 | | | 0.35 | 0.37 |
| 2010_IAlg_FT | 983 | MC | 07 | 1 | 724 | 0.60 | 0.01 | | 0.19 | 0.13 | 0.60 | 0.07 | | | 0.60 | 0.35 |
| 2010_IAlg_FT | 983 | MC | 08 | 1 | 724 | 0.60 | 0.03 | | 0.14 | 0.54 | 0.20 | 0.09 | | | 0.54 | 0.43 |
| 2010_IAlg_FT | 983 | CR | 09 | 2 | 724 | 0.60 | 0.13 | 0.37 | 0.12 | 0.38 | | | | | 0.88 | 0.59 |
| 2010_IAlg_FT | 983 | CR | 10 | 3 | 724 | 0.60 | 0.13 | 0.58 | 0.15 | 0.02 | 0.12 | | | | 0.55 | 0.68 |

Table 8. Classical Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 983 | CR | 11 | 4 | 724 | 0.60 | 0.17 | 0.41 | 0.16 | 0.09 | 0.11 | 0.06 | | | 0.92 | 0.68 |
| 2010_IAlg_FT | 984 | MC | 01 | 1 | 732 | 0.64 | 0.01 | | 0.21 | 0.39 | 0.23 | 0.17 | | | 0.21 | 0.35 |
| 2010_IAlg_FT | 984 | MC | 02 | 1 | 732 | 0.64 | 0.01 | | 0.44 | 0.12 | 0.16 | 0.27 | | | 0.44 | 0.43 |
| 2010_IAlg_FT | 984 | MC | 03 | 1 | 732 | 0.64 | 0.01 | | 0.17 | 0.22 | 0.32 | 0.28 | | | 0.28 | 0.26 |
| 2010_IAlg_FT | 984 | MC | 04 | 1 | 732 | 0.64 | 0.01 | | 0.38 | 0.08 | 0.43 | 0.10 | | | 0.43 | 0.41 |
| 2010_IAlg_FT | 984 | MC | 05 | 1 | 732 | 0.64 | 0.01 | | 0.40 | 0.41 | 0.12 | 0.06 | | | 0.41 | 0.51 |
| 2010_IAlg_FT | 984 | MC | 06 | 1 | 732 | 0.64 | 0.02 | | 0.14 | 0.23 | 0.47 | 0.14 | | | 0.47 | 0.40 |
| 2010_IAlg_FT | 984 | MC | 07 | 1 | 732 | 0.64 | 0.02 | | 0.25 | 0.33 | 0.20 | 0.20 | | | 0.33 | 0.36 |
| 2010_IAlg_FT | 984 | MC | 08 | 1 | 732 | 0.64 | 0.04 | | 0.42 | 0.27 | 0.16 | 0.11 | | | 0.42 | 0.32 |
| 2010_IAlg_FT | 984 | CR | 09 | 2 | 732 | 0.64 | 0.10 | 0.67 | 0.17 | 0.06 | | | | | 0.29 | 0.50 |
| 2010_IAlg_FT | 984 | CR | 10 | 3 | 732 | 0.64 | 0.10 | 0.42 | 0.18 | 0.14 | 0.17 | | | | 0.96 | 0.71 |
| 2010_IAlg_FT | 984 | CR | 11 | 4 | 732 | 0.64 | 0.16 | 0.33 | 0.06 | 0.19 | 0.18 | 0.09 | | | 1.31 | 0.76 |
| 2010_IAlg_FT | 985 | MC | 01 | 1 | 726 | 0.65 | 0.00 | | 0.75 | 0.20 | 0.02 | 0.02 | | | 0.75 | 0.46 |
| 2010_IAlg_FT | 985 | MC | 02 | 1 | 726 | 0.65 | 0.00 | | 0.09 | 0.69 | 0.06 | 0.16 | | | 0.69 | 0.43 |
| 2010_IAlg_FT | 985 | MC | 03 | 1 | 726 | 0.65 | 0.00 | | 0.18 | 0.11 | 0.62 | 0.09 | | | 0.62 | 0.38 |
| 2010_IAlg_FT | 985 | MC | 04 | 1 | 726 | 0.65 | 0.02 | | 0.33 | 0.14 | 0.41 | 0.11 | | | 0.41 | 0.36 |
| 2010_IAlg_FT | 985 | MC | 05 | 1 | 726 | 0.65 | 0.01 | | 0.53 | 0.11 | 0.08 | 0.27 | | | 0.53 | 0.32 |
| 2010_IAlg_FT | 985 | MC | 06 | 1 | 726 | 0.65 | 0.01 | | 0.13 | 0.20 | 0.50 | 0.15 | | | 0.50 | 0.36 |
| 2010_IAlg_FT | 985 | MC | 07 | 1 | 726 | 0.65 | 0.02 | | 0.17 | 0.19 | 0.29 | 0.35 | | | 0.35 | 0.49 |
| 2010_IAlg_FT | 985 | MC | 08 | 1 | 726 | 0.65 | 0.02 | | 0.39 | 0.35 | 0.08 | 0.16 | | | 0.35 | 0.40 |
| 2010_IAlg_FT | 985 | CR | 09 | 2 | 726 | 0.65 | 0.13 | 0.53 | 0.18 | 0.16 | | | | | 0.51 | 0.63 |
| 2010_IAlg_FT | 985 | CR | 10 | 3 | 726 | 0.65 | 0.15 | 0.51 | 0.18 | 0.04 | 0.12 | | | | 0.62 | 0.63 |

Table 8. Classical Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 985 | CR | 11 | 4 | 726 | 0.65 | 0.20 | 0.58 | 0.06 | 0.05 | 0.06 | 0.06 | | | 0.54 | 0.68 |
| 2010_IAlg_FT | 986 | MC | 01 | 1 | 738 | 0.63 | 0.01 | | 0.17 | 0.14 | 0.61 | 0.07 | | | 0.61 | 0.41 |
| 2010_IAlg_FT | 986 | MC | 02 | 1 | 738 | 0.63 | 0.01 | | 0.03 | 0.14 | 0.05 | 0.78 | | | 0.78 | 0.42 |
| 2010_IAlg_FT | 986 | MC | 03 | 1 | 738 | 0.63 | 0.01 | | 0.04 | 0.26 | 0.07 | 0.62 | | | 0.26 | 0.34 |
| 2010_IAlg_FT | 986 | MC | 04 | 1 | 738 | 0.63 | 0.01 | | 0.12 | 0.09 | 0.72 | 0.06 | | | 0.72 | 0.43 |
| 2010_IAlg_FT | 986 | MC | 05 | 1 | 738 | 0.63 | 0.01 | | 0.28 | 0.39 | 0.12 | 0.19 | | | 0.39 | 0.38 |
| 2010_IAlg_FT | 986 | MC | 06 | 1 | 738 | 0.63 | 0.01 | | 0.46 | 0.42 | 0.09 | 0.02 | | | 0.42 | 0.10 |
| 2010_IAlg_FT | 986 | MC | 07 | 1 | 738 | 0.63 | 0.01 | | 0.11 | 0.40 | 0.39 | 0.09 | | | 0.39 | 0.25 |
| 2010_IAlg_FT | 986 | MC | 08 | 1 | 738 | 0.63 | 0.01 | | 0.53 | 0.19 | 0.16 | 0.11 | | | 0.53 | 0.45 |
| 2010_IAlg_FT | 986 | CR | 09 | 2 | 738 | 0.63 | 0.13 | 0.49 | 0.17 | 0.21 | | | | | 0.60 | 0.64 |
| 2010_IAlg_FT | 986 | CR | 10 | 3 | 738 | 0.63 | 0.17 | 0.54 | 0.10 | 0.12 | 0.07 | | | | 0.55 | 0.67 |
| 2010_IAlg_FT | 986 | CR | 11 | 4 | 738 | 0.63 | 0.22 | 0.41 | 0.11 | 0.13 | 0.06 | 0.06 | | | 0.80 | 0.75 |
| 2010_IAlg_FT | 987 | MC | 01 | 1 | 739 | 0.69 | 0.00 | | 0.15 | 0.19 | 0.21 | 0.45 | | | 0.45 | 0.46 |
| 2010_IAlg_FT | 987 | MC | 02 | 1 | 739 | 0.69 | 0.02 | | 0.14 | 0.17 | 0.58 | 0.08 | | | 0.58 | 0.47 |
| 2010_IAlg_FT | 987 | MC | 03 | 1 | 739 | 0.69 | 0.00 | | 0.17 | 0.72 | 0.04 | 0.06 | | | 0.72 | 0.45 |
| 2010_IAlg_FT | 987 | MC | 04 | 1 | 739 | 0.69 | 0.01 | | 0.38 | 0.26 | 0.21 | 0.14 | | | 0.38 | 0.50 |
| 2010_IAlg_FT | 987 | MC | 05 | 1 | 739 | 0.69 | 0.02 | | 0.13 | 0.43 | 0.23 | 0.19 | | | 0.43 | 0.37 |
| 2010_IAlg_FT | 987 | MC | 06 | 1 | 739 | 0.69 | 0.01 | | 0.38 | 0.24 | 0.24 | 0.14 | | | 0.38 | 0.40 |
| 2010_IAlg_FT | 987 | MC | 07 | 1 | 739 | 0.69 | 0.01 | | 0.09 | 0.39 | 0.14 | 0.38 | | | 0.38 | 0.47 |
| 2010_IAlg_FT | 987 | MC | 08 | 1 | 739 | 0.69 | 0.03 | | 0.21 | 0.60 | 0.11 | 0.06 | | | 0.60 | 0.42 |
| 2010_IAlg_FT | 987 | CR | 09 | 2 | 739 | 0.69 | 0.09 | 0.52 | 0.12 | 0.27 | | | | | 0.67 | 0.70 |
| 2010_IAlg_FT | 987 | CR | 10 | 3 | 739 | 0.69 | 0.18 | 0.47 | 0.23 | 0.05 | 0.08 | | | | 0.56 | 0.67 |

Table 8. Classical Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 987 | CR | 11 | 4 | 739 | 0.69 | 0.22 | 0.69 | 0.05 | 0.02 | 0.01 | 0.01 | | | 0.16 | 0.47 |
| 2010_IAlg_FT | 988 | MC | 01 | 1 | 716 | 0.61 | 0.02 | | 0.23 | 0.14 | 0.17 | 0.45 | | | 0.45 | 0.41 |
| 2010_IAlg_FT | 988 | MC | 02 | 1 | 716 | 0.61 | 0.01 | | 0.06 | 0.08 | 0.65 | 0.20 | | | 0.65 | 0.41 |
| 2010_IAlg_FT | 988 | MC | 03 | 1 | 716 | 0.61 | 0.02 | | 0.44 | 0.21 | 0.16 | 0.17 | | | 0.44 | 0.33 |
| 2010_IAlg_FT | 988 | MC | 04 | 1 | 716 | 0.61 | 0.00 | | 0.58 | 0.09 | 0.27 | 0.05 | | | 0.27 | 0.39 |
| 2010_IAlg_FT | 988 | MC | 05 | 1 | 716 | 0.61 | 0.01 | | 0.56 | 0.22 | 0.12 | 0.10 | | | 0.56 | 0.41 |
| 2010_IAlg_FT | 988 | MC | 06 | 1 | 716 | 0.61 | 0.02 | | 0.11 | 0.34 | 0.20 | 0.34 | | | 0.34 | 0.40 |
| 2010_IAlg_FT | 988 | MC | 07 | 1 | 716 | 0.61 | 0.02 | | 0.21 | 0.45 | 0.22 | 0.10 | | | 0.45 | 0.35 |
| 2010_IAlg_FT | 988 | MC | 08 | 1 | 716 | 0.61 | 0.04 | | 0.23 | 0.18 | 0.27 | 0.28 | | | 0.27 | 0.35 |
| 2010_IAlg_FT | 988 | CR | 09 | 2 | 716 | 0.61 | 0.10 | 0.55 | 0.21 | 0.13 | | | | | 0.47 | 0.55 |
| 2010_IAlg_FT | 988 | CR | 10 | 3 | 716 | 0.61 | 0.23 | 0.47 | 0.15 | 0.04 | 0.11 | | | | 0.56 | 0.70 |
| 2010_IAlg_FT | 988 | CR | 11 | 4 | 716 | 0.61 | 0.19 | 0.72 | 0.05 | 0.02 | 0.00 | 0.02 | | | 0.17 | 0.53 |
| 2010_IAlg_FT | 989 | MC | 01 | 1 | 714 | 0.55 | 0.01 | | 0.59 | 0.25 | 0.10 | 0.05 | | | 0.25 | 0.10 |
| 2010_IAlg_FT | 989 | MC | 02 | 1 | 714 | 0.55 | 0.01 | | 0.38 | 0.11 | 0.44 | 0.06 | | | 0.44 | 0.40 |
| 2010_IAlg_FT | 989 | MC | 03 | 1 | 714 | 0.55 | 0.03 | | 0.33 | 0.22 | 0.22 | 0.20 | | | 0.33 | 0.33 |
| 2010_IAlg_FT | 989 | MC | 04 | 1 | 714 | 0.55 | 0.02 | | 0.21 | 0.28 | 0.44 | 0.05 | | | 0.28 | 0.45 |
| 2010_IAlg_FT | 989 | MC | 05 | 1 | 714 | 0.55 | 0.01 | | 0.60 | 0.33 | 0.02 | 0.04 | | | 0.33 | 0.45 |
| 2010_IAlg_FT | 989 | MC | 06 | 1 | 714 | 0.55 | 0.01 | | 0.24 | 0.13 | 0.57 | 0.05 | | | 0.57 | 0.33 |
| 2010_IAlg_FT | 989 | MC | 07 | 1 | 714 | 0.55 | 0.02 | | 0.38 | 0.15 | 0.14 | 0.32 | | | 0.32 | 0.38 |
| 2010_IAlg_FT | 989 | MC | 08 | 1 | 714 | 0.55 | 0.02 | | 0.07 | 0.09 | 0.61 | 0.21 | | | 0.61 | 0.38 |
| 2010_IAlg_FT | 989 | CR | 09 | 2 | 714 | 0.55 | 0.12 | 0.53 | 0.27 | 0.08 | | | | | 0.43 | 0.50 |
| 2010_IAlg_FT | 989 | CR | 10 | 3 | 714 | 0.55 | 0.13 | 0.63 | 0.09 | 0.04 | 0.11 | | | | 0.51 | 0.62 |

Table 8. Classical Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 989 | CR | 11 | 4 | 714 | 0.55 | 0.20 | 0.60 | 0.07 | 0.03 | 0.02 | 0.09 | | | 0.54 | 0.64 |
| 2010_IAlg_FT | 990 | MC | 01 | 1 | 705 | 0.63 | 0.01 | | 0.08 | 0.18 | 0.11 | 0.63 | | | 0.63 | 0.44 |
| 2010_IAlg_FT | 990 | MC | 02 | 1 | 705 | 0.63 | 0.01 | | 0.15 | 0.17 | 0.37 | 0.29 | | | 0.17 | 0.27 |
| 2010_IAlg_FT | 990 | MC | 03 | 1 | 705 | 0.63 | 0.00 | | 0.11 | 0.19 | 0.63 | 0.07 | | | 0.63 | 0.45 |
| 2010_IAlg_FT | 990 | MC | 04 | 1 | 705 | 0.63 | 0.02 | | 0.36 | 0.33 | 0.19 | 0.10 | | | 0.36 | 0.40 |
| 2010_IAlg_FT | 990 | MC | 05 | 1 | 705 | 0.63 | 0.01 | | 0.05 | 0.49 | 0.10 | 0.35 | | | 0.35 | 0.28 |
| 2010_IAlg_FT | 990 | MC | 06 | 1 | 705 | 0.63 | 0.01 | | 0.17 | 0.49 | 0.19 | 0.14 | | | 0.49 | 0.43 |
| 2010_IAlg_FT | 990 | MC | 07 | 1 | 705 | 0.63 | 0.02 | | 0.20 | 0.17 | 0.21 | 0.41 | | | 0.41 | 0.37 |
| 2010_IAlg_FT | 990 | MC | 08 | 1 | 705 | 0.63 | 0.04 | | 0.27 | 0.43 | 0.14 | 0.12 | | | 0.43 | 0.26 |
| 2010_IAlg_FT | 990 | CR | 09 | 2 | 705 | 0.63 | 0.09 | 0.25 | 0.39 | 0.27 | | | | | 0.93 | 0.61 |
| 2010_IAlg_FT | 990 | CR | 10 | 3 | 705 | 0.63 | 0.16 | 0.41 | 0.13 | 0.09 | 0.21 | | | | 0.93 | 0.66 |
| 2010_IAlg_FT | 990 | CR | 11 | 4 | 705 | 0.63 | 0.19 | 0.44 | 0.15 | 0.04 | 0.02 | 0.15 | | | 0.91 | 0.76 |
| 2010_IAlg_FT | 991 | MC | 01 | 1 | 702 | 0.65 | 0.01 | | 0.29 | 0.15 | 0.26 | 0.28 | | | 0.28 | 0.40 |
| 2010_IAlg_FT | 991 | MC | 02 | 1 | 702 | 0.65 | 0.00 | | 0.45 | 0.15 | 0.13 | 0.27 | | | 0.27 | 0.24 |
| 2010_IAlg_FT | 991 | MC | 03 | 1 | 702 | 0.65 | 0.00 | | 0.17 | 0.18 | 0.56 | 0.10 | | | 0.56 | 0.32 |
| 2010_IAlg_FT | 991 | MC | 04 | 1 | 702 | 0.65 | 0.00 | | 0.24 | 0.20 | 0.43 | 0.13 | | | 0.43 | 0.38 |
| 2010_IAlg_FT | 991 | MC | 05 | 1 | 702 | 0.65 | 0.01 | | 0.34 | 0.36 | 0.16 | 0.13 | | | 0.34 | 0.34 |
| 2010_IAlg_FT | 991 | MC | 06 | 1 | 702 | 0.65 | 0.01 | | 0.24 | 0.12 | 0.15 | 0.49 | | | 0.49 | 0.48 |
| 2010_IAlg_FT | 991 | MC | 07 | 1 | 702 | 0.65 | 0.01 | | 0.08 | 0.11 | 0.75 | 0.06 | | | 0.75 | 0.38 |
| 2010_IAlg_FT | 991 | MC | 08 | 1 | 702 | 0.65 | 0.02 | | 0.05 | 0.18 | 0.62 | 0.14 | | | 0.62 | 0.43 |
| 2010_IAlg_FT | 991 | CR | 09 | 2 | 702 | 0.65 | 0.12 | 0.29 | 0.42 | 0.17 | | | | | 0.76 | 0.62 |
| 2010_IAlg_FT | 991 | CR | 10 | 3 | 702 | 0.65 | 0.16 | 0.46 | 0.17 | 0.10 | 0.10 | | | | 0.67 | 0.67 |

Table 8. Classical Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 991 | CR | 11 | 4 | 702 | 0.65 | 0.14 | 0.40 | 0.16 | 0.12 | 0.06 | 0.12 | | | 1.05 | 0.74 |
| 2010_IAlg_FT | 992 | MC | 01 | 1 | 703 | 0.69 | 0.01 | | 0.30 | 0.19 | 0.19 | 0.30 | | | 0.30 | 0.39 |
| 2010_IAlg_FT | 992 | MC | 02 | 1 | 703 | 0.69 | 0.01 | | 0.08 | 0.21 | 0.11 | 0.59 | | | 0.21 | 0.41 |
| 2010_IAlg_FT | 992 | MC | 03 | 1 | 703 | 0.69 | 0.01 | | 0.49 | 0.12 | 0.24 | 0.14 | | | 0.49 | 0.40 |
| 2010_IAlg_FT | 992 | MC | 04 | 1 | 703 | 0.69 | 0.01 | | 0.41 | 0.19 | 0.12 | 0.27 | | | 0.41 | 0.40 |
| 2010_IAlg_FT | 992 | MC | 05 | 1 | 703 | 0.69 | 0.01 | | 0.16 | 0.68 | 0.03 | 0.13 | | | 0.68 | 0.42 |
| 2010_IAlg_FT | 992 | MC | 06 | 1 | 703 | 0.69 | 0.01 | | 0.14 | 0.24 | 0.22 | 0.38 | | | 0.38 | 0.40 |
| 2010_IAlg_FT | 992 | MC | 07 | 1 | 703 | 0.69 | 0.01 | | 0.18 | 0.37 | 0.35 | 0.09 | | | 0.37 | 0.41 |
| 2010_IAlg_FT | 992 | MC | 08 | 1 | 703 | 0.69 | 0.02 | | 0.03 | 0.35 | 0.36 | 0.24 | | | 0.35 | 0.52 |
| 2010_IAlg_FT | 992 | CR | 09 | 2 | 703 | 0.69 | 0.21 | 0.32 | 0.18 | 0.29 | | | | | 0.75 | 0.62 |
| 2010_IAlg_FT | 992 | CR | 10 | 3 | 703 | 0.69 | 0.10 | 0.32 | 0.30 | 0.13 | 0.16 | | | | 1.02 | 0.73 |
| 2010_IAlg_FT | 992 | CR | 11 | 4 | 703 | 0.69 | 0.26 | 0.50 | 0.14 | 0.06 | 0.03 | 0.01 | | | 0.38 | 0.63 |
| 2010_IAlg_FT | 993 | MC | 01 | 1 | 710 | 0.59 | 0.01 | | 0.42 | 0.18 | 0.16 | 0.24 | | | 0.16 | 0.17 |
| 2010_IAlg_FT | 993 | MC | 02 | 1 | 710 | 0.59 | 0.01 | | 0.12 | 0.21 | 0.20 | 0.46 | | | 0.46 | 0.41 |
| 2010_IAlg_FT | 993 | MC | 03 | 1 | 710 | 0.59 | 0.01 | | 0.13 | 0.07 | 0.17 | 0.63 | | | 0.63 | 0.34 |
| 2010_IAlg_FT | 993 | MC | 04 | 1 | 710 | 0.59 | 0.01 | | 0.20 | 0.17 | 0.36 | 0.26 | | | 0.36 | 0.33 |
| 2010_IAlg_FT | 993 | MC | 05 | 1 | 710 | 0.59 | 0.01 | | 0.20 | 0.52 | 0.13 | 0.14 | | | 0.52 | 0.43 |
| 2010_IAlg_FT | 993 | MC | 06 | 1 | 710 | 0.59 | 0.01 | | 0.37 | 0.10 | 0.33 | 0.19 | | | 0.37 | 0.33 |
| 2010_IAlg_FT | 993 | MC | 07 | 1 | 710 | 0.59 | 0.02 | | 0.07 | 0.62 | 0.18 | 0.11 | | | 0.62 | 0.45 |
| 2010_IAlg_FT | 993 | MC | 08 | 1 | 710 | 0.59 | 0.02 | | 0.32 | 0.23 | 0.17 | 0.26 | | | 0.32 | 0.34 |
| 2010_IAlg_FT | 993 | CR | 09 | 2 | 710 | 0.59 | 0.27 | 0.46 | 0.12 | 0.15 | | | | | 0.41 | 0.55 |
| 2010_IAlg_FT | 993 | CR | 10 | 3 | 710 | 0.59 | 0.23 | 0.58 | 0.11 | 0.00 | 0.07 | | | | 0.34 | 0.58 |

Table 8. Classical Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 993 | CR | 11 | 4 | 710 | 0.59 | 0.21 | 0.49 | 0.14 | 0.08 | 0.05 | 0.03 | | | 0.58 | 0.71 |
| 2010_IAlg_FT | 994 | MC | 01 | 1 | 717 | 0.67 | 0.00 | | 0.40 | 0.24 | 0.12 | 0.24 | | | 0.24 | 0.15 |
| 2010_IAlg_FT | 994 | MC | 02 | 1 | 717 | 0.67 | 0.00 | | 0.14 | 0.58 | 0.17 | 0.10 | | | 0.10 | 0.23 |
| 2010_IAlg_FT | 994 | MC | 03 | 1 | 717 | 0.67 | 0.01 | | 0.14 | 0.12 | 0.28 | 0.45 | | | 0.45 | 0.38 |
| 2010_IAlg_FT | 994 | MC | 04 | 1 | 717 | 0.67 | 0.00 | | 0.57 | 0.16 | 0.15 | 0.12 | | | 0.57 | 0.46 |
| 2010_IAlg_FT | 994 | MC | 05 | 1 | 717 | 0.67 | 0.00 | | 0.09 | 0.44 | 0.14 | 0.33 | | | 0.44 | 0.40 |
| 2010_IAlg_FT | 994 | MC | 06 | 1 | 717 | 0.67 | 0.01 | | 0.52 | 0.23 | 0.16 | 0.08 | | | 0.52 | 0.37 |
| 2010_IAlg_FT | 994 | MC | 07 | 1 | 717 | 0.67 | 0.01 | | 0.30 | 0.14 | 0.47 | 0.08 | | | 0.47 | 0.30 |
| 2010_IAlg_FT | 994 | MC | 08 | 1 | 717 | 0.67 | 0.02 | | 0.14 | 0.23 | 0.54 | 0.07 | | | 0.54 | 0.36 |
| 2010_IAlg_FT | 994 | CR | 09 | 2 | 717 | 0.67 | 0.11 | 0.17 | 0.25 | 0.47 | | | | | 1.19 | 0.60 |
| 2010_IAlg_FT | 994 | CR | 10 | 3 | 717 | 0.67 | 0.09 | 0.41 | 0.12 | 0.22 | 0.16 | | | | 1.04 | 0.79 |
| 2010_IAlg_FT | 994 | CR | 11 | 4 | 717 | 0.67 | 0.19 | 0.27 | 0.22 | 0.17 | 0.08 | 0.07 | | | 1.08 | 0.80 |
| 2010_IAlg_FT | 995 | MC | 01 | 1 | 723 | 0.65 | 0.00 | | 0.26 | 0.13 | 0.24 | 0.36 | | | 0.24 | 0.30 |
| 2010_IAlg_FT | 995 | MC | 02 | 1 | 723 | 0.65 | 0.01 | | 0.14 | 0.60 | 0.13 | 0.12 | | | 0.60 | 0.36 |
| 2010_IAlg_FT | 995 | MC | 03 | 1 | 723 | 0.65 | 0.00 | | 0.39 | 0.19 | 0.28 | 0.14 | | | 0.39 | 0.36 |
| 2010_IAlg_FT | 995 | MC | 04 | 1 | 723 | 0.65 | 0.00 | | 0.08 | 0.19 | 0.12 | 0.61 | | | 0.61 | 0.45 |
| 2010_IAlg_FT | 995 | MC | 05 | 1 | 723 | 0.65 | 0.01 | | 0.14 | 0.28 | 0.17 | 0.41 | | | 0.41 | 0.42 |
| 2010_IAlg_FT | 995 | MC | 06 | 1 | 723 | 0.65 | 0.01 | | 0.10 | 0.23 | 0.58 | 0.08 | | | 0.58 | 0.36 |
| 2010_IAlg_FT | 995 | MC | 07 | 1 | 723 | 0.65 | 0.01 | | 0.29 | 0.43 | 0.17 | 0.10 | | | 0.29 | 0.33 |
| 2010_IAlg_FT | 995 | MC | 08 | 1 | 723 | 0.65 | 0.02 | | 0.10 | 0.18 | 0.42 | 0.29 | | | 0.42 | 0.37 |
| 2010_IAlg_FT | 995 | CR | 09 | 2 | 723 | 0.65 | 0.10 | 0.36 | 0.33 | 0.21 | | | | | 0.75 | 0.58 |
| 2010_IAlg_FT | 995 | CR | 10 | 3 | 723 | 0.65 | 0.10 | 0.22 | 0.16 | 0.30 | 0.21 | | | | 1.39 | 0.71 |

Table 8. Classical Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 995 | CR | 11 | 4 | 723 | 0.65 | 0.14 | 0.33 | 0.02 | 0.19 | 0.19 | 0.12 | | | 1.47 | 0.78 |
| 2010_IAlg_FT | 996 | MC | 01 | 1 | 724 | 0.58 | 0.01 | | 0.20 | 0.19 | 0.43 | 0.16 | | | 0.43 | 0.43 |
| 2010_IAlg_FT | 996 | MC | 02 | 1 | 724 | 0.58 | 0.01 | | 0.24 | 0.48 | 0.24 | 0.03 | | | 0.48 | 0.40 |
| 2010_IAlg_FT | 996 | MC | 03 | 1 | 724 | 0.58 | 0.01 | | 0.06 | 0.27 | 0.15 | 0.51 | | | 0.51 | 0.30 |
| 2010_IAlg_FT | 996 | MC | 04 | 1 | 724 | 0.58 | 0.01 | | 0.06 | 0.09 | 0.62 | 0.22 | | | 0.62 | 0.38 |
| 2010_IAlg_FT | 996 | MC | 05 | 1 | 724 | 0.58 | 0.01 | | 0.29 | 0.08 | 0.50 | 0.12 | | | 0.29 | 0.37 |
| 2010_IAlg_FT | 996 | MC | 06 | 1 | 724 | 0.58 | 0.01 | | 0.14 | 0.06 | 0.77 | 0.02 | | | 0.77 | 0.44 |
| 2010_IAlg_FT | 996 | MC | 07 | 1 | 724 | 0.58 | 0.02 | | 0.19 | 0.57 | 0.12 | 0.10 | | | 0.57 | 0.25 |
| 2010_IAlg_FT | 996 | MC | 08 | 1 | 724 | 0.58 | 0.01 | | 0.21 | 0.24 | 0.27 | 0.26 | | | 0.26 | 0.37 |
| 2010_IAlg_FT | 996 | CR | 09 | 2 | 724 | 0.58 | 0.08 | 0.77 | 0.07 | 0.08 | | | | | 0.23 | 0.45 |
| 2010_IAlg_FT | 996 | CR | 10 | 3 | 724 | 0.58 | 0.06 | 0.27 | 0.24 | 0.27 | 0.16 | | | | 1.27 | 0.63 |
| 2010_IAlg_FT | 996 | CR | 11 | 4 | 724 | 0.58 | 0.15 | 0.25 | 0.06 | 0.07 | 0.11 | 0.36 | | | 1.97 | 0.77 |
| 2010_IAlg_FT | 997 | MC | 01 | 1 | 732 | 0.57 | 0.01 | | 0.17 | 0.16 | 0.24 | 0.41 | | | 0.41 | 0.46 |
| 2010_IAlg_FT | 997 | MC | 02 | 1 | 732 | 0.57 | 0.01 | | 0.14 | 0.46 | 0.12 | 0.27 | | | 0.46 | 0.47 |
| 2010_IAlg_FT | 997 | MC | 03 | 1 | 732 | 0.57 | 0.00 | | 0.26 | 0.33 | 0.16 | 0.25 | | | 0.25 | 0.17 |
| 2010_IAlg_FT | 997 | MC | 04 | 1 | 732 | 0.57 | 0.00 | | 0.45 | 0.29 | 0.21 | 0.05 | | | 0.45 | 0.45 |
| 2010_IAlg_FT | 997 | MC | 05 | 1 | 732 | 0.57 | 0.01 | | 0.05 | 0.21 | 0.70 | 0.02 | | | 0.70 | 0.40 |
| 2010_IAlg_FT | 997 | MC | 06 | 1 | 732 | 0.57 | 0.01 | | 0.08 | 0.06 | 0.66 | 0.20 | | | 0.66 | 0.36 |
| 2010_IAlg_FT | 997 | MC | 07 | 1 | 732 | 0.57 | 0.01 | | 0.21 | 0.30 | 0.35 | 0.13 | | | 0.21 | 0.30 |
| 2010_IAlg_FT | 997 | MC | 08 | 1 | 732 | 0.57 | 0.02 | | 0.27 | 0.10 | 0.19 | 0.42 | | | 0.42 | 0.35 |
| 2010_IAlg_FT | 997 | CR | 09 | 2 | 732 | 0.57 | 0.12 | 0.44 | 0.21 | 0.23 | | | | | 0.68 | 0.61 |
| 2010_IAlg_FT | 997 | CR | 10 | 4 | 732 | 0.57 | 0.07 | 0.18 | 0.14 | 0.19 | 0.20 | 0.23 | | | 2.04 | 0.72 |

Table 8. Classical Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | Alpha | B | M0 | M1 | M2 | M3 | M4 | M5 | M6 | Mean | Point-Biserial |
|--------------|------|------|------|-----|---------|-------|------|------|------|------|------|------|----|----|------|----------------|
| 2010_IAlg_FT | 997 | CR | 11 | 3 | 732 | 0.57 | 0.12 | 0.81 | 0.02 | 0.02 | 0.02 | | | | 0.13 | 0.44 |
| 2010_IAlg_FT | 998 | MC | 01 | 1 | 724 | 0.58 | 0.01 | | 0.55 | 0.14 | 0.20 | 0.10 | | | 0.55 | 0.42 |
| 2010_IAlg_FT | 998 | MC | 02 | 1 | 724 | 0.58 | 0.00 | | 0.10 | 0.13 | 0.18 | 0.59 | | | 0.59 | 0.33 |
| 2010_IAlg_FT | 998 | MC | 03 | 1 | 724 | 0.58 | 0.00 | | 0.05 | 0.13 | 0.77 | 0.05 | | | 0.77 | 0.42 |
| 2010_IAlg_FT | 998 | MC | 04 | 1 | 724 | 0.58 | 0.01 | | 0.59 | 0.18 | 0.13 | 0.09 | | | 0.13 | 0.10 |
| 2010_IAlg_FT | 998 | MC | 05 | 1 | 724 | 0.58 | 0.00 | | 0.23 | 0.61 | 0.07 | 0.09 | | | 0.61 | 0.50 |
| 2010_IAlg_FT | 998 | MC | 06 | 1 | 724 | 0.58 | 0.00 | | 0.03 | 0.02 | 0.36 | 0.59 | | | 0.59 | 0.49 |
| 2010_IAlg_FT | 998 | MC | 07 | 1 | 724 | 0.58 | 0.01 | | 0.09 | 0.44 | 0.28 | 0.18 | | | 0.28 | 0.26 |
| 2010_IAlg_FT | 998 | MC | 08 | 1 | 724 | 0.58 | 0.01 | | 0.10 | 0.57 | 0.19 | 0.14 | | | 0.57 | 0.30 |
| 2010_IAlg_FT | 998 | CR | 09 | 2 | 724 | 0.58 | 0.06 | 0.10 | 0.07 | 0.76 | | | | | 1.60 | 0.58 |
| 2010_IAlg_FT | 998 | CR | 10 | 3 | 724 | 0.58 | 0.15 | 0.47 | 0.13 | 0.10 | 0.14 | | | | 0.76 | 0.56 |
| 2010_IAlg_FT | 998 | CR | 11 | 4 | 724 | 0.58 | 0.10 | 0.20 | 0.04 | 0.07 | 0.14 | 0.45 | | | 2.41 | 0.76 |
| 2010_IAlg_FT | 999 | MC | 01 | 1 | 710 | 0.55 | 0.00 | | 0.93 | 0.03 | 0.02 | 0.02 | | | 0.93 | 0.35 |
| 2010_IAlg_FT | 999 | MC | 02 | 1 | 710 | 0.55 | 0.01 | | 0.16 | 0.18 | 0.50 | 0.15 | | | 0.50 | 0.21 |
| 2010_IAlg_FT | 999 | MC | 03 | 1 | 710 | 0.55 | 0.01 | | 0.08 | 0.75 | 0.10 | 0.06 | | | 0.75 | 0.41 |
| 2010_IAlg_FT | 999 | MC | 04 | 1 | 710 | 0.55 | 0.01 | | 0.09 | 0.62 | 0.24 | 0.06 | | | 0.62 | 0.38 |
| 2010_IAlg_FT | 999 | MC | 05 | 1 | 710 | 0.55 | 0.00 | | 0.07 | 0.06 | 0.19 | 0.68 | | | 0.68 | 0.46 |
| 2010_IAlg_FT | 999 | MC | 06 | 1 | 710 | 0.55 | 0.00 | | 0.07 | 0.14 | 0.11 | 0.67 | | | 0.67 | 0.45 |
| 2010_IAlg_FT | 999 | MC | 07 | 1 | 710 | 0.55 | 0.01 | | 0.53 | 0.08 | 0.37 | 0.02 | | | 0.37 | 0.29 |
| 2010_IAlg_FT | 999 | MC | 08 | 1 | 710 | 0.55 | 0.01 | | 0.10 | 0.21 | 0.20 | 0.48 | | | 0.10 | 0.20 |
| 2010_IAlg_FT | 999 | CR | 09 | 2 | 710 | 0.55 | 0.11 | 0.22 | 0.28 | 0.39 | | | | | 1.06 | 0.51 |
| 2010_IAlg_FT | 999 | CR | 10 | 3 | 710 | 0.55 | 0.05 | 0.43 | 0.37 | 0.06 | 0.09 | | | | 0.75 | 0.59 |
| 2010_IAlg_FT | 999 | CR | 11 | 4 | 710 | 0.55 | 0.12 | 0.42 | 0.19 | 0.09 | 0.08 | 0.10 | | | 1.01 | 0.73 |

Appendix B: Partial Credit Model Item Analysis

Table 9. Partial Credit Model Item Analysis

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|--------|---------|---------|---------|----|----|-------|
| 2010_IAlg_FT | 960 | MC | 01 | 1 | 734 | -0.2934 | | | | | | | 1.11 |
| 2010_IAlg_FT | 960 | MC | 02 | 1 | 734 | -0.3182 | | | | | | | 1.01 |
| 2010_IAlg_FT | 960 | MC | 03 | 1 | 734 | -1.2561 | | | | | | | 1.06 |
| 2010_IAlg_FT | 960 | MC | 04 | 1 | 734 | 0.5835 | | | | | | | 1.12 |
| 2010_IAlg_FT | 960 | MC | 05 | 1 | 734 | -0.3617 | | | | | | | 0.97 |
| 2010_IAlg_FT | 960 | MC | 06 | 1 | 734 | -1.5382 | | | | | | | 1.01 |
| 2010_IAlg_FT | 960 | MC | 07 | 1 | 734 | -1.6094 | | | | | | | 0.97 |
| 2010_IAlg_FT | 960 | MC | 08 | 1 | 734 | -0.9300 | | | | | | | 0.92 |
| 2010_IAlg_FT | 960 | CR | 09 | 2 | 734 | 1.1271 | 0.3321 | -0.3321 | | | | | 1.04 |
| 2010_IAlg_FT | 960 | CR | 10 | 4 | 734 | 0.1910 | 0.6447 | 0.0408 | -0.8733 | 0.1878 | | | 0.92 |
| 2010_IAlg_FT | 960 | CR | 11 | 3 | 734 | 0.0472 | 0.3928 | 1.1791 | -1.5719 | | | | 0.87 |
| 2010_IAlg_FT | 961 | MC | 01 | 1 | 747 | -0.1782 | | | | | | | 1.02 |
| 2010_IAlg_FT | 961 | MC | 02 | 1 | 747 | 0.4123 | | | | | | | 1.08 |
| 2010_IAlg_FT | 961 | MC | 03 | 1 | 747 | -0.7687 | | | | | | | 0.96 |
| 2010_IAlg_FT | 961 | MC | 04 | 1 | 747 | 0.3987 | | | | | | | 1.08 |
| 2010_IAlg_FT | 961 | MC | 05 | 1 | 747 | 0.9619 | | | | | | | 1.07 |
| 2010_IAlg_FT | 961 | MC | 06 | 1 | 747 | -0.1227 | | | | | | | 0.98 |
| 2010_IAlg_FT | 961 | MC | 07 | 1 | 747 | -0.0045 | | | | | | | 0.97 |
| 2010_IAlg_FT | 961 | MC | 08 | 1 | 747 | -0.9148 | | | | | | | 0.95 |
| 2010_IAlg_FT | 961 | CR | 09 | 2 | 747 | 0.0552 | 0.0913 | -0.0913 | | | | | 0.90 |
| 2010_IAlg_FT | 961 | CR | 10 | 3 | 747 | 0.5501 | 0.5822 | 0.9807 | -1.5628 | | | | 1.13 |
| 2010_IAlg_FT | 961 | CR | 11 | 4 | 747 | 0.1737 | 1.3629 | -2.2874 | 2.1706 | -1.2462 | | | 0.90 |

Table 9. Partial Credit Model Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|---------|---------|--------|---------|----|----|-------|
| 2010_IAlg_FT | 962 | MC | 01 | 1 | 740 | -0.5587 | | | | | | | 1.05 |
| 2010_IAlg_FT | 962 | MC | 02 | 1 | 740 | -1.7482 | | | | | | | 0.93 |
| 2010_IAlg_FT | 962 | MC | 03 | 1 | 740 | -0.2809 | | | | | | | 1.05 |
| 2010_IAlg_FT | 962 | MC | 04 | 1 | 740 | -0.2386 | | | | | | | 1.12 |
| 2010_IAlg_FT | 962 | MC | 05 | 1 | 740 | -0.5163 | | | | | | | 0.92 |
| 2010_IAlg_FT | 962 | MC | 06 | 1 | 740 | 0.9497 | | | | | | | 1.00 |
| 2010_IAlg_FT | 962 | MC | 07 | 1 | 740 | 0.3260 | | | | | | | 1.10 |
| 2010_IAlg_FT | 962 | MC | 08 | 1 | 740 | 0.3659 | | | | | | | 1.02 |
| 2010_IAlg_FT | 962 | CR | 09 | 4 | 740 | 0.4055 | 0.0686 | -0.1504 | 1.3245 | -1.2428 | | | 0.77 |
| 2010_IAlg_FT | 962 | CR | 10 | 2 | 740 | 0.7247 | -0.2235 | 0.2235 | | | | | 0.94 |
| 2010_IAlg_FT | 962 | CR | 11 | 2 | 740 | -0.5764 | 0.3181 | -0.3181 | | | | | 1.05 |
| 2010_IAlg_FT | 963 | MC | 01 | 1 | 751 | 0.8096 | | | | | | | 0.99 |
| 2010_IAlg_FT | 963 | MC | 02 | 1 | 751 | 0.5658 | | | | | | | 1.10 |
| 2010_IAlg_FT | 963 | MC | 03 | 1 | 751 | 0.2598 | | | | | | | 1.08 |
| 2010_IAlg_FT | 963 | MC | 04 | 1 | 751 | 0.3594 | | | | | | | 1.05 |
| 2010_IAlg_FT | 963 | MC | 05 | 1 | 751 | -2.3032 | | | | | | | 1.02 |
| 2010_IAlg_FT | 963 | MC | 06 | 1 | 751 | -0.6051 | | | | | | | 1.03 |
| 2010_IAlg_FT | 963 | MC | 07 | 1 | 751 | -1.2153 | | | | | | | 0.94 |
| 2010_IAlg_FT | 963 | MC | 08 | 1 | 751 | -0.8798 | | | | | | | 1.03 |
| 2010_IAlg_FT | 963 | CR | 09 | 4 | 751 | 0.8672 | 1.5079 | -1.0484 | 0.9644 | -1.4240 | | | 0.74 |
| 2010_IAlg_FT | 963 | CR | 10 | 2 | 751 | 0.8402 | -0.3441 | 0.3441 | | | | | 0.93 |
| 2010_IAlg_FT | 963 | CR | 11 | 3 | 751 | 1.5577 | -0.2606 | -0.2608 | 0.5214 | | | | 1.01 |
| 2010_IAlg_FT | 964 | MC | 01 | 1 | 757 | 0.0963 | | | | | | | 0.97 |

Table 9. Partial Credit Model Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|---------|---------|---------|--------|----|----|-------|
| 2010_IAlg_FT | 964 | MC | 02 | 1 | 757 | -0.3743 | | | | | | | 1.12 |
| 2010_IAlg_FT | 964 | MC | 03 | 1 | 757 | 0.9366 | | | | | | | 1.08 |
| 2010_IAlg_FT | 964 | MC | 04 | 1 | 757 | 0.0376 | | | | | | | 1.00 |
| 2010_IAlg_FT | 964 | MC | 05 | 1 | 757 | 0.1028 | | | | | | | 0.93 |
| 2010_IAlg_FT | 964 | MC | 06 | 1 | 757 | -0.8850 | | | | | | | 0.94 |
| 2010_IAlg_FT | 964 | MC | 07 | 1 | 757 | -0.7317 | | | | | | | 0.95 |
| 2010_IAlg_FT | 964 | MC | 08 | 1 | 757 | -0.9695 | | | | | | | 0.98 |
| 2010_IAlg_FT | 964 | CR | 09 | 2 | 757 | -0.5593 | -0.6213 | 0.6213 | | | | | 1.16 |
| 2010_IAlg_FT | 964 | CR | 10 | 4 | 757 | 1.1825 | -0.3200 | -0.7678 | 0.2965 | 0.7913 | | | 0.91 |
| 2010_IAlg_FT | 964 | CR | 11 | 3 | 757 | 1.7558 | -0.2464 | 1.7677 | -1.5213 | | | | 0.90 |
| 2010_IAlg_FT | 965 | MC | 01 | 1 | 758 | -0.9519 | | | | | | | 1.03 |
| 2010_IAlg_FT | 965 | MC | 02 | 1 | 758 | 0.1890 | | | | | | | 0.98 |
| 2010_IAlg_FT | 965 | MC | 03 | 1 | 758 | -0.4751 | | | | | | | 0.92 |
| 2010_IAlg_FT | 965 | MC | 04 | 1 | 758 | -0.6830 | | | | | | | 1.08 |
| 2010_IAlg_FT | 965 | MC | 05 | 1 | 758 | -0.0834 | | | | | | | 1.13 |
| 2010_IAlg_FT | 965 | MC | 06 | 1 | 758 | 0.1309 | | | | | | | 1.06 |
| 2010_IAlg_FT | 965 | MC | 07 | 1 | 758 | 0.0418 | | | | | | | 1.03 |
| 2010_IAlg_FT | 965 | MC | 08 | 1 | 758 | -0.0585 | | | | | | | 0.90 |
| 2010_IAlg_FT | 965 | CR | 09 | 3 | 758 | 0.5293 | 0.5168 | 0.6731 | -1.1899 | | | | 0.98 |
| 2010_IAlg_FT | 965 | CR | 10 | 4 | 758 | 1.3354 | -0.4101 | -0.4730 | 0.0485 | 0.8346 | | | 1.05 |
| 2010_IAlg_FT | 965 | CR | 11 | 2 | 758 | 0.7614 | 0.9167 | -0.9167 | | | | | 0.91 |
| 2010_IAlg_FT | 966 | MC | 01 | 1 | 755 | 1.6875 | | | | | | | 1.06 |
| 2010_IAlg_FT | 966 | MC | 02 | 1 | 755 | -0.8297 | | | | | | | 1.06 |

Table 9. Partial Credit Model Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|---------|---------|---------|---------|----|----|-------|
| 2010_IAlg_FT | 966 | MC | 03 | 1 | 755 | -1.3613 | | | | | | | 1.04 |
| 2010_IAlg_FT | 966 | MC | 04 | 1 | 755 | 1.1304 | | | | | | | 1.05 |
| 2010_IAlg_FT | 966 | MC | 05 | 1 | 755 | 0.6193 | | | | | | | 1.12 |
| 2010_IAlg_FT | 966 | MC | 06 | 1 | 755 | -0.5420 | | | | | | | 0.97 |
| 2010_IAlg_FT | 966 | MC | 07 | 1 | 755 | 0.0371 | | | | | | | 0.98 |
| 2010_IAlg_FT | 966 | MC | 08 | 1 | 755 | 0.2154 | | | | | | | 0.94 |
| 2010_IAlg_FT | 966 | CR | 09 | 4 | 755 | 1.0435 | 0.7979 | -0.3381 | 1.2818 | -1.7416 | | | 0.80 |
| 2010_IAlg_FT | 966 | CR | 10 | 3 | 755 | -0.1124 | -0.4697 | 0.0262 | 0.4436 | | | | 0.93 |
| 2010_IAlg_FT | 966 | CR | 11 | 2 | 755 | 0.7435 | -0.4871 | 0.4871 | | | | | 0.91 |
| 2010_IAlg_FT | 967 | MC | 01 | 1 | 750 | -1.8809 | | | | | | | 0.96 |
| 2010_IAlg_FT | 967 | MC | 02 | 1 | 750 | -0.3001 | | | | | | | 0.99 |
| 2010_IAlg_FT | 967 | MC | 03 | 1 | 750 | -0.8174 | | | | | | | 0.92 |
| 2010_IAlg_FT | 967 | MC | 04 | 1 | 750 | 0.3972 | | | | | | | 1.07 |
| 2010_IAlg_FT | 967 | MC | 05 | 1 | 750 | -2.3292 | | | | | | | 0.99 |
| 2010_IAlg_FT | 967 | MC | 06 | 1 | 750 | -0.6189 | | | | | | | 1.14 |
| 2010_IAlg_FT | 967 | MC | 07 | 1 | 750 | 0.7471 | | | | | | | 1.07 |
| 2010_IAlg_FT | 967 | MC | 08 | 1 | 750 | -0.0255 | | | | | | | 1.00 |
| 2010_IAlg_FT | 967 | CR | 09 | 2 | 750 | 0.3005 | -0.1566 | 0.1566 | | | | | 0.92 |
| 2010_IAlg_FT | 967 | CR | 10 | 3 | 750 | 1.0830 | 0.9037 | -0.0164 | -0.8873 | | | | 0.97 |
| 2010_IAlg_FT | 967 | CR | 11 | 4 | 750 | 1.2089 | -0.8477 | -0.4215 | -0.1830 | 1.4523 | | | 0.94 |
| 2010_IAlg_FT | 968 | MC | 01 | 1 | 760 | -0.8081 | | | | | | | 1.02 |
| 2010_IAlg_FT | 968 | MC | 02 | 1 | 760 | -0.2682 | | | | | | | 1.02 |
| 2010_IAlg_FT | 968 | MC | 03 | 1 | 760 | -0.0688 | | | | | | | 0.97 |

Table 9. Partial Credit Model Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|---------|---------|---------|---------|----|----|-------|
| 2010_IAlg_FT | 968 | MC | 04 | 1 | 760 | -1.4324 | | | | | | | 1.00 |
| 2010_IAlg_FT | 968 | MC | 05 | 1 | 760 | 0.1480 | | | | | | | 1.07 |
| 2010_IAlg_FT | 968 | MC | 06 | 1 | 760 | -2.0023 | | | | | | | 1.02 |
| 2010_IAlg_FT | 968 | MC | 07 | 1 | 760 | -0.4598 | | | | | | | 1.02 |
| 2010_IAlg_FT | 968 | MC | 08 | 1 | 760 | 0.0224 | | | | | | | 0.93 |
| 2010_IAlg_FT | 968 | CR | 09 | 3 | 760 | 0.7683 | -0.6514 | 0.3365 | 0.3149 | | | | 0.95 |
| 2010_IAlg_FT | 968 | CR | 10 | 4 | 760 | 1.5367 | 0.6007 | -1.4078 | -0.0527 | 0.8599 | | | 0.91 |
| 2010_IAlg_FT | 968 | CR | 11 | 2 | 760 | 0.0023 | 0.2575 | -0.2575 | | | | | 1.05 |
| 2010_IAlg_FT | 969 | MC | 01 | 1 | 763 | 0.4881 | | | | | | | 1.01 |
| 2010_IAlg_FT | 969 | MC | 02 | 1 | 763 | -0.2166 | | | | | | | 0.96 |
| 2010_IAlg_FT | 969 | MC | 03 | 1 | 763 | -0.2412 | | | | | | | 1.07 |
| 2010_IAlg_FT | 969 | MC | 04 | 1 | 763 | 1.8056 | | | | | | | 1.03 |
| 2010_IAlg_FT | 969 | MC | 05 | 1 | 763 | -0.4617 | | | | | | | 1.08 |
| 2010_IAlg_FT | 969 | MC | 06 | 1 | 763 | -0.5229 | | | | | | | 0.99 |
| 2010_IAlg_FT | 969 | MC | 07 | 1 | 763 | 0.0449 | | | | | | | 0.95 |
| 2010_IAlg_FT | 969 | MC | 08 | 1 | 763 | -0.8208 | | | | | | | 1.02 |
| 2010_IAlg_FT | 969 | CR | 09 | 4 | 763 | 0.8109 | 1.4237 | -0.6519 | 0.5177 | -1.2894 | | | 0.92 |
| 2010_IAlg_FT | 969 | CR | 10 | 2 | 763 | 0.4593 | -0.3543 | 0.3543 | | | | | 1.05 |
| 2010_IAlg_FT | 969 | CR | 11 | 3 | 763 | 0.5254 | -1.1640 | 1.5848 | -0.4208 | | | | 0.91 |
| 2010_IAlg_FT | 970 | MC | 01 | 1 | 751 | -1.6655 | | | | | | | 0.93 |
| 2010_IAlg_FT | 970 | MC | 02 | 1 | 751 | -1.0986 | | | | | | | 1.02 |
| 2010_IAlg_FT | 970 | MC | 03 | 1 | 751 | 0.1092 | | | | | | | 1.02 |
| 2010_IAlg_FT | 970 | MC | 04 | 1 | 751 | 0.6790 | | | | | | | 1.12 |

Table 9. Partial Credit Model Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|--------|---------|---------|---------|----|----|-------|
| 2010_IAlg_FT | 970 | MC | 05 | 1 | 751 | -0.9901 | | | | | | | 1.05 |
| 2010_IAlg_FT | 970 | MC | 06 | 1 | 751 | -1.8100 | | | | | | | 0.92 |
| 2010_IAlg_FT | 970 | MC | 07 | 1 | 751 | 0.2595 | | | | | | | 1.10 |
| 2010_IAlg_FT | 970 | MC | 08 | 1 | 751 | -1.0780 | | | | | | | 1.03 |
| 2010_IAlg_FT | 970 | CR | 09 | 2 | 751 | -0.1928 | 0.2606 | -0.2606 | | | | | 0.93 |
| 2010_IAlg_FT | 970 | CR | 10 | 3 | 751 | 0.7586 | 0.0157 | 0.6242 | -0.6399 | | | | 0.86 |
| 2010_IAlg_FT | 970 | CR | 11 | 4 | 751 | 0.3866 | 0.6643 | -0.5655 | 0.4258 | -0.5246 | | | 0.99 |
| 2010_IAlg_FT | 971 | MC | 01 | 1 | 747 | -1.3782 | | | | | | | 1.12 |
| 2010_IAlg_FT | 971 | MC | 02 | 1 | 747 | -0.0536 | | | | | | | 1.19 |
| 2010_IAlg_FT | 971 | MC | 03 | 1 | 747 | -0.5953 | | | | | | | 0.98 |
| 2010_IAlg_FT | 971 | MC | 04 | 1 | 747 | 0.0682 | | | | | | | 1.15 |
| 2010_IAlg_FT | 971 | MC | 05 | 1 | 747 | -1.5305 | | | | | | | 0.92 |
| 2010_IAlg_FT | 971 | MC | 06 | 1 | 747 | -0.6207 | | | | | | | 0.91 |
| 2010_IAlg_FT | 971 | MC | 07 | 1 | 747 | 0.0488 | | | | | | | 1.10 |
| 2010_IAlg_FT | 971 | MC | 08 | 1 | 747 | -0.9447 | | | | | | | 0.84 |
| 2010_IAlg_FT | 971 | CR | 09 | 3 | 747 | 0.5276 | 0.1726 | 0.8897 | -1.0623 | | | | 1.04 |
| 2010_IAlg_FT | 971 | CR | 10 | 4 | 747 | 0.7997 | 0.5525 | -1.1879 | 0.7723 | -0.1370 | | | 0.81 |
| 2010_IAlg_FT | 971 | CR | 11 | 2 | 747 | 0.6843 | 0.4810 | -0.4810 | | | | | 0.92 |
| 2010_IAlg_FT | 972 | MC | 01 | 1 | 749 | -0.6238 | | | | | | | 0.97 |
| 2010_IAlg_FT | 972 | MC | 02 | 1 | 749 | -0.3444 | | | | | | | 0.96 |
| 2010_IAlg_FT | 972 | MC | 03 | 1 | 749 | -0.2454 | | | | | | | 1.05 |
| 2010_IAlg_FT | 972 | MC | 04 | 1 | 749 | -0.3676 | | | | | | | 1.11 |
| 2010_IAlg_FT | 972 | MC | 05 | 1 | 749 | -0.3850 | | | | | | | 1.02 |

Table 9. Partial Credit Model Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|---------|---------|---------|---------|----|----|-------|
| 2010_IAlg_FT | 972 | MC | 06 | 1 | 749 | 0.7010 | | | | | | | 1.04 |
| 2010_IAlg_FT | 972 | MC | 07 | 1 | 749 | -0.1105 | | | | | | | 1.04 |
| 2010_IAlg_FT | 972 | MC | 08 | 1 | 749 | -0.8073 | | | | | | | 1.08 |
| 2010_IAlg_FT | 972 | CR | 09 | 4 | 749 | 0.2797 | 0.3883 | 0.7236 | 0.5230 | -1.6349 | | | 0.66 |
| 2010_IAlg_FT | 972 | CR | 10 | 2 | 749 | 1.5032 | -0.1725 | 0.1725 | | | | | 0.93 |
| 2010_IAlg_FT | 972 | CR | 11 | | | | | | | | | | |
| 2010_IAlg_FT | 973 | MC | 01 | 1 | 741 | 0.7822 | | | | | | | 1.14 |
| 2010_IAlg_FT | 973 | MC | 02 | 1 | 741 | -0.8904 | | | | | | | 0.98 |
| 2010_IAlg_FT | 973 | MC | 03 | 1 | 741 | -0.7976 | | | | | | | 0.93 |
| 2010_IAlg_FT | 973 | MC | 04 | 1 | 741 | -0.7844 | | | | | | | 1.01 |
| 2010_IAlg_FT | 973 | MC | 05 | 1 | 741 | -0.7385 | | | | | | | 1.05 |
| 2010_IAlg_FT | 973 | MC | 06 | 1 | 741 | -0.9576 | | | | | | | 0.97 |
| 2010_IAlg_FT | 973 | MC | 07 | 1 | 741 | -0.5571 | | | | | | | 1.02 |
| 2010_IAlg_FT | 973 | MC | 08 | 1 | 741 | 0.9380 | | | | | | | 1.16 |
| 2010_IAlg_FT | 973 | CR | 09 | 2 | 741 | 2.1585 | 0.0298 | -0.0298 | | | | | 0.93 |
| 2010_IAlg_FT | 973 | CR | 10 | 3 | 741 | 1.1677 | 0.2714 | 0.1484 | -0.4197 | | | | 0.83 |
| 2010_IAlg_FT | 973 | CR | 11 | 4 | 741 | 1.4270 | 1.7807 | -1.6957 | 0.5524 | -0.6374 | | | 0.99 |
| 2010_IAlg_FT | 974 | MC | 01 | 1 | 732 | 0.3862 | | | | | | | 1.04 |
| 2010_IAlg_FT | 974 | MC | 02 | 1 | 732 | 0.1134 | | | | | | | 1.10 |
| 2010_IAlg_FT | 974 | MC | 03 | 1 | 732 | -0.9143 | | | | | | | 0.96 |
| 2010_IAlg_FT | 974 | MC | 04 | 1 | 732 | -0.7963 | | | | | | | 1.00 |
| 2010_IAlg_FT | 974 | MC | 05 | 1 | 732 | 0.8747 | | | | | | | 1.13 |
| 2010_IAlg_FT | 974 | MC | 06 | 1 | 732 | -1.3886 | | | | | | | 1.10 |

Table 9. Partial Credit Model Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|--------|---------|---------|---------|----|----|-------|
| 2010_IAlg_FT | 974 | MC | 07 | 1 | 732 | 0.4863 | | | | | | | 1.02 |
| 2010_IAlg_FT | 974 | MC | 08 | 1 | 732 | 0.2819 | | | | | | | 0.96 |
| 2010_IAlg_FT | 974 | CR | 09 | 4 | 732 | 1.0707 | 1.1643 | -0.2298 | -1.4225 | 0.4881 | | | 0.94 |
| 2010_IAlg_FT | 974 | CR | 10 | 4 | 732 | 0.3169 | 0.4589 | 0.1057 | -1.1223 | 0.5577 | | | 0.78 |
| 2010_IAlg_FT | 974 | CR | 11 | 2 | 732 | 0.2775 | 0.5647 | -0.5647 | | | | | 0.94 |
| 2010_IAlg_FT | 975 | MC | 01 | 1 | 724 | 1.5118 | | | | | | | 0.94 |
| 2010_IAlg_FT | 975 | MC | 02 | 1 | 724 | 0.5152 | | | | | | | 1.02 |
| 2010_IAlg_FT | 975 | MC | 03 | 1 | 724 | 0.1282 | | | | | | | 1.22 |
| 2010_IAlg_FT | 975 | MC | 04 | 1 | 724 | -1.5374 | | | | | | | 0.92 |
| 2010_IAlg_FT | 975 | MC | 05 | 1 | 724 | -0.5984 | | | | | | | 1.02 |
| 2010_IAlg_FT | 975 | MC | 06 | 1 | 724 | 0.1755 | | | | | | | 1.00 |
| 2010_IAlg_FT | 975 | MC | 07 | 1 | 724 | -0.7540 | | | | | | | 0.91 |
| 2010_IAlg_FT | 975 | MC | 08 | 1 | 724 | -0.3803 | | | | | | | 1.12 |
| 2010_IAlg_FT | 975 | CR | 09 | 2 | 724 | -0.1923 | 1.1425 | -1.1425 | | | | | 0.99 |
| 2010_IAlg_FT | 975 | CR | 10 | 3 | 724 | -0.1305 | 0.5107 | -0.5020 | -0.0088 | | | | 0.93 |
| 2010_IAlg_FT | 975 | CR | 11 | 4 | 724 | 0.6429 | 0.6550 | 0.1163 | -0.3771 | -0.3942 | | | 0.84 |
| 2010_IAlg_FT | 976 | MC | 01 | 1 | 720 | -0.4024 | | | | | | | 1.13 |
| 2010_IAlg_FT | 976 | MC | 02 | 1 | 720 | 0.0632 | | | | | | | 0.99 |
| 2010_IAlg_FT | 976 | MC | 03 | 1 | 720 | -0.2401 | | | | | | | 0.94 |
| 2010_IAlg_FT | 976 | MC | 04 | 1 | 720 | -1.5388 | | | | | | | 0.92 |
| 2010_IAlg_FT | 976 | MC | 05 | 1 | 720 | 0.9063 | | | | | | | 1.09 |
| 2010_IAlg_FT | 976 | MC | 06 | 1 | 720 | -0.3830 | | | | | | | 1.01 |
| 2010_IAlg_FT | 976 | MC | 07 | 1 | 720 | 0.3178 | | | | | | | 0.98 |

Table 9. Partial Credit Model Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|---------|---------|---------|---------|----|----|-------|
| 2010_IAlg_FT | 976 | MC | 08 | 1 | 720 | 0.7389 | | | | | | | 1.15 |
| 2010_IAlg_FT | 976 | CR | 09 | 3 | 720 | 0.1859 | 1.3023 | 0.3346 | -1.6369 | | | | 0.82 |
| 2010_IAlg_FT | 976 | CR | 10 | 4 | 720 | 1.1590 | 1.9526 | -1.8380 | 0.6536 | -0.7682 | | | 1.07 |
| 2010_IAlg_FT | 976 | CR | 11 | 2 | 720 | 1.8343 | -0.1234 | 0.1234 | | | | | 0.88 |
| 2010_IAlg_FT | 977 | MC | 01 | 1 | 724 | -1.4900 | | | | | | | 0.98 |
| 2010_IAlg_FT | 977 | MC | 02 | 1 | 724 | 0.4374 | | | | | | | 1.00 |
| 2010_IAlg_FT | 977 | MC | 03 | 1 | 724 | 0.1418 | | | | | | | 1.08 |
| 2010_IAlg_FT | 977 | MC | 04 | 1 | 724 | -0.5988 | | | | | | | 1.16 |
| 2010_IAlg_FT | 977 | MC | 05 | 1 | 724 | -1.3666 | | | | | | | 0.95 |
| 2010_IAlg_FT | 977 | MC | 06 | 1 | 724 | -0.5027 | | | | | | | 0.93 |
| 2010_IAlg_FT | 977 | MC | 07 | 1 | 724 | 0.3181 | | | | | | | 1.09 |
| 2010_IAlg_FT | 977 | MC | 08 | 1 | 724 | -0.0873 | | | | | | | 0.93 |
| 2010_IAlg_FT | 977 | CR | 09 | 2 | 724 | -0.3383 | 1.0339 | -1.0339 | | | | | 0.98 |
| 2010_IAlg_FT | 977 | CR | 10 | 4 | 724 | -0.0438 | -0.8899 | -0.3264 | 0.2889 | 0.9274 | | | 1.00 |
| 2010_IAlg_FT | 977 | CR | 11 | 3 | 724 | 0.5382 | 1.1219 | -0.2077 | -0.9142 | | | | 0.89 |
| 2010_IAlg_FT | 978 | MC | 01 | 1 | 730 | 0.0384 | | | | | | | 1.01 |
| 2010_IAlg_FT | 978 | MC | 02 | 1 | 730 | 0.3038 | | | | | | | 1.11 |
| 2010_IAlg_FT | 978 | MC | 03 | 1 | 730 | -1.3049 | | | | | | | 1.08 |
| 2010_IAlg_FT | 978 | MC | 04 | 1 | 730 | -0.6631 | | | | | | | 0.85 |
| 2010_IAlg_FT | 978 | MC | 05 | 1 | 730 | -0.8738 | | | | | | | 1.05 |
| 2010_IAlg_FT | 978 | MC | 06 | 1 | 730 | 0.2207 | | | | | | | 1.03 |
| 2010_IAlg_FT | 978 | MC | 07 | 1 | 730 | -0.8008 | | | | | | | 0.98 |
| 2010_IAlg_FT | 978 | MC | 08 | 1 | 730 | 0.2001 | | | | | | | 1.04 |

Table 9. Partial Credit Model Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|--------|---------|---------|---------|----|----|-------|
| 2010_IAlg_FT | 978 | CR | 09 | 2 | 730 | -0.3528 | 0.5462 | -0.5462 | | | | | 1.02 |
| 2010_IAlg_FT | 978 | CR | 10 | 3 | 730 | 0.7660 | 0.1243 | -0.3657 | 0.2414 | | | | 0.90 |
| 2010_IAlg_FT | 978 | CR | 11 | 4 | 730 | 1.2200 | 0.9939 | -0.6670 | 0.5215 | -0.8484 | | | 0.99 |
| 2010_IAlg_FT | 979 | MC | 01 | 1 | 731 | 0.3117 | | | | | | | 1.03 |
| 2010_IAlg_FT | 979 | MC | 02 | 1 | 731 | -0.1080 | | | | | | | 1.18 |
| 2010_IAlg_FT | 979 | MC | 03 | 1 | 731 | -0.5790 | | | | | | | 1.00 |
| 2010_IAlg_FT | 979 | MC | 04 | 1 | 731 | -0.7512 | | | | | | | 1.13 |
| 2010_IAlg_FT | 979 | MC | 05 | 1 | 731 | -1.8862 | | | | | | | 0.94 |
| 2010_IAlg_FT | 979 | MC | 06 | 1 | 731 | 0.2558 | | | | | | | 0.91 |
| 2010_IAlg_FT | 979 | MC | 07 | 1 | 731 | -1.4211 | | | | | | | 0.86 |
| 2010_IAlg_FT | 979 | MC | 08 | 1 | 731 | -0.8387 | | | | | | | 1.09 |
| 2010_IAlg_FT | 979 | CR | 09 | 3 | 731 | 0.7644 | 0.1881 | 0.6589 | -0.8470 | | | | 0.91 |
| 2010_IAlg_FT | 979 | CR | 10 | 4 | 731 | 0.9875 | 0.4352 | 0.3327 | -1.1308 | 0.3629 | | | 0.90 |
| 2010_IAlg_FT | 979 | CR | 11 | 2 | 731 | 0.2035 | 0.9428 | -0.9428 | | | | | 0.95 |
| 2010_IAlg_FT | 980 | MC | 01 | 1 | 742 | -0.8149 | | | | | | | 1.03 |
| 2010_IAlg_FT | 980 | MC | 02 | 1 | 742 | -1.1096 | | | | | | | 0.95 |
| 2010_IAlg_FT | 980 | MC | 03 | 1 | 742 | 0.6018 | | | | | | | 1.00 |
| 2010_IAlg_FT | 980 | MC | 04 | 1 | 742 | 1.2124 | | | | | | | 1.12 |
| 2010_IAlg_FT | 980 | MC | 05 | 1 | 742 | 0.5645 | | | | | | | 0.97 |
| 2010_IAlg_FT | 980 | MC | 06 | 1 | 742 | -0.0671 | | | | | | | 0.93 |
| 2010_IAlg_FT | 980 | MC | 07 | 1 | 742 | -0.7070 | | | | | | | 1.01 |
| 2010_IAlg_FT | 980 | MC | 08 | 1 | 742 | -0.2942 | | | | | | | 1.14 |
| 2010_IAlg_FT | 980 | CR | 09 | 4 | 742 | 1.6445 | 0.7663 | -0.3631 | 0.8152 | -1.2184 | | | 1.08 |

Table 9. Partial Credit Model Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|---------|---------|---------|---------|----|----|-------|
| 2010_IAlg_FT | 980 | CR | 10 | 2 | 742 | 0.0554 | -0.4982 | 0.4982 | | | | | 0.88 |
| 2010_IAlg_FT | 980 | CR | 11 | 3 | 742 | -0.2266 | -0.5546 | 0.8059 | -0.2513 | | | | 0.92 |
| 2010_IAlg_FT | 981 | MC | 01 | 1 | 717 | 0.8398 | | | | | | | 1.15 |
| 2010_IAlg_FT | 981 | MC | 02 | 1 | 717 | -0.6552 | | | | | | | 1.08 |
| 2010_IAlg_FT | 981 | MC | 03 | 1 | 717 | 0.3916 | | | | | | | 0.96 |
| 2010_IAlg_FT | 981 | MC | 04 | 1 | 717 | 0.8230 | | | | | | | 1.08 |
| 2010_IAlg_FT | 981 | MC | 05 | 1 | 717 | 0.0147 | | | | | | | 1.01 |
| 2010_IAlg_FT | 981 | MC | 06 | 1 | 717 | 1.0153 | | | | | | | 1.15 |
| 2010_IAlg_FT | 981 | MC | 07 | 1 | 717 | -0.9573 | | | | | | | 0.92 |
| 2010_IAlg_FT | 981 | MC | 08 | 1 | 717 | -0.2838 | | | | | | | 1.05 |
| 2010_IAlg_FT | 981 | CR | 09 | 2 | 717 | 1.0280 | 0.0024 | -0.0024 | | | | | 0.88 |
| 2010_IAlg_FT | 981 | CR | 10 | 4 | 717 | 0.6255 | 0.2078 | -0.4614 | 0.0426 | 0.2109 | | | 0.84 |
| 2010_IAlg_FT | 981 | CR | 11 | 3 | 717 | -0.2280 | -0.3404 | 1.0592 | -0.7188 | | | | 0.88 |
| 2010_IAlg_FT | 982 | MC | 01 | 1 | 732 | 0.8591 | | | | | | | 1.06 |
| 2010_IAlg_FT | 982 | MC | 02 | 1 | 732 | 0.0175 | | | | | | | 0.99 |
| 2010_IAlg_FT | 982 | MC | 03 | 1 | 732 | -0.8908 | | | | | | | 1.01 |
| 2010_IAlg_FT | 982 | MC | 04 | 1 | 732 | -1.1378 | | | | | | | 0.90 |
| 2010_IAlg_FT | 982 | MC | 05 | 1 | 732 | -0.0268 | | | | | | | 1.06 |
| 2010_IAlg_FT | 982 | MC | 06 | 1 | 732 | 0.3714 | | | | | | | 1.08 |
| 2010_IAlg_FT | 982 | MC | 07 | 1 | 732 | -1.2998 | | | | | | | 0.91 |
| 2010_IAlg_FT | 982 | MC | 08 | 1 | 732 | 0.4126 | | | | | | | 1.07 |
| 2010_IAlg_FT | 982 | CR | 09 | | | | | | | | | | |
| 2010_IAlg_FT | 982 | CR | 10 | 4 | 732 | 0.3949 | -0.7613 | -0.4554 | 1.3471 | -0.1304 | | | 0.92 |

Table 9. Partial Credit Model Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|---------|---------|---------|--------|----|----|-------|
| 2010_IAlg_FT | 982 | CR | 11 | 2 | 732 | 0.1487 | 0.3190 | -0.3190 | | | | | 0.97 |
| 2010_IAlg_FT | 983 | MC | 01 | 1 | 724 | -1.7456 | | | | | | | 0.97 |
| 2010_IAlg_FT | 983 | MC | 02 | 1 | 724 | 0.3128 | | | | | | | 1.03 |
| 2010_IAlg_FT | 983 | MC | 03 | 1 | 724 | 0.0702 | | | | | | | 1.04 |
| 2010_IAlg_FT | 983 | MC | 04 | 1 | 724 | 0.1631 | | | | | | | 1.03 |
| 2010_IAlg_FT | 983 | MC | 05 | 1 | 724 | 0.5645 | | | | | | | 1.13 |
| 2010_IAlg_FT | 983 | MC | 06 | 1 | 724 | 0.2237 | | | | | | | 1.02 |
| 2010_IAlg_FT | 983 | MC | 07 | 1 | 724 | -0.9059 | | | | | | | 1.03 |
| 2010_IAlg_FT | 983 | MC | 08 | 1 | 724 | -0.6421 | | | | | | | 0.96 |
| 2010_IAlg_FT | 983 | CR | 09 | 2 | 724 | -0.2510 | 1.0290 | -1.0290 | | | | | 0.96 |
| 2010_IAlg_FT | 983 | CR | 10 | 3 | 724 | 0.5948 | 0.4833 | 1.6210 | -2.1043 | | | | 0.84 |
| 2010_IAlg_FT | 983 | CR | 11 | 4 | 724 | 0.5661 | 0.0783 | -0.1993 | -0.5257 | 0.6467 | | | 0.99 |
| 2010_IAlg_FT | 984 | MC | 01 | 1 | 732 | 1.0336 | | | | | | | 1.01 |
| 2010_IAlg_FT | 984 | MC | 02 | 1 | 732 | -0.2305 | | | | | | | 1.00 |
| 2010_IAlg_FT | 984 | MC | 03 | 1 | 732 | 0.5566 | | | | | | | 1.14 |
| 2010_IAlg_FT | 984 | MC | 04 | 1 | 732 | -0.1852 | | | | | | | 1.01 |
| 2010_IAlg_FT | 984 | MC | 05 | 1 | 732 | -0.1004 | | | | | | | 0.91 |
| 2010_IAlg_FT | 984 | MC | 06 | 1 | 732 | -0.3785 | | | | | | | 1.03 |
| 2010_IAlg_FT | 984 | MC | 07 | 1 | 732 | 0.3210 | | | | | | | 1.05 |
| 2010_IAlg_FT | 984 | MC | 08 | 1 | 732 | -0.1461 | | | | | | | 1.10 |
| 2010_IAlg_FT | 984 | CR | 09 | 2 | 732 | 1.2464 | -0.1567 | 0.1567 | | | | | 0.97 |
| 2010_IAlg_FT | 984 | CR | 10 | 3 | 732 | 0.1454 | 0.1409 | -0.0771 | -0.0638 | | | | 0.89 |
| 2010_IAlg_FT | 984 | CR | 11 | 4 | 732 | 0.2457 | 0.9384 | -1.7810 | -0.1742 | 1.0168 | | | 0.88 |

Table 9. Partial Credit Model Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|--------|---------|---------|---------|----|----|-------|
| 2010_IAlg_FT | 985 | MC | 01 | 1 | 726 | -1.7316 | | | | | | | 0.87 |
| 2010_IAlg_FT | 985 | MC | 02 | 1 | 726 | -1.3729 | | | | | | | 0.96 |
| 2010_IAlg_FT | 985 | MC | 03 | 1 | 726 | -1.0204 | | | | | | | 1.03 |
| 2010_IAlg_FT | 985 | MC | 04 | 1 | 726 | -0.0055 | | | | | | | 1.09 |
| 2010_IAlg_FT | 985 | MC | 05 | 1 | 726 | -0.5971 | | | | | | | 1.13 |
| 2010_IAlg_FT | 985 | MC | 06 | 1 | 726 | -0.4246 | | | | | | | 1.10 |
| 2010_IAlg_FT | 985 | MC | 07 | 1 | 726 | 0.3264 | | | | | | | 0.93 |
| 2010_IAlg_FT | 985 | MC | 08 | 1 | 726 | 0.3122 | | | | | | | 1.03 |
| 2010_IAlg_FT | 985 | CR | 09 | 2 | 726 | 0.6219 | 0.2406 | -0.2406 | | | | | 0.88 |
| 2010_IAlg_FT | 985 | CR | 10 | 3 | 726 | 0.6718 | 0.1603 | 0.9743 | -1.1346 | | | | 1.05 |
| 2010_IAlg_FT | 985 | CR | 11 | 4 | 726 | 1.0078 | 1.2196 | -0.5907 | -0.6284 | -0.0005 | | | 0.90 |
| 2010_IAlg_FT | 986 | MC | 01 | 1 | 738 | -0.9654 | | | | | | | 1.02 |
| 2010_IAlg_FT | 986 | MC | 02 | 1 | 738 | -1.9227 | | | | | | | 0.89 |
| 2010_IAlg_FT | 986 | MC | 03 | 1 | 738 | 0.7806 | | | | | | | 1.04 |
| 2010_IAlg_FT | 986 | MC | 04 | 1 | 738 | -1.5629 | | | | | | | 0.93 |
| 2010_IAlg_FT | 986 | MC | 05 | 1 | 738 | 0.0676 | | | | | | | 1.04 |
| 2010_IAlg_FT | 986 | MC | 06 | 1 | 738 | -0.0438 | | | | | | | 1.31 |
| 2010_IAlg_FT | 986 | MC | 07 | 1 | 738 | 0.1007 | | | | | | | 1.18 |
| 2010_IAlg_FT | 986 | MC | 08 | 1 | 738 | -0.5707 | | | | | | | 0.96 |
| 2010_IAlg_FT | 986 | CR | 09 | 2 | 738 | 0.3619 | 0.4118 | -0.4118 | | | | | 0.88 |
| 2010_IAlg_FT | 986 | CR | 10 | 3 | 738 | 0.8531 | 0.6821 | -0.8902 | 0.2081 | | | | 0.85 |
| 2010_IAlg_FT | 986 | CR | 11 | 4 | 738 | 0.7390 | 0.4065 | -0.8637 | 0.3743 | 0.0829 | | | 0.77 |
| 2010_IAlg_FT | 987 | MC | 01 | 1 | 739 | -0.2220 | | | | | | | 1.01 |

Table 9. Partial Credit Model Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|---------|---------|---------|---------|----|----|-------|
| 2010_IAlg_FT | 987 | MC | 02 | 1 | 739 | -0.9044 | | | | | | | 0.98 |
| 2010_IAlg_FT | 987 | MC | 03 | 1 | 739 | -1.6708 | | | | | | | 0.93 |
| 2010_IAlg_FT | 987 | MC | 04 | 1 | 739 | 0.1227 | | | | | | | 0.96 |
| 2010_IAlg_FT | 987 | MC | 05 | 1 | 739 | -0.1609 | | | | | | | 1.14 |
| 2010_IAlg_FT | 987 | MC | 06 | 1 | 739 | 0.1086 | | | | | | | 1.10 |
| 2010_IAlg_FT | 987 | MC | 07 | 1 | 739 | 0.1368 | | | | | | | 1.00 |
| 2010_IAlg_FT | 987 | MC | 08 | 1 | 739 | -0.9667 | | | | | | | 1.04 |
| 2010_IAlg_FT | 987 | CR | 09 | 2 | 739 | 0.1857 | 0.8055 | -0.8055 | | | | | 0.87 |
| 2010_IAlg_FT | 987 | CR | 10 | 3 | 739 | 0.9252 | -0.4231 | 0.9669 | -0.5438 | | | | 0.93 |
| 2010_IAlg_FT | 987 | CR | 11 | 4 | 739 | 2.1864 | 0.5842 | -0.6907 | -0.4231 | 0.5296 | | | 1.01 |
| 2010_IAlg_FT | 988 | MC | 01 | 1 | 716 | -0.2285 | | | | | | | 0.99 |
| 2010_IAlg_FT | 988 | MC | 02 | 1 | 716 | -1.2251 | | | | | | | 0.97 |
| 2010_IAlg_FT | 988 | MC | 03 | 1 | 716 | -0.1889 | | | | | | | 1.11 |
| 2010_IAlg_FT | 988 | MC | 04 | 1 | 716 | 0.6744 | | | | | | | 1.01 |
| 2010_IAlg_FT | 988 | MC | 05 | 1 | 716 | -0.7477 | | | | | | | 0.99 |
| 2010_IAlg_FT | 988 | MC | 06 | 1 | 716 | 0.2891 | | | | | | | 1.01 |
| 2010_IAlg_FT | 988 | MC | 07 | 1 | 716 | -0.2350 | | | | | | | 1.05 |
| 2010_IAlg_FT | 988 | MC | 08 | 1 | 716 | 0.6663 | | | | | | | 1.05 |
| 2010_IAlg_FT | 988 | CR | 09 | 2 | 716 | 0.6868 | -0.0502 | 0.0502 | | | | | 0.98 |
| 2010_IAlg_FT | 988 | CR | 10 | 3 | 716 | 0.6803 | 0.3428 | 0.5920 | -0.9348 | | | | 0.82 |
| 2010_IAlg_FT | 988 | CR | 11 | 4 | 716 | 1.8094 | 0.7641 | -0.4714 | 0.8984 | -1.1912 | | | 0.95 |
| 2010_IAlg_FT | 989 | MC | 01 | 1 | 714 | 0.7328 | | | | | | | 1.21 |
| 2010_IAlg_FT | 989 | MC | 02 | 1 | 714 | -0.2305 | | | | | | | 0.99 |

Table 9. Partial Credit Model Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|---------|--------|---------|---------|----|----|-------|
| 2010_IAlg_FT | 989 | MC | 03 | 1 | 714 | 0.2956 | | | | | | | 1.05 |
| 2010_IAlg_FT | 989 | MC | 04 | 1 | 714 | 0.5519 | | | | | | | 0.93 |
| 2010_IAlg_FT | 989 | MC | 05 | 1 | 714 | 0.3027 | | | | | | | 0.93 |
| 2010_IAlg_FT | 989 | MC | 06 | 1 | 714 | -0.8286 | | | | | | | 1.05 |
| 2010_IAlg_FT | 989 | MC | 07 | 1 | 714 | 0.3526 | | | | | | | 1.00 |
| 2010_IAlg_FT | 989 | MC | 08 | 1 | 714 | -0.9997 | | | | | | | 1.01 |
| 2010_IAlg_FT | 989 | CR | 09 | 2 | 714 | 0.8969 | -0.5249 | 0.5249 | | | | | 0.96 |
| 2010_IAlg_FT | 989 | CR | 10 | 3 | 714 | 0.6321 | 1.0815 | 0.1278 | -1.2093 | | | | 0.94 |
| 2010_IAlg_FT | 989 | CR | 11 | 4 | 714 | 0.6790 | 1.3194 | 0.3575 | -0.0905 | -1.5865 | | | 0.94 |
| 2010_IAlg_FT | 990 | MC | 01 | 1 | 705 | -1.0709 | | | | | | | 0.96 |
| 2010_IAlg_FT | 990 | MC | 02 | 1 | 705 | 1.3206 | | | | | | | 1.06 |
| 2010_IAlg_FT | 990 | MC | 03 | 1 | 705 | -1.0995 | | | | | | | 0.94 |
| 2010_IAlg_FT | 990 | MC | 04 | 1 | 705 | 0.2155 | | | | | | | 1.01 |
| 2010_IAlg_FT | 990 | MC | 05 | 1 | 705 | 0.2652 | | | | | | | 1.12 |
| 2010_IAlg_FT | 990 | MC | 06 | 1 | 705 | -0.4064 | | | | | | | 0.99 |
| 2010_IAlg_FT | 990 | MC | 07 | 1 | 705 | -0.0534 | | | | | | | 1.05 |
| 2010_IAlg_FT | 990 | MC | 08 | 1 | 705 | -0.1207 | | | | | | | 1.15 |
| 2010_IAlg_FT | 990 | CR | 09 | 2 | 705 | -0.3057 | -0.6266 | 0.6266 | | | | | 0.86 |
| 2010_IAlg_FT | 990 | CR | 10 | 3 | 705 | 0.1731 | 0.6146 | 0.1373 | -0.7519 | | | | 1.03 |
| 2010_IAlg_FT | 990 | CR | 11 | 4 | 705 | 0.3837 | 0.4081 | 0.8520 | 0.4145 | -1.6746 | | | 0.78 |
| 2010_IAlg_FT | 991 | MC | 01 | 1 | 702 | 0.6151 | | | | | | | 1.01 |
| 2010_IAlg_FT | 991 | MC | 02 | 1 | 702 | 0.6960 | | | | | | | 1.16 |
| 2010_IAlg_FT | 991 | MC | 03 | 1 | 702 | -0.7233 | | | | | | | 1.14 |

Table 9. Partial Credit Model Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|---------|---------|---------|---------|----|----|-------|
| 2010_IAlg_FT | 991 | MC | 04 | 1 | 702 | -0.1123 | | | | | | | 1.05 |
| 2010_IAlg_FT | 991 | MC | 05 | 1 | 702 | 0.3028 | | | | | | | 1.08 |
| 2010_IAlg_FT | 991 | MC | 06 | 1 | 702 | -0.4106 | | | | | | | 0.95 |
| 2010_IAlg_FT | 991 | MC | 07 | 1 | 702 | -1.7582 | | | | | | | 1.03 |
| 2010_IAlg_FT | 991 | MC | 08 | 1 | 702 | -1.0182 | | | | | | | 0.97 |
| 2010_IAlg_FT | 991 | CR | 09 | 2 | 702 | 0.1350 | -0.8484 | 0.8484 | | | | | 0.87 |
| 2010_IAlg_FT | 991 | CR | 10 | 3 | 702 | 0.6356 | 0.0872 | 0.0095 | -0.0967 | | | | 0.90 |
| 2010_IAlg_FT | 991 | CR | 11 | 4 | 702 | 0.3962 | 0.0882 | -0.2074 | 0.5559 | -0.4367 | | | 0.90 |
| 2010_IAlg_FT | 992 | MC | 01 | 1 | 703 | 0.5219 | | | | | | | 1.05 |
| 2010_IAlg_FT | 992 | MC | 02 | 1 | 703 | 1.0963 | | | | | | | 0.98 |
| 2010_IAlg_FT | 992 | MC | 03 | 1 | 703 | -0.4663 | | | | | | | 1.07 |
| 2010_IAlg_FT | 992 | MC | 04 | 1 | 703 | -0.0680 | | | | | | | 1.07 |
| 2010_IAlg_FT | 992 | MC | 05 | 1 | 703 | -1.4043 | | | | | | | 1.00 |
| 2010_IAlg_FT | 992 | MC | 06 | 1 | 703 | 0.0752 | | | | | | | 1.05 |
| 2010_IAlg_FT | 992 | MC | 07 | 1 | 703 | 0.1260 | | | | | | | 1.06 |
| 2010_IAlg_FT | 992 | MC | 08 | 1 | 703 | 0.2366 | | | | | | | 0.93 |
| 2010_IAlg_FT | 992 | CR | 09 | 2 | 703 | 0.0059 | 0.3651 | -0.3651 | | | | | 1.00 |
| 2010_IAlg_FT | 992 | CR | 10 | 3 | 703 | 0.1511 | -0.6989 | 0.5844 | 0.1145 | | | | 0.88 |
| 2010_IAlg_FT | 992 | CR | 11 | 4 | 703 | 1.7772 | -0.5361 | -0.4842 | -0.1538 | 1.1741 | | | 0.92 |
| 2010_IAlg_FT | 993 | MC | 01 | 1 | 710 | 1.4253 | | | | | | | 1.12 |
| 2010_IAlg_FT | 993 | MC | 02 | 1 | 710 | -0.3085 | | | | | | | 1.01 |
| 2010_IAlg_FT | 993 | MC | 03 | 1 | 710 | -1.1111 | | | | | | | 1.04 |
| 2010_IAlg_FT | 993 | MC | 04 | 1 | 710 | 0.1841 | | | | | | | 1.08 |

Table 9. Partial Credit Model Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|---------|---------|---------|--------|----|----|-------|
| 2010_IAlg_FT | 993 | MC | 05 | 1 | 710 | -0.5791 | | | | | | | 0.99 |
| 2010_IAlg_FT | 993 | MC | 06 | 1 | 710 | 0.1216 | | | | | | | 1.07 |
| 2010_IAlg_FT | 993 | MC | 07 | 1 | 710 | -1.0403 | | | | | | | 0.94 |
| 2010_IAlg_FT | 993 | MC | 08 | 1 | 710 | 0.3769 | | | | | | | 1.05 |
| 2010_IAlg_FT | 993 | CR | 09 | 2 | 710 | 0.7173 | 0.6733 | -0.6733 | | | | | 0.97 |
| 2010_IAlg_FT | 993 | CR | 10 | 3 | 710 | 0.9972 | 0.6135 | 2.9503 | -3.5638 | | | | 0.91 |
| 2010_IAlg_FT | 993 | CR | 11 | 4 | 710 | 1.0019 | 0.1147 | -0.4363 | 0.0757 | 0.2460 | | | 0.81 |
| 2010_IAlg_FT | 994 | MC | 01 | 1 | 717 | 0.8478 | | | | | | | 1.26 |
| 2010_IAlg_FT | 994 | MC | 02 | 1 | 717 | 2.0543 | | | | | | | 1.05 |
| 2010_IAlg_FT | 994 | MC | 03 | 1 | 717 | -0.2258 | | | | | | | 1.05 |
| 2010_IAlg_FT | 994 | MC | 04 | 1 | 717 | -0.7969 | | | | | | | 0.97 |
| 2010_IAlg_FT | 994 | MC | 05 | 1 | 717 | -0.1657 | | | | | | | 1.04 |
| 2010_IAlg_FT | 994 | MC | 06 | 1 | 717 | -0.5833 | | | | | | | 1.08 |
| 2010_IAlg_FT | 994 | MC | 07 | 1 | 717 | -0.3387 | | | | | | | 1.16 |
| 2010_IAlg_FT | 994 | MC | 08 | 1 | 717 | -0.6497 | | | | | | | 1.09 |
| 2010_IAlg_FT | 994 | CR | 09 | 2 | 717 | -0.8483 | -0.0079 | 0.0079 | | | | | 0.92 |
| 2010_IAlg_FT | 994 | CR | 10 | 3 | 717 | 0.1723 | 0.4227 | -0.9375 | 0.5148 | | | | 0.69 |
| 2010_IAlg_FT | 994 | CR | 11 | 4 | 717 | 0.5076 | -0.6096 | -0.4713 | 0.5215 | 0.5594 | | | 0.68 |
| 2010_IAlg_FT | 995 | MC | 01 | 1 | 723 | 0.8430 | | | | | | | 1.08 |
| 2010_IAlg_FT | 995 | MC | 02 | 1 | 723 | -0.9316 | | | | | | | 1.08 |
| 2010_IAlg_FT | 995 | MC | 03 | 1 | 723 | 0.0471 | | | | | | | 1.06 |
| 2010_IAlg_FT | 995 | MC | 04 | 1 | 723 | -0.9929 | | | | | | | 0.97 |
| 2010_IAlg_FT | 995 | MC | 05 | 1 | 723 | -0.0465 | | | | | | | 1.00 |

Table 9. Partial Credit Model Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|---------|---------|---------|---------|----|----|-------|
| 2010_IAlg_FT | 995 | MC | 06 | 1 | 723 | -0.8375 | | | | | | | 1.08 |
| 2010_IAlg_FT | 995 | MC | 07 | 1 | 723 | 0.5758 | | | | | | | 1.08 |
| 2010_IAlg_FT | 995 | MC | 08 | 1 | 723 | -0.0863 | | | | | | | 1.05 |
| 2010_IAlg_FT | 995 | CR | 09 | 2 | 723 | 0.0729 | -0.4139 | 0.4139 | | | | | 0.97 |
| 2010_IAlg_FT | 995 | CR | 10 | 3 | 723 | -0.2624 | -0.0480 | -0.7338 | 0.7818 | | | | 0.86 |
| 2010_IAlg_FT | 995 | CR | 11 | 4 | 723 | 0.1079 | 1.9782 | -2.6409 | -0.1421 | 0.8048 | | | 0.79 |
| 2010_IAlg_FT | 996 | MC | 01 | 1 | 724 | -0.1356 | | | | | | | 0.98 |
| 2010_IAlg_FT | 996 | MC | 02 | 1 | 724 | -0.3585 | | | | | | | 1.01 |
| 2010_IAlg_FT | 996 | MC | 03 | 1 | 724 | -0.5043 | | | | | | | 1.11 |
| 2010_IAlg_FT | 996 | MC | 04 | 1 | 724 | -1.0182 | | | | | | | 1.02 |
| 2010_IAlg_FT | 996 | MC | 05 | 1 | 724 | 0.5909 | | | | | | | 1.00 |
| 2010_IAlg_FT | 996 | MC | 06 | 1 | 724 | -1.8294 | | | | | | | 0.92 |
| 2010_IAlg_FT | 996 | MC | 07 | 1 | 724 | -0.7668 | | | | | | | 1.14 |
| 2010_IAlg_FT | 996 | MC | 08 | 1 | 724 | 0.7386 | | | | | | | 0.98 |
| 2010_IAlg_FT | 996 | CR | 09 | 2 | 724 | 1.2154 | 0.8859 | -0.8859 | | | | | 0.97 |
| 2010_IAlg_FT | 996 | CR | 10 | 3 | 724 | -0.0907 | -0.4661 | -0.3697 | 0.8358 | | | | 0.99 |
| 2010_IAlg_FT | 996 | CR | 11 | 4 | 724 | -0.3902 | 1.2870 | -0.2552 | -0.3927 | -0.6390 | | | 0.82 |
| 2010_IAlg_FT | 997 | MC | 01 | 1 | 732 | -0.0622 | | | | | | | 0.96 |
| 2010_IAlg_FT | 997 | MC | 02 | 1 | 732 | -0.2856 | | | | | | | 0.94 |
| 2010_IAlg_FT | 997 | MC | 03 | 1 | 732 | 0.7996 | | | | | | | 1.21 |
| 2010_IAlg_FT | 997 | MC | 04 | 1 | 732 | -0.2539 | | | | | | | 0.96 |
| 2010_IAlg_FT | 997 | MC | 05 | 1 | 732 | -1.4552 | | | | | | | 0.99 |
| 2010_IAlg_FT | 997 | MC | 06 | 1 | 732 | -1.2240 | | | | | | | 1.03 |

Table 9. Partial Credit Model Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|---------|---------|---------|---------|----|----|-------|
| 2010_IAlg_FT | 997 | MC | 07 | 1 | 732 | 1.0236 | | | | | | | 1.04 |
| 2010_IAlg_FT | 997 | MC | 08 | 1 | 732 | -0.0945 | | | | | | | 1.07 |
| 2010_IAlg_FT | 997 | CR | 09 | 2 | 732 | 0.1557 | 0.2280 | -0.2280 | | | | | 0.90 |
| 2010_IAlg_FT | 997 | CR | 10 | 4 | 732 | -0.4585 | -0.0980 | -0.5490 | 0.1005 | 0.5465 | | | 0.93 |
| 2010_IAlg_FT | 997 | CR | 11 | 3 | 732 | 1.7649 | 1.6834 | -1.0867 | -0.5968 | | | | 0.88 |
| 2010_IAlg_FT | 998 | MC | 01 | 1 | 724 | -0.6678 | | | | | | | 0.99 |
| 2010_IAlg_FT | 998 | MC | 02 | 1 | 724 | -0.8350 | | | | | | | 1.06 |
| 2010_IAlg_FT | 998 | MC | 03 | 1 | 724 | -1.8160 | | | | | | | 0.95 |
| 2010_IAlg_FT | 998 | MC | 04 | 1 | 724 | 1.6784 | | | | | | | 1.11 |
| 2010_IAlg_FT | 998 | MC | 05 | 1 | 724 | -0.9334 | | | | | | | 0.91 |
| 2010_IAlg_FT | 998 | MC | 06 | 1 | 724 | -0.8416 | | | | | | | 0.92 |
| 2010_IAlg_FT | 998 | MC | 07 | 1 | 724 | 0.6172 | | | | | | | 1.08 |
| 2010_IAlg_FT | 998 | MC | 08 | 1 | 724 | -0.7510 | | | | | | | 1.10 |
| 2010_IAlg_FT | 998 | CR | 09 | 2 | 724 | -1.5481 | 1.2243 | -1.2243 | | | | | 0.90 |
| 2010_IAlg_FT | 998 | CR | 10 | 3 | 724 | 0.4223 | 0.5799 | -0.2692 | -0.3107 | | | | 0.94 |
| 2010_IAlg_FT | 998 | CR | 11 | 4 | 724 | -0.6656 | 1.4917 | -0.5563 | -0.4302 | -0.5052 | | | 0.89 |
| 2010_IAlg_FT | 999 | MC | 01 | 1 | 710 | -3.2733 | | | | | | | 0.85 |
| 2010_IAlg_FT | 999 | MC | 02 | 1 | 710 | -0.3943 | | | | | | | 1.20 |
| 2010_IAlg_FT | 999 | MC | 03 | 1 | 710 | -1.6925 | | | | | | | 0.96 |
| 2010_IAlg_FT | 999 | MC | 04 | 1 | 710 | -0.9622 | | | | | | | 1.05 |
| 2010_IAlg_FT | 999 | MC | 05 | 1 | 710 | -1.2839 | | | | | | | 0.92 |
| 2010_IAlg_FT | 999 | MC | 06 | 1 | 710 | -1.2247 | | | | | | | 0.91 |
| 2010_IAlg_FT | 999 | MC | 07 | 1 | 710 | 0.2105 | | | | | | | 1.09 |

Table 9. Partial Credit Model Item Analysis (continued)

| Test | Form | Type | Item | Max | N-Count | RID | S1 | S2 | S3 | S4 | S5 | S6 | INFIT |
|--------------|------|------|------|-----|---------|---------|---------|--------|---------|--------|----|----|-------|
| 2010_IAlg_FT | 999 | MC | 08 | 1 | 710 | 2.0120 | | | | | | | 1.02 |
| 2010_IAlg_FT | 999 | CR | 09 | 2 | 710 | -0.5205 | -0.0851 | 0.0851 | | | | | 1.04 |
| 2010_IAlg_FT | 999 | CR | 10 | 3 | 710 | 0.5373 | -0.8507 | 1.2678 | -0.4171 | | | | 0.93 |
| 2010_IAlg_FT | 999 | CR | 11 | 4 | 710 | 0.4382 | -0.0429 | 0.1852 | -0.1653 | 0.0230 | | | 0.77 |

Appendix C: DIF Statistics

Table 10. DIF Statistics

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 960 | 1 | MC | 0.02 | 0.00 | 0.03 | | |
| 960 | 2 | MC | -1.00 | 6.63 | -0.19 | B | M |
| 960 | 3 | MC | -0.71 | 3.34 | -0.12 | | |
| 960 | 4 | MC | 0.04 | 0.01 | 0.00 | | |
| 960 | 5 | MC | -0.30 | 0.63 | -0.06 | | |
| 960 | 6 | MC | -0.24 | 0.31 | -0.06 | | |
| 960 | 7 | MC | -0.48 | 1.12 | -0.08 | | |
| 960 | 8 | MC | 0.39 | 0.89 | 0.06 | | |
| 960 | 9 | OE | | 1.65 | -0.08 | | |
| 960 | 10 | OE | | 7.60 | 0.14 | | |
| 960 | 11 | OE | | 0.12 | 0.02 | | |
| 961 | 1 | MC | 0.11 | 0.08 | 0.04 | | |
| 961 | 2 | MC | 0.45 | 1.30 | 0.07 | | |
| 961 | 3 | MC | -0.76 | 3.66 | -0.13 | | |
| 961 | 4 | MC | -0.25 | 0.43 | -0.05 | | |
| 961 | 5 | MC | -0.01 | 0.00 | -0.01 | | |
| 961 | 6 | MC | -0.16 | 0.16 | -0.02 | | |
| 961 | 7 | MC | 0.75 | 3.58 | 0.13 | | |
| 961 | 8 | MC | -0.13 | 0.10 | -0.01 | | |
| 961 | 9 | OE | | 14.24 | -0.23 | BB | M |
| 961 | 10 | OE | | 0.22 | 0.02 | | |
| 961 | 11 | OE | | 4.33 | 0.12 | | |

Table 10. DIF Statistics (continued)

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 962 | 1 | MC | 0.24 | 0.39 | 0.04 | | |
| 962 | 2 | MC | -0.12 | 0.06 | -0.02 | | |
| 962 | 3 | MC | -0.72 | 3.55 | -0.13 | | |
| 962 | 4 | MC | -0.50 | 1.80 | -0.09 | | |
| 962 | 5 | MC | 0.32 | 0.63 | 0.03 | | |
| 962 | 6 | MC | -0.46 | 0.94 | -0.06 | | |
| 962 | 7 | MC | 1.36 | 11.89 | 0.26 | B | F |
| 962 | 8 | MC | -0.07 | 0.03 | -0.01 | | |
| 962 | 9 | OE | | 0.26 | -0.03 | | |
| 962 | 10 | OE | | 0.45 | 0.05 | | |
| 962 | 11 | OE | | 0.02 | -0.01 | | |
| 963 | 1 | MC | 0.20 | 0.20 | 0.03 | | |
| 963 | 2 | MC | -0.99 | 5.67 | -0.15 | | |
| 963 | 3 | MC | -0.84 | 4.48 | -0.13 | | |
| 963 | 4 | MC | -0.25 | 0.38 | -0.03 | | |
| 963 | 5 | MC | 0.10 | 0.04 | 0.03 | | |
| 963 | 6 | MC | 1.08 | 7.61 | 0.18 | B | F |
| 963 | 7 | MC | -0.20 | 0.21 | -0.03 | | |
| 963 | 8 | MC | -0.62 | 2.53 | -0.09 | | |
| 963 | 9 | OE | | 0.27 | -0.02 | | |
| 963 | 10 | OE | | 0.16 | -0.03 | | |
| 963 | 11 | OE | | 15.35 | 0.26 | CC | F |

Table 10. DIF Statistics (continued)

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 964 | 1 | MC | -0.27 | 0.47 | -0.05 | | |
| 964 | 2 | MC | 0.09 | 0.06 | 0.04 | | |
| 964 | 3 | MC | -0.21 | 0.23 | -0.06 | | |
| 964 | 4 | MC | 0.15 | 0.13 | 0.02 | | |
| 964 | 5 | MC | 0.17 | 0.18 | 0.03 | | |
| 964 | 6 | MC | -0.25 | 0.38 | -0.04 | | |
| 964 | 7 | MC | -0.75 | 3.42 | -0.10 | | |
| 964 | 8 | MC | 0.19 | 0.23 | 0.05 | | |
| 964 | 9 | OE | | 1.19 | 0.06 | | |
| 964 | 10 | OE | | 0.08 | -0.03 | | |
| 964 | 11 | OE | | 0.63 | 0.05 | | |
| 965 | 1 | MC | 0.23 | 0.37 | 0.09 | | |
| 965 | 2 | MC | -0.15 | 0.14 | 0.02 | | |
| 965 | 3 | MC | -0.21 | 0.29 | 0.02 | | |
| 965 | 4 | MC | -0.23 | 0.39 | 0.01 | | |
| 965 | 5 | MC | 0.31 | 0.71 | 0.11 | | |
| 965 | 6 | MC | 0.04 | 0.01 | 0.05 | | |
| 965 | 7 | MC | 0.16 | 0.17 | 0.06 | | |
| 965 | 8 | MC | 0.28 | 0.49 | 0.09 | | |
| 965 | 9 | OE | | 4.54 | -0.06 | | |
| 965 | 10 | OE | | 0.02 | 0.04 | | |
| 965 | 11 | OE | | 3.49 | 0.18 | | |
| 966 | 1 | MC | -1.15 | 4.38 | -0.14 | B | M |

Table 10. DIF Statistics (continued)

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 966 | 2 | MC | 0.79 | 4.47 | 0.14 | | |
| 966 | 3 | MC | -0.19 | 0.23 | -0.01 | | |
| 966 | 4 | MC | -0.20 | 0.20 | -0.03 | | |
| 966 | 5 | MC | -0.38 | 0.87 | -0.06 | | |
| 966 | 6 | MC | -0.28 | 0.52 | -0.03 | | |
| 966 | 7 | MC | 0.73 | 3.63 | 0.15 | | |
| 966 | 8 | MC | -0.86 | 4.46 | -0.14 | | |
| 966 | 9 | OE | | 0.11 | 0.00 | | |
| 966 | 10 | OE | | 3.06 | 0.13 | | |
| 966 | 11 | OE | | 0.48 | -0.03 | | |
| 967 | 1 | MC | 0.07 | 0.02 | 0.01 | | |
| 967 | 2 | MC | -1.73 | 18.70 | -0.26 | C | M |
| 967 | 3 | MC | 0.38 | 0.82 | 0.06 | | |
| 967 | 4 | MC | -0.89 | 4.91 | -0.15 | | |
| 967 | 5 | MC | -0.32 | 0.40 | -0.03 | | |
| 967 | 6 | MC | -0.37 | 0.98 | -0.07 | | |
| 967 | 7 | MC | 0.73 | 3.01 | 0.13 | | |
| 967 | 8 | MC | 0.43 | 1.25 | 0.08 | | |
| 967 | 9 | OE | | 0.89 | 0.05 | | |
| 967 | 10 | OE | | 0.62 | 0.06 | | |
| 967 | 11 | OE | | 1.18 | 0.07 | | |
| 968 | 1 | MC | -0.74 | 3.44 | -0.11 | | |
| 968 | 2 | MC | 0.22 | 0.33 | 0.06 | | |

Table 10. DIF Statistics (continued)

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 968 | 3 | MC | 0.06 | 0.02 | 0.02 | | |
| 968 | 4 | MC | -0.76 | 3.29 | -0.10 | | |
| 968 | 5 | MC | -0.34 | 0.76 | -0.04 | | |
| 968 | 6 | MC | 0.53 | 1.27 | 0.09 | | |
| 968 | 7 | MC | 0.17 | 0.19 | 0.06 | | |
| 968 | 8 | MC | -0.58 | 1.92 | -0.06 | | |
| 968 | 9 | OE | | 24.87 | 0.31 | CC | F |
| 968 | 10 | OE | | 0.08 | 0.05 | | |
| 968 | 11 | OE | | 5.56 | -0.11 | | |
| 969 | 1 | MC | 0.37 | 0.77 | 0.08 | | |
| 969 | 2 | MC | 1.23 | 9.97 | 0.23 | B | F |
| 969 | 3 | MC | -2.16 | 31.13 | -0.35 | C | M |
| 969 | 4 | MC | -0.43 | 0.58 | -0.02 | | |
| 969 | 5 | MC | 0.62 | 2.81 | 0.15 | | |
| 969 | 6 | MC | 0.51 | 1.75 | 0.11 | | |
| 969 | 7 | MC | 0.64 | 2.58 | 0.14 | | |
| 969 | 8 | MC | -0.72 | 3.49 | -0.10 | | |
| 969 | 9 | OE | | 1.63 | 0.14 | | |
| 969 | 10 | OE | | 1.41 | -0.03 | | |
| 969 | 11 | OE | | 0.57 | 0.01 | | |
| 970 | 1 | MC | -0.96 | 4.10 | -0.07 | | |
| 970 | 2 | MC | 0.31 | 0.61 | 0.10 | | |
| 970 | 3 | MC | -0.37 | 0.86 | 0.00 | | |

Table 10. DIF Statistics (continued)

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 970 | 4 | MC | -0.77 | 3.59 | -0.11 | | |
| 970 | 5 | MC | 0.50 | 1.58 | 0.13 | | |
| 970 | 6 | MC | -0.62 | 1.70 | -0.01 | | |
| 970 | 7 | MC | -1.01 | 6.55 | -0.13 | B | M |
| 970 | 8 | MC | 0.06 | 0.02 | 0.06 | | |
| 970 | 9 | OE | | 3.50 | 0.16 | | |
| 970 | 10 | OE | | 9.92 | 0.26 | CC | F |
| 970 | 11 | OE | | 0.51 | 0.03 | | |
| 971 | 1 | MC | -1.34 | 10.51 | -0.24 | B | M |
| 971 | 2 | MC | 0.29 | 0.63 | 0.07 | | |
| 971 | 3 | MC | 0.06 | 0.02 | 0.01 | | |
| 971 | 4 | MC | -1.12 | 8.68 | -0.23 | B | M |
| 971 | 5 | MC | -0.16 | 0.12 | -0.03 | | |
| 971 | 6 | MC | -0.96 | 5.07 | -0.14 | | |
| 971 | 7 | MC | -0.39 | 1.05 | -0.08 | | |
| 971 | 8 | MC | 0.04 | 0.01 | 0.00 | | |
| 971 | 9 | OE | | 0.01 | 0.01 | | |
| 971 | 10 | OE | | 8.94 | 0.17 | | |
| 971 | 11 | OE | | 5.56 | 0.14 | | |
| 972 | 1 | MC | -0.81 | 4.32 | -0.14 | | |
| 972 | 2 | MC | 0.19 | 0.24 | 0.04 | | |
| 972 | 3 | MC | 0.70 | 3.60 | 0.11 | | |
| 972 | 4 | MC | -0.33 | 0.81 | -0.04 | | |

Table 10. DIF Statistics (continued)

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 972 | 5 | MC | 0.39 | 1.10 | 0.08 | | |
| 972 | 6 | MC | 0.03 | 0.01 | -0.01 | | |
| 972 | 7 | MC | 0.29 | 0.60 | 0.07 | | |
| 972 | 8 | MC | 0.32 | 0.72 | 0.06 | | |
| 972 | 9 | OE | | 0.22 | -0.01 | | |
| 972 | 10 | OE | | 2.27 | -0.08 | | |
| 972 | 11 | OE | | | | | |
| 973 | 1 | MC | -0.91 | 4.83 | -0.12 | | |
| 973 | 2 | MC | 0.67 | 2.80 | 0.14 | | |
| 973 | 3 | MC | -0.06 | 0.02 | 0.02 | | |
| 973 | 4 | MC | 0.39 | 1.00 | 0.09 | | |
| 973 | 5 | MC | -0.30 | 0.61 | -0.03 | | |
| 973 | 6 | MC | -0.74 | 3.34 | -0.09 | | |
| 973 | 7 | MC | 0.40 | 1.06 | 0.10 | | |
| 973 | 8 | MC | -0.15 | 0.13 | -0.02 | | |
| 973 | 9 | OE | | 1.83 | -0.05 | | |
| 973 | 10 | OE | | 8.50 | 0.23 | BB | F |
| 973 | 11 | OE | | 0.91 | 0.01 | | |
| 974 | 1 | MC | 0.28 | 0.46 | 0.05 | | |
| 974 | 2 | MC | -0.68 | 3.11 | -0.13 | | |
| 974 | 3 | MC | -0.02 | 0.00 | 0.00 | | |
| 974 | 4 | MC | 0.31 | 0.61 | 0.05 | | |
| 974 | 5 | MC | -0.53 | 1.49 | -0.10 | | |

Table 10. DIF Statistics (continued)

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 974 | 6 | MC | 0.02 | 0.00 | 0.00 | | |
| 974 | 7 | MC | -1.27 | 9.20 | -0.21 | B | M |
| 974 | 8 | MC | -0.61 | 2.19 | -0.10 | | |
| 974 | 9 | OE | | 2.56 | 0.10 | | |
| 974 | 10 | OE | | 1.72 | 0.05 | | |
| 974 | 11 | OE | | 0.09 | 0.02 | | |
| 975 | 1 | MC | 0.55 | 0.90 | 0.08 | | |
| 975 | 2 | MC | -0.42 | 1.02 | -0.06 | | |
| 975 | 3 | MC | 0.32 | 0.69 | 0.06 | | |
| 975 | 4 | MC | 0.19 | 0.17 | 0.02 | | |
| 975 | 5 | MC | -0.33 | 0.72 | -0.06 | | |
| 975 | 6 | MC | 0.42 | 1.03 | 0.06 | | |
| 975 | 7 | MC | -0.47 | 1.30 | -0.07 | | |
| 975 | 8 | MC | 0.46 | 1.51 | 0.10 | | |
| 975 | 9 | OE | | 8.02 | -0.18 | BB | M |
| 975 | 10 | OE | | 0.05 | 0.01 | | |
| 975 | 11 | OE | | 2.66 | 0.08 | | |
| 976 | 1 | MC | 0.75 | 3.94 | 0.13 | | |
| 976 | 2 | MC | 0.03 | 0.01 | 0.01 | | |
| 976 | 3 | MC | -0.62 | 2.30 | -0.09 | | |
| 976 | 4 | MC | -1.02 | 4.69 | -0.12 | B | M |
| 976 | 5 | MC | 0.22 | 0.24 | 0.05 | | |
| 976 | 6 | MC | 0.16 | 0.16 | 0.03 | | |

Table 10. DIF Statistics (continued)

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 976 | 7 | MC | -0.21 | 0.24 | -0.04 | | |
| 976 | 8 | MC | 0.05 | 0.01 | -0.03 | | |
| 976 | 9 | OE | | 0.02 | 0.00 | | |
| 976 | 10 | OE | | 0.00 | 0.02 | | |
| 976 | 11 | OE | | 1.57 | 0.11 | | |
| 977 | 1 | MC | -0.63 | 1.95 | -0.08 | | |
| 977 | 2 | MC | 0.16 | 0.15 | 0.03 | | |
| 977 | 3 | MC | 0.43 | 1.22 | 0.10 | | |
| 977 | 4 | MC | 0.17 | 0.22 | 0.04 | | |
| 977 | 5 | MC | -0.42 | 0.91 | -0.04 | | |
| 977 | 6 | MC | -0.48 | 1.28 | -0.06 | | |
| 977 | 7 | MC | -0.14 | 0.12 | -0.02 | | |
| 977 | 8 | MC | 0.11 | 0.08 | 0.04 | | |
| 977 | 9 | OE | | 6.49 | -0.12 | | |
| 977 | 10 | OE | | 1.76 | 0.10 | | |
| 977 | 11 | OE | | 2.25 | 0.11 | | |
| 978 | 1 | MC | 1.02 | 6.67 | 0.18 | B | F |
| 978 | 2 | MC | 0.44 | 1.26 | 0.08 | | |
| 978 | 3 | MC | 0.23 | 0.32 | 0.04 | | |
| 978 | 4 | MC | 0.70 | 2.61 | 0.10 | | |
| 978 | 5 | MC | 0.52 | 1.77 | 0.08 | | |
| 978 | 6 | MC | -0.32 | 0.64 | -0.05 | | |
| 978 | 7 | MC | -0.70 | 3.04 | -0.12 | | |

Table 10. DIF Statistics (continued)

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 978 | 8 | MC | 0.23 | 0.35 | 0.02 | | |
| 978 | 9 | OE | | 8.24 | -0.15 | | |
| 978 | 10 | OE | | 0.07 | 0.00 | | |
| 978 | 11 | OE | | 0.00 | -0.03 | | |
| 979 | 1 | MC | -1.99 | 23.53 | -0.37 | C | M |
| 979 | 2 | MC | 0.33 | 0.77 | 0.04 | | |
| 979 | 3 | MC | -0.82 | 4.40 | -0.10 | | |
| 979 | 4 | MC | -0.34 | 0.85 | -0.06 | | |
| 979 | 5 | MC | 0.53 | 1.22 | 0.09 | | |
| 979 | 6 | MC | 0.10 | 0.06 | 0.01 | | |
| 979 | 7 | MC | 1.34 | 7.57 | 0.16 | B | F |
| 979 | 8 | MC | -1.06 | 7.46 | -0.16 | B | M |
| 979 | 9 | OE | | 14.93 | 0.19 | BB | F |
| 979 | 10 | OE | | 0.09 | 0.03 | | |
| 979 | 11 | OE | | 0.08 | -0.02 | | |
| 980 | 1 | MC | -0.35 | 0.85 | -0.06 | | |
| 980 | 2 | MC | -0.64 | 2.42 | -0.09 | | |
| 980 | 3 | MC | 0.95 | 4.78 | 0.16 | | |
| 980 | 4 | MC | 0.33 | 0.46 | 0.09 | | |
| 980 | 5 | MC | -1.55 | 11.89 | -0.21 | C | M |
| 980 | 6 | MC | 0.31 | 0.58 | 0.05 | | |
| 980 | 7 | MC | -0.37 | 0.89 | -0.05 | | |
| 980 | 8 | MC | 0.39 | 1.15 | 0.10 | | |

Table 10. DIF Statistics (continued)

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 980 | 9 | OE | | 0.93 | -0.03 | | |
| 980 | 10 | OE | | 1.82 | -0.09 | | |
| 980 | 11 | OE | | 7.02 | 0.16 | | |
| 981 | 1 | MC | -0.57 | 1.75 | -0.10 | | |
| 981 | 2 | MC | -1.64 | 18.40 | -0.31 | C | M |
| 981 | 3 | MC | -0.55 | 1.70 | -0.08 | | |
| 981 | 4 | MC | -0.10 | 0.05 | -0.01 | | |
| 981 | 5 | MC | -0.57 | 1.98 | -0.09 | | |
| 981 | 6 | MC | -0.09 | 0.04 | -0.02 | | |
| 981 | 7 | MC | 0.45 | 1.10 | 0.07 | | |
| 981 | 8 | MC | -0.37 | 0.90 | -0.06 | | |
| 981 | 9 | OE | | 5.93 | 0.15 | | |
| 981 | 10 | OE | | 6.26 | 0.13 | | |
| 981 | 11 | OE | | 0.45 | 0.03 | | |
| 982 | 1 | MC | 0.32 | 0.54 | 0.07 | | |
| 982 | 2 | MC | -0.44 | 1.20 | -0.06 | | |
| 982 | 3 | MC | 0.39 | 0.96 | 0.06 | | |
| 982 | 4 | MC | 0.42 | 0.89 | 0.06 | | |
| 982 | 5 | MC | -0.47 | 1.45 | -0.08 | | |
| 982 | 6 | MC | 0.31 | 0.62 | 0.05 | | |
| 982 | 7 | MC | 0.31 | 0.48 | 0.05 | | |
| 982 | 8 | MC | -0.08 | 0.04 | -0.02 | | |
| 982 | 9 | OE | | | | | |

Table 10. DIF Statistics (continued)

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 982 | 10 | OE | | 1.17 | 0.05 | | |
| 982 | 11 | OE | | 5.09 | -0.13 | | |
| 983 | 1 | MC | 0.04 | 0.01 | 0.00 | | |
| 983 | 2 | MC | 0.14 | 0.12 | 0.03 | | |
| 983 | 3 | MC | -0.31 | 0.60 | -0.05 | | |
| 983 | 4 | MC | -0.72 | 3.39 | -0.15 | | |
| 983 | 5 | MC | 0.43 | 1.07 | 0.07 | | |
| 983 | 6 | MC | 0.17 | 0.17 | 0.02 | | |
| 983 | 7 | MC | -0.32 | 0.67 | -0.06 | | |
| 983 | 8 | MC | 0.15 | 0.14 | 0.02 | | |
| 983 | 9 | OE | | 1.34 | -0.07 | | |
| 983 | 10 | OE | | 0.33 | 0.03 | | |
| 983 | 11 | OE | | 1.18 | 0.07 | | |
| 984 | 1 | MC | -0.89 | 3.38 | -0.13 | | |
| 984 | 2 | MC | 0.93 | 5.55 | 0.17 | | |
| 984 | 3 | MC | -0.33 | 0.65 | -0.07 | | |
| 984 | 4 | MC | 0.59 | 2.21 | 0.12 | | |
| 984 | 5 | MC | -0.74 | 3.02 | -0.12 | | |
| 984 | 6 | MC | -0.55 | 2.04 | -0.11 | | |
| 984 | 7 | MC | -0.15 | 0.14 | -0.07 | | |
| 984 | 8 | MC | 0.32 | 0.70 | 0.07 | | |
| 984 | 9 | OE | | 0.89 | -0.06 | | |
| 984 | 10 | OE | | 2.05 | 0.08 | | |

Table 10. DIF Statistics (continued)

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 984 | 11 | OE | | 0.06 | 0.00 | | |
| 985 | 1 | MC | 0.97 | 3.80 | 0.14 | | |
| 985 | 2 | MC | 0.28 | 0.42 | 0.06 | | |
| 985 | 3 | MC | -0.39 | 0.92 | -0.05 | | |
| 985 | 4 | MC | -0.43 | 1.25 | -0.04 | | |
| 985 | 5 | MC | -0.51 | 1.93 | -0.07 | | |
| 985 | 6 | MC | 0.34 | 0.81 | 0.08 | | |
| 985 | 7 | MC | 0.73 | 2.96 | 0.13 | | |
| 985 | 8 | MC | -1.11 | 7.46 | -0.18 | B | M |
| 985 | 9 | OE | | 5.71 | 0.18 | | |
| 985 | 10 | OE | | 0.21 | 0.05 | | |
| 985 | 11 | OE | | 1.83 | -0.05 | | |
| 986 | 1 | MC | -0.13 | 0.10 | 0.00 | | |
| 986 | 2 | MC | -0.05 | 0.01 | -0.02 | | |
| 986 | 3 | MC | -0.77 | 3.07 | -0.13 | | |
| 986 | 4 | MC | 0.77 | 2.90 | 0.13 | | |
| 986 | 5 | MC | 0.10 | 0.07 | 0.01 | | |
| 986 | 6 | MC | 0.61 | 2.66 | 0.13 | | |
| 986 | 7 | MC | 0.40 | 1.21 | 0.06 | | |
| 986 | 8 | MC | 0.01 | 0.00 | 0.00 | | |
| 986 | 9 | OE | | 0.24 | -0.06 | | |
| 986 | 10 | OE | | 1.33 | -0.05 | | |
| 986 | 11 | OE | | 0.02 | 0.00 | | |

Table 10. DIF Statistics (continued)

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 987 | 1 | MC | -0.47 | 1.37 | -0.06 | | |
| 987 | 2 | MC | -0.35 | 0.75 | -0.05 | | |
| 987 | 3 | MC | 0.07 | 0.02 | 0.02 | | |
| 987 | 4 | MC | 0.81 | 3.68 | 0.11 | | |
| 987 | 5 | MC | -0.70 | 3.23 | -0.15 | | |
| 987 | 6 | MC | 0.06 | 0.02 | 0.00 | | |
| 987 | 7 | MC | -0.70 | 2.71 | -0.11 | | |
| 987 | 8 | MC | -0.10 | 0.06 | 0.00 | | |
| 987 | 9 | OE | | 0.27 | -0.04 | | |
| 987 | 10 | OE | | 7.90 | 0.15 | | |
| 987 | 11 | OE | | 0.07 | 0.02 | | |
| 988 | 1 | MC | -0.01 | 0.00 | 0.02 | | |
| 988 | 2 | MC | 0.08 | 0.03 | 0.05 | | |
| 988 | 3 | MC | 0.24 | 0.39 | 0.07 | | |
| 988 | 4 | MC | 0.45 | 1.05 | 0.12 | | |
| 988 | 5 | MC | 0.37 | 0.83 | 0.07 | | |
| 988 | 6 | MC | 0.29 | 0.51 | 0.07 | | |
| 988 | 7 | MC | -1.28 | 10.71 | -0.21 | B | M |
| 988 | 8 | MC | -1.11 | 6.19 | -0.15 | B | M |
| 988 | 9 | OE | | 0.12 | 0.06 | | |
| 988 | 10 | OE | | 0.05 | 0.04 | | |
| 988 | 11 | OE | | 5.56 | 0.16 | | |
| 989 | 1 | MC | 0.12 | 0.08 | 0.01 | | |

Table 10. DIF Statistics (continued)

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 989 | 2 | MC | 0.00 | 0.00 | 0.04 | | |
| 989 | 3 | MC | 0.27 | 0.46 | 0.05 | | |
| 989 | 4 | MC | 0.58 | 1.76 | 0.12 | | |
| 989 | 5 | MC | -0.33 | 0.61 | -0.04 | | |
| 989 | 6 | MC | 0.41 | 1.13 | 0.08 | | |
| 989 | 7 | MC | -0.79 | 3.57 | -0.12 | | |
| 989 | 8 | MC | 0.64 | 2.58 | 0.13 | | |
| 989 | 9 | OE | | 6.54 | -0.15 | | |
| 989 | 10 | OE | | 3.02 | 0.12 | | |
| 989 | 11 | OE | | 1.21 | -0.06 | | |
| 990 | 1 | MC | -0.33 | 0.65 | -0.04 | | |
| 990 | 2 | MC | -0.41 | 0.68 | -0.07 | | |
| 990 | 3 | MC | 0.71 | 2.66 | 0.09 | | |
| 990 | 4 | MC | -0.27 | 0.44 | -0.07 | | |
| 990 | 5 | MC | -0.58 | 2.21 | -0.11 | | |
| 990 | 6 | MC | -0.28 | 0.49 | -0.04 | | |
| 990 | 7 | MC | -0.18 | 0.22 | -0.04 | | |
| 990 | 8 | MC | -0.86 | 4.98 | -0.17 | | |
| 990 | 9 | OE | | 0.04 | -0.01 | | |
| 990 | 10 | OE | | 3.11 | 0.11 | | |
| 990 | 11 | OE | | 1.44 | 0.06 | | |
| 991 | 1 | MC | 0.17 | 0.15 | 0.02 | | |
| 991 | 2 | MC | -0.57 | 1.77 | -0.11 | | |

Table 10. DIF Statistics (continued)

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 991 | 3 | MC | -0.51 | 1.74 | -0.09 | | |
| 991 | 4 | MC | -0.53 | 1.81 | -0.09 | | |
| 991 | 5 | MC | 0.56 | 1.90 | 0.09 | | |
| 991 | 6 | MC | -0.18 | 0.20 | -0.02 | | |
| 991 | 7 | MC | -0.60 | 1.75 | -0.10 | | |
| 991 | 8 | MC | 0.75 | 3.20 | 0.12 | | |
| 991 | 9 | OE | | 1.41 | -0.07 | | |
| 991 | 10 | OE | | 3.37 | 0.11 | | |
| 991 | 11 | OE | | 0.11 | 0.02 | | |
| 992 | 1 | MC | -0.04 | 0.01 | 0.00 | | |
| 992 | 2 | MC | -0.18 | 0.14 | -0.02 | | |
| 992 | 3 | MC | -0.38 | 0.92 | -0.06 | | |
| 992 | 4 | MC | 0.70 | 2.99 | 0.12 | | |
| 992 | 5 | MC | 0.29 | 0.46 | 0.05 | | |
| 992 | 6 | MC | 0.13 | 0.10 | 0.03 | | |
| 992 | 7 | MC | -0.40 | 1.00 | -0.08 | | |
| 992 | 8 | MC | -0.71 | 2.52 | -0.11 | | |
| 992 | 9 | OE | | 0.07 | 0.00 | | |
| 992 | 10 | OE | | 0.42 | 0.04 | | |
| 992 | 11 | OE | | 0.08 | -0.02 | | |
| 993 | 1 | MC | -0.12 | 0.06 | -0.01 | | |
| 993 | 2 | MC | 0.58 | 2.03 | 0.12 | | |
| 993 | 3 | MC | -0.26 | 0.40 | -0.05 | | |

Table 10. DIF Statistics (continued)

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 993 | 4 | MC | -0.23 | 0.34 | -0.04 | | |
| 993 | 5 | MC | -0.48 | 1.40 | -0.06 | | |
| 993 | 6 | MC | 0.13 | 0.11 | 0.04 | | |
| 993 | 7 | MC | -0.15 | 0.11 | -0.03 | | |
| 993 | 8 | MC | -0.26 | 0.41 | -0.07 | | |
| 993 | 9 | OE | | 5.11 | 0.16 | | |
| 993 | 10 | OE | | 0.95 | -0.05 | | |
| 993 | 11 | OE | | 0.00 | 0.01 | | |
| 994 | 1 | MC | -0.54 | 1.61 | -0.12 | | |
| 994 | 2 | MC | -1.37 | 4.32 | -0.16 | B | M |
| 994 | 3 | MC | -0.17 | 0.20 | 0.00 | | |
| 994 | 4 | MC | 0.76 | 3.29 | 0.12 | | |
| 994 | 5 | MC | 0.51 | 1.65 | 0.11 | | |
| 994 | 6 | MC | -0.63 | 2.55 | -0.12 | | |
| 994 | 7 | MC | 0.09 | 0.06 | 0.04 | | |
| 994 | 8 | MC | 0.16 | 0.17 | 0.02 | | |
| 994 | 9 | OE | | 13.93 | 0.22 | BB | F |
| 994 | 10 | OE | | 2.82 | -0.09 | | |
| 994 | 11 | OE | | 1.59 | -0.05 | | |
| 995 | 1 | MC | -0.89 | 3.93 | -0.13 | | |
| 995 | 2 | MC | -0.23 | 0.35 | -0.04 | | |
| 995 | 3 | MC | 0.72 | 3.39 | 0.14 | | |
| 995 | 4 | MC | 0.21 | 0.26 | 0.04 | | |

Table 10. DIF Statistics (continued)

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 995 | 5 | MC | -0.55 | 1.80 | -0.09 | | |
| 995 | 6 | MC | 0.06 | 0.03 | 0.00 | | |
| 995 | 7 | MC | -0.39 | 0.88 | -0.08 | | |
| 995 | 8 | MC | 0.07 | 0.04 | 0.01 | | |
| 995 | 9 | OE | | 0.38 | 0.02 | | |
| 995 | 10 | OE | | 0.67 | 0.05 | | |
| 995 | 11 | OE | | 0.04 | -0.01 | | |
| 996 | 1 | MC | 0.14 | 0.12 | 0.02 | | |
| 996 | 2 | MC | -0.69 | 3.20 | -0.12 | | |
| 996 | 3 | MC | -0.18 | 0.22 | -0.03 | | |
| 996 | 4 | MC | -0.41 | 1.09 | -0.07 | | |
| 996 | 5 | MC | -0.81 | 3.71 | -0.15 | | |
| 996 | 6 | MC | -0.76 | 2.43 | -0.10 | | |
| 996 | 7 | MC | -0.72 | 3.67 | -0.14 | | |
| 996 | 8 | MC | -1.02 | 5.29 | -0.17 | B | M |
| 996 | 9 | OE | | 0.76 | 0.06 | | |
| 996 | 10 | OE | | 4.77 | 0.12 | | |
| 996 | 11 | OE | | 4.50 | 0.10 | | |
| 997 | 1 | MC | 0.02 | 0.00 | 0.00 | | |
| 997 | 2 | MC | -0.54 | 1.68 | -0.07 | | |
| 997 | 3 | MC | 0.44 | 1.09 | 0.10 | | |
| 997 | 4 | MC | -0.47 | 1.39 | -0.08 | | |
| 997 | 5 | MC | -0.72 | 2.82 | -0.09 | | |

Table 10. DIF Statistics (continued)

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 997 | 6 | MC | -0.35 | 0.75 | -0.05 | | |
| 997 | 7 | MC | -0.89 | 3.67 | -0.13 | | |
| 997 | 8 | MC | 0.42 | 1.19 | 0.09 | | |
| 997 | 9 | OE | | 0.39 | -0.02 | | |
| 997 | 10 | OE | | 4.45 | 0.12 | | |
| 997 | 11 | OE | | 0.35 | 0.07 | | |
| 998 | 1 | MC | 0.34 | 0.75 | 0.08 | | |
| 998 | 2 | MC | 0.07 | 0.04 | 0.03 | | |
| 998 | 3 | MC | -2.52 | 25.43 | -0.30 | C | M |
| 998 | 4 | MC | 0.05 | 0.01 | 0.02 | | |
| 998 | 5 | MC | -0.48 | 1.27 | -0.06 | | |
| 998 | 6 | MC | -0.34 | 0.65 | -0.05 | | |
| 998 | 7 | MC | -1.42 | 11.44 | -0.24 | B | M |
| 998 | 8 | MC | 0.23 | 0.36 | 0.04 | | |
| 998 | 9 | OE | | 0.14 | 0.00 | | |

Table 10. DIF Statistics (continued)

| Form | Item | Item Type | MH Delta | MH Chi-Sq | Effect Size | DIF Category | Favored Group |
|------|------|-----------|----------|-----------|-------------|--------------|---------------|
| 998 | 10 | OE | | 0.19 | 0.03 | | |
| 998 | 11 | OE | | 8.89 | 0.16 | | |
| 999 | 1 | MC | -0.82 | 0.95 | -0.04 | | |
| 999 | 2 | MC | 0.34 | 0.85 | 0.09 | | |
| 999 | 3 | MC | 0.28 | 0.34 | 0.06 | | |
| 999 | 4 | MC | -0.22 | 0.31 | -0.03 | | |
| 999 | 5 | MC | -0.12 | 0.07 | 0.01 | | |
| 999 | 6 | MC | 0.10 | 0.05 | 0.03 | | |
| 999 | 7 | MC | 0.22 | 0.32 | 0.06 | | |
| 999 | 8 | MC | -0.81 | 1.71 | -0.08 | | |
| 999 | 9 | OE | | 0.86 | 0.09 | | |
| 999 | 10 | OE | | 5.16 | -0.12 | | |
| 999 | 11 | OE | | 1.06 | 0.07 | | |

*DIF Category meanings: A/AA=negligible, B/BB=moderate, C/CC=large

Appendix D: Operational Test Maps

Table 11. Operational Test Map for January 2010

| Position | Item Type | Max Points | Weight | Strand | Mean | Point-Biserial | Rasch | S1 | S2 | S3 | S4 |
|----------|-----------|------------|--------|-----------------------------|------|----------------|-------|----|----|----|----|
| 1 | MC | 1 | 2 | Statistics and Probability | 0.85 | 0.37 | -2.46 | | | | |
| 2 | MC | 1 | 2 | Statistics and Probability | 0.83 | 0.48 | -2.38 | | | | |
| 3 | MC | 1 | 2 | Algebra | 0.79 | 0.45 | -1.90 | | | | |
| 4 | MC | 1 | 2 | Algebra | 0.77 | 0.37 | -1.86 | | | | |
| 5 | MC | 1 | 2 | Algebra | 0.77 | 0.37 | -1.72 | | | | |
| 6 | MC | 1 | 2 | Algebra | 0.75 | 0.45 | -1.78 | | | | |
| 7 | MC | 1 | 2 | Algebra | 0.58 | 0.48 | -0.92 | | | | |
| 8 | MC | 1 | 2 | Algebra | 0.57 | 0.45 | -0.69 | | | | |
| 9 | MC | 1 | 2 | Algebra | 0.57 | 0.40 | -0.71 | | | | |
| 10 | MC | 1 | 2 | Number Sense and Operations | 0.57 | 0.43 | -0.70 | | | | |
| 11 | MC | 1 | 2 | Algebra | 0.56 | 0.38 | -0.65 | | | | |
| 12 | MC | 1 | 2 | Geometry | 0.55 | 0.37 | -0.81 | | | | |
| 13 | MC | 1 | 2 | Algebra | 0.53 | 0.46 | -0.53 | | | | |
| 14 | MC | 1 | 2 | Statistics and Probability | 0.53 | 0.32 | -0.52 | | | | |
| 15 | MC | 1 | 2 | Geometry | 0.53 | 0.45 | -0.55 | | | | |
| 16 | MC | 1 | 2 | Algebra | 0.50 | 0.42 | -0.60 | | | | |
| 17 | MC | 1 | 2 | Geometry | 0.42 | 0.30 | -0.03 | | | | |
| 18 | MC | 1 | 2 | Geometry | 0.42 | 0.46 | 0.00 | | | | |
| 19 | MC | 1 | 2 | Statistics and Probability | 0.41 | 0.42 | 0.03 | | | | |
| 20 | MC | 1 | 2 | Algebra | 0.41 | 0.38 | 0.04 | | | | |

Table 11. Operational Test Map for January 2010 (continued)

| Position | Item Type | Max Points | Weight | Strand | Mean | Point-Biserial | Rasch | S1 | S2 | S3 | S4 |
|----------|-----------|------------|--------|-----------------------------|------|----------------|-------|-------|-------|-------|-------|
| 21 | MC | 1 | 2 | Algebra | 0.38 | 0.46 | 0.09 | | | | |
| 22 | MC | 1 | 2 | Algebra | 0.38 | 0.29 | 0.17 | | | | |
| 23 | MC | 1 | 2 | Algebra | 0.38 | 0.35 | 0.18 | | | | |
| 24 | MC | 1 | 2 | Number Sense and Operations | 0.36 | 0.41 | 0.12 | | | | |
| 25 | MC | 1 | 2 | Algebra | 0.35 | 0.37 | 0.12 | | | | |
| 26 | MC | 1 | 2 | Algebra | 0.35 | 0.22 | 0.31 | | | | |
| 27 | MC | 1 | 2 | Algebra | 0.35 | 0.24 | 0.33 | | | | |
| 28 | MC | 1 | 2 | Algebra | 0.24 | 0.37 | 0.93 | | | | |
| 29 | MC | 1 | 2 | Geometry | 0.12 | 0.31 | 1.95 | | | | |
| 30 | MC | 1 | 2 | Statistics and Probability | 0.10 | -0.03 | 1.97 | | | | |
| 31 | CR | 2 | 1 | Measurement | 0.66 | 0.58 | 0.05 | -0.26 | 0.26 | | |
| 32 | CR | 2 | 1 | Algebra | 0.29 | 0.46 | 1.33 | 0.96 | -0.96 | | |
| 33 | CR | 2 | 1 | Statistics and Probability | 0.18 | 0.46 | 1.68 | 0.76 | -0.76 | | |
| 34 | CR | 3 | 1 | Algebra | 0.80 | 0.66 | 0.25 | 0.42 | 0.46 | -0.87 | |
| 35 | CR | 3 | 1 | Statistics and Probability | 1.46 | 0.64 | -0.30 | 0.89 | -0.71 | -0.19 | |
| 36 | CR | 3 | 1 | Measurement | 0.27 | 0.46 | 1.70 | 0.10 | 0.33 | -0.43 | |
| 37 | CR | 4 | 1 | Number Sense and Operations | 0.53 | 0.56 | 1.05 | 0.15 | 0.83 | -1.46 | 0.48 |
| 38 | CR | 4 | 1 | Geometry | 0.48 | 0.58 | 1.31 | 1.55 | -0.63 | -0.58 | -0.33 |
| 39 | CR | 4 | 1 | Algebra | 0.42 | 0.56 | 1.14 | 2.29 | -1.22 | 0.11 | -1.19 |

Table 12. Operational Test Map for June 2010

| Position | Item Type | Max Points | Weight | Strand | Mean | PBS | Rasch | S1 | S2 | S3 | S4 |
|----------|-----------|------------|--------|-----------------------------|------|------|-------|----|----|----|----|
| 1 | MC | 1 | 2 | Algebra | 0.75 | 0.47 | -1.72 | | | | |
| 2 | MC | 1 | 2 | Number Sense and Operations | 0.73 | 0.54 | -1.55 | | | | |
| 3 | MC | 1 | 2 | Algebra | 0.71 | 0.50 | -1.45 | | | | |
| 4 | MC | 1 | 2 | Algebra | 0.62 | 0.38 | -0.99 | | | | |
| 5 | MC | 1 | 2 | Geometry | 0.60 | 0.46 | -0.90 | | | | |
| 6 | MC | 1 | 2 | Statistics and Probability | 0.63 | 0.53 | -1.11 | | | | |
| 7 | MC | 1 | 2 | Algebra | 0.59 | 0.41 | -0.81 | | | | |
| 8 | MC | 1 | 2 | Number Sense and Operations | 0.51 | 0.45 | -0.66 | | | | |
| 9 | MC | 1 | 2 | Algebra | 0.44 | 0.37 | -0.10 | | | | |
| 10 | MC | 1 | 2 | Algebra | 0.60 | 0.54 | -0.83 | | | | |
| 11 | MC | 1 | 2 | Statistics and Probability | 0.56 | 0.28 | -0.65 | | | | |
| 12 | MC | 1 | 2 | Algebra | 0.56 | 0.47 | -0.80 | | | | |
| 13 | MC | 1 | 2 | Geometry | 0.54 | 0.36 | -0.57 | | | | |
| 14 | MC | 1 | 2 | Algebra | 0.53 | 0.39 | -0.52 | | | | |
| 15 | MC | 1 | 2 | Algebra | 0.50 | 0.45 | -0.50 | | | | |
| 16 | MC | 1 | 2 | Algebra | 0.47 | 0.46 | -0.31 | | | | |
| 17 | MC | 1 | 2 | Statistics and Probability | 0.45 | 0.31 | -0.17 | | | | |
| 18 | MC | 1 | 2 | Algebra | 0.45 | 0.48 | -0.13 | | | | |
| 19 | MC | 1 | 2 | Algebra | 0.55 | 0.42 | -0.63 | | | | |
| 20 | MC | 1 | 2 | Algebra | 0.44 | 0.44 | -0.11 | | | | |
| 21 | MC | 1 | 2 | Algebra | 0.42 | 0.39 | 0.00 | | | | |

Table 12. Operational Test Map for June 2010 (continued)

| Position | Item Type | Max Points | Weight | Strand | Mean | PBS | Rasch | S1 | S2 | S3 | S4 |
|----------|-----------|------------|--------|-----------------------------|------|------|-------|-------|-------|-------|-------|
| 22 | MC | 1 | 2 | Statistics and Probability | 0.43 | 0.32 | -0.11 | | | | |
| 23 | MC | 1 | 2 | Algebra | 0.39 | 0.31 | 0.08 | | | | |
| 24 | MC | 1 | 2 | Algebra | 0.39 | 0.44 | 0.11 | | | | |
| 25 | MC | 1 | 2 | Measurement | 0.36 | 0.34 | 0.21 | | | | |
| 26 | MC | 1 | 2 | Number Sense and Operations | 0.30 | 0.38 | 0.59 | | | | |
| 27 | MC | 1 | 2 | Algebra | 0.28 | 0.35 | 0.45 | | | | |
| 28 | MC | 1 | 2 | Geometry | 0.26 | 0.30 | 0.84 | | | | |
| 29 | MC | 1 | 2 | Geometry | 0.25 | 0.26 | 0.86 | | | | |
| 30 | MC | 1 | 2 | Algebra | 0.19 | 0.09 | 1.18 | | | | |
| 31 | CR | 2 | 1 | Measurement | 0.18 | 0.42 | 1.65 | 0.55 | -0.55 | | |
| 32 | CR | 2 | 1 | Number Sense and Operations | 1.18 | 0.65 | -0.91 | -0.20 | 0.20 | | |
| 33 | CR | 2 | 1 | Algebra | 0.46 | 0.51 | 0.78 | 0.11 | -0.11 | | |
| 34 | CR | 3 | 1 | Algebra | 0.63 | 0.58 | 0.59 | 0.58 | 0.44 | -1.02 | |
| 35 | CR | 3 | 1 | Geometry | 0.40 | 0.52 | 1.16 | 0.93 | -1.14 | 0.20 | |
| 36 | CR | 3 | 1 | Statistics and Probability | 0.99 | 0.60 | 0.26 | 0.29 | -1.04 | 0.74 | |
| 37 | CR | 4 | 1 | Algebra | 0.91 | 0.63 | 0.45 | 1.05 | 0.36 | -0.56 | -0.85 |
| 38 | CR | 4 | 1 | Statistics and Probability | 0.60 | 0.54 | 1.01 | -0.49 | -0.93 | 2.39 | -0.97 |
| 39 | CR | 4 | 1 | Geometry | 0.84 | 0.62 | 0.70 | -0.98 | 0.46 | 1.59 | -1.07 |

Table 13. Operational Test Map for August 2010

| Position | Item Type | Max Points | Weight | Strand | Mean | PBS | Rasch | S1 | S2 | S3 | S4 |
|----------|-----------|------------|--------|-----------------------------|------|------|-------|----|----|----|----|
| 1 | MC | 1 | 2 | Statistics and Probability | 0.87 | 0.43 | -2.68 | | | | |
| 2 | MC | 1 | 2 | Algebra | 0.61 | 0.41 | -1.07 | | | | |
| 3 | MC | 1 | 2 | Algebra | 0.75 | 0.41 | -1.59 | | | | |
| 4 | MC | 1 | 2 | Algebra | 0.61 | 0.51 | -0.94 | | | | |
| 5 | MC | 1 | 2 | Algebra | 0.61 | 0.48 | -0.91 | | | | |
| 6 | MC | 1 | 2 | Number Sense and Operations | 0.57 | 0.37 | -0.70 | | | | |
| 7 | MC | 1 | 2 | Number Sense and Operations | 0.58 | 0.41 | -0.74 | | | | |
| 8 | MC | 1 | 2 | Algebra | 0.56 | 0.49 | -0.79 | | | | |
| 9 | MC | 1 | 2 | Algebra | 0.55 | 0.36 | -0.64 | | | | |
| 10 | MC | 1 | 2 | Geometry | 0.47 | 0.44 | -0.24 | | | | |
| 11 | MC | 1 | 2 | Algebra | 0.49 | 0.48 | -0.31 | | | | |
| 12 | MC | 1 | 2 | Algebra | 0.49 | 0.39 | -0.37 | | | | |
| 13 | MC | 1 | 2 | Algebra | 0.46 | 0.54 | -0.21 | | | | |
| 14 | MC | 1 | 2 | Algebra | 0.42 | 0.45 | -0.20 | | | | |
| 15 | MC | 1 | 2 | Geometry | 0.44 | 0.45 | -0.15 | | | | |
| 16 | MC | 1 | 2 | Algebra | 0.45 | 0.47 | -0.20 | | | | |
| 17 | MC | 1 | 2 | Statistics and Probability | 0.41 | 0.21 | -0.13 | | | | |
| 18 | MC | 1 | 2 | Algebra | 0.41 | 0.37 | -0.15 | | | | |
| 19 | MC | 1 | 2 | Geometry | 0.41 | 0.37 | -0.01 | | | | |
| 20 | MC | 1 | 2 | Statistics and Probability | 0.40 | 0.45 | 0.00 | | | | |
| 21 | MC | 1 | 2 | Algebra | 0.39 | 0.34 | -0.07 | | | | |

Table 13. Operational Test Map for August 2010 (continued)

| Position | Item Type | Max Points | Weight | Strand | Mean | PBS | Rasch | S1 | S2 | S3 | S4 |
|----------|-----------|------------|--------|-----------------------------|------|------|-------|-------|-------|-------|-------|
| 22 | MC | 1 | 2 | Algebra | 0.39 | 0.44 | 0.10 | | | | |
| 23 | MC | 1 | 2 | Measurement | 0.39 | 0.33 | 0.11 | | | | |
| 24 | MC | 1 | 2 | Statistics and Probability | 0.37 | 0.17 | 0.27 | | | | |
| 25 | MC | 1 | 2 | Geometry | 0.36 | 0.32 | 0.25 | | | | |
| 26 | MC | 1 | 2 | Algebra | 0.35 | 0.34 | 0.16 | | | | |
| 27 | MC | 1 | 2 | Algebra | 0.33 | 0.30 | 0.38 | | | | |
| 28 | MC | 1 | 2 | Number Sense and Operations | 0.28 | 0.33 | 0.66 | | | | |
| 29 | MC | 1 | 2 | Algebra | 0.27 | 0.28 | 0.64 | | | | |
| 30 | MC | 1 | 2 | Algebra | 0.26 | 0.32 | 0.78 | | | | |
| 31 | CR | 2 | 1 | Algebra | 0.58 | 0.50 | 0.54 | -0.55 | 0.55 | | |
| 32 | CR | 2 | 1 | Measurement | 1.38 | 0.60 | -1.05 | 1.20 | -1.20 | | |
| 33 | CR | 2 | 1 | Number Sense and Operations | 0.66 | 0.61 | 0.21 | 1.16 | -1.16 | | |
| 34 | CR | 3 | 1 | Statistics and Probability | 0.52 | 0.51 | 1.04 | -0.41 | -0.09 | 0.49 | |
| 35 | CR | 3 | 1 | Geometry | 1.12 | 0.64 | -0.07 | -0.38 | 0.50 | -0.13 | |
| 36 | CR | 3 | 1 | Algebra | 0.61 | 0.62 | 0.61 | 0.41 | 1.74 | -2.15 | |
| 37 | CR | 4 | 1 | Geometry | 0.74 | 0.60 | 1.05 | -0.65 | 0.04 | -0.11 | 0.71 |
| 38 | CR | 4 | 1 | Statistics and Probability | 0.85 | 0.66 | 0.98 | -0.46 | -1.02 | 0.13 | 1.35 |
| 39 | CR | 4 | 1 | Algebra | 0.74 | 0.62 | 0.60 | 1.45 | -0.98 | 0.76 | -1.24 |

Appendix E: Scoring Tables

Table 14. Scoring Tables for January 2010

| Raw Score | Ability | Scale Score | | Raw Score | Ability | Scale Score | | Raw Score | Ability | Scale Score | | Raw Score | Ability | Scale Score |
|-----------|---------|-------------|--|-----------|---------|-------------|--|-----------|---------|-------------|--|-----------|---------|-------------|
| 0 | -5.752 | 0.000 | | 22 | -1.200 | 52.935 | | 44 | 0.198 | 76.653 | | 66 | 1.327 | 85.325 |
| 1 | -5.023 | 2.697 | | 23 | -1.123 | 54.567 | | 45 | 0.254 | 77.194 | | 67 | 1.381 | 85.657 |
| 2 | -4.294 | 6.115 | | 24 | -1.049 | 56.100 | | 46 | 0.309 | 77.731 | | 68 | 1.438 | 86.011 |
| 3 | -3.852 | 8.963 | | 25 | -0.976 | 57.670 | | 47 | 0.363 | 78.252 | | 69 | 1.496 | 86.425 |
| 4 | -3.528 | 11.763 | | 26 | -0.905 | 59.169 | | 48 | 0.417 | 78.780 | | 70 | 1.557 | 86.809 |
| 5 | -3.268 | 14.577 | | 27 | -0.836 | 60.520 | | 49 | 0.471 | 79.200 | | 71 | 1.622 | 87.276 |
| 6 | -3.050 | 17.338 | | 28 | -0.768 | 61.895 | | 50 | 0.524 | 79.715 | | 72 | 1.690 | 87.746 |
| 7 | -2.860 | 20.035 | | 29 | -0.701 | 63.242 | | 51 | 0.576 | 80.115 | | 73 | 1.763 | 88.230 |
| 8 | -2.691 | 22.699 | | 30 | -0.636 | 64.459 | | 52 | 0.628 | 80.515 | | 74 | 1.840 | 88.812 |
| 9 | -2.537 | 25.262 | | 31 | -0.572 | 65.623 | | 53 | 0.679 | 80.900 | | 75 | 1.924 | 89.307 |
| 10 | -2.396 | 27.820 | | 32 | -0.508 | 66.744 | | 54 | 0.729 | 81.188 | | 76 | 2.014 | 89.907 |
| 11 | -2.266 | 30.217 | | 33 | -0.446 | 67.819 | | 55 | 0.779 | 81.562 | | 77 | 2.113 | 90.617 |
| 12 | -2.144 | 32.644 | | 34 | -0.385 | 68.811 | | 56 | 0.829 | 81.940 | | 78 | 2.222 | 91.243 |
| 13 | -2.029 | 34.986 | | 35 | -0.324 | 69.787 | | 57 | 0.878 | 82.304 | | 79 | 2.344 | 91.988 |
| 14 | -1.920 | 37.247 | | 36 | -0.264 | 70.767 | | 58 | 0.927 | 82.596 | | 80 | 2.481 | 92.812 |
| 15 | -1.817 | 39.406 | | 37 | -0.204 | 71.644 | | 59 | 0.976 | 82.922 | | 81 | 2.640 | 93.585 |
| 16 | -1.718 | 41.512 | | 38 | -0.145 | 72.506 | | 60 | 1.024 | 83.271 | | 82 | 2.827 | 94.486 |
| 17 | -1.624 | 43.610 | | 39 | -0.087 | 73.272 | | 61 | 1.073 | 83.591 | | 83 | 3.056 | 95.477 |
| 18 | -1.533 | 45.610 | | 40 | -0.029 | 74.038 | | 62 | 1.122 | 83.869 | | 84 | 3.351 | 96.482 |
| 19 | -1.445 | 47.550 | | 41 | 0.028 | 74.754 | | 63 | 1.172 | 84.207 | | 85 | 3.766 | 97.566 |
| 20 | -1.361 | 49.358 | | 42 | 0.085 | 75.412 | | 64 | 1.223 | 84.383 | | 86 | 4.471 | 98.705 |
| 21 | -1.279 | 51.199 | | 43 | 0.142 | 76.069 | | 65 | 1.274 | 84.860 | | 87 | 5.176 | 99.789 |

Table 15. Scoring Tables for June 2010

| Raw Score | Ability | Scale Score | Raw Score | Ability | Scale Score | Raw Score | Ability | Scale Score | Raw Score | Ability | Scale Score |
|-----------|---------|-------------|-----------|---------|-------------|-----------|---------|-------------|-----------|---------|-------------|
| 0 | -5.423 | 0.821 | 22 | -1.140 | 54.215 | 44 | 0.106 | 75.654 | 66 | 1.171 | 84.203 |
| 1 | -4.709 | 4.169 | 23 | -1.071 | 55.636 | 45 | 0.153 | 76.196 | 67 | 1.229 | 84.410 |
| 2 | -3.995 | 7.918 | 24 | -1.004 | 57.064 | 46 | 0.200 | 76.673 | 68 | 1.289 | 85.008 |
| 3 | -3.567 | 11.385 | 25 | -0.938 | 58.496 | 47 | 0.247 | 77.127 | 69 | 1.352 | 85.519 |
| 4 | -3.258 | 14.698 | 26 | -0.874 | 59.770 | 48 | 0.293 | 77.575 | 70 | 1.416 | 85.839 |
| 5 | -3.013 | 17.840 | 27 | -0.812 | 61.000 | 49 | 0.339 | 78.021 | 71 | 1.484 | 86.354 |
| 6 | -2.808 | 20.846 | 28 | -0.750 | 62.267 | 50 | 0.385 | 78.467 | 72 | 1.555 | 86.794 |
| 7 | -2.632 | 23.659 | 29 | -0.690 | 63.455 | 51 | 0.430 | 78.885 | 73 | 1.629 | 87.325 |
| 8 | -2.476 | 26.367 | 30 | -0.631 | 64.549 | 52 | 0.476 | 79.249 | 74 | 1.708 | 87.864 |
| 9 | -2.336 | 28.915 | 31 | -0.573 | 65.605 | 53 | 0.522 | 79.700 | 75 | 1.793 | 88.458 |
| 10 | -2.209 | 31.348 | 32 | -0.516 | 66.608 | 54 | 0.568 | 80.054 | 76 | 1.883 | 89.065 |
| 11 | -2.091 | 33.722 | 33 | -0.459 | 67.591 | 55 | 0.614 | 80.408 | 77 | 1.980 | 89.680 |
| 12 | -1.981 | 35.981 | 34 | -0.404 | 68.511 | 56 | 0.661 | 80.764 | 78 | 2.087 | 90.434 |
| 13 | -1.878 | 38.127 | 35 | -0.350 | 69.370 | 57 | 0.708 | 81.067 | 79 | 2.205 | 91.143 |
| 14 | -1.781 | 40.170 | 36 | -0.296 | 70.244 | 58 | 0.756 | 81.389 | 80 | 2.338 | 91.950 |
| 15 | -1.689 | 42.160 | 37 | -0.243 | 71.076 | 59 | 0.804 | 81.751 | 81 | 2.489 | 92.851 |
| 16 | -1.601 | 44.115 | 38 | -0.191 | 71.837 | 60 | 0.853 | 82.119 | 82 | 2.668 | 93.722 |
| 17 | -1.517 | 45.964 | 39 | -0.140 | 72.572 | 61 | 0.903 | 82.465 | 83 | 2.887 | 94.767 |
| 18 | -1.436 | 47.743 | 40 | -0.090 | 73.232 | 62 | 0.954 | 82.759 | 84 | 3.168 | 95.908 |
| 19 | -1.358 | 49.425 | 41 | -0.040 | 73.892 | 63 | 1.007 | 83.150 | 85 | 3.567 | 97.088 |
| 20 | -1.283 | 51.110 | 42 | 0.009 | 74.535 | 64 | 1.060 | 83.521 | 86 | 4.252 | 98.394 |
| 21 | -1.210 | 52.721 | 43 | 0.058 | 75.100 | 65 | 1.115 | 83.821 | 87 | 4.937 | 99.415 |

Table 16. Scoring Tables for August 2010

| Raw Score | Ability | Scale Score | | Raw Score | Ability | Scale Score | | Raw Score | Ability | Scale Score | | Raw Score | Ability | Scale Score |
|-----------|---------|-------------|--|-----------|---------|-------------|--|-----------|---------|-------------|--|-----------|---------|-------------|
| 0 | -5.467 | 0.614 | | 22 | -1.104 | 54.958 | | 44 | 0.091 | 75.481 | | 66 | 1.121 | 83.862 |
| 1 | -4.737 | 4.038 | | 23 | -1.037 | 56.357 | | 45 | 0.136 | 76.000 | | 67 | 1.178 | 84.228 |
| 2 | -4.007 | 7.830 | | 24 | -0.973 | 57.735 | | 46 | 0.182 | 76.496 | | 68 | 1.238 | 84.500 |
| 3 | -3.567 | 11.385 | | 25 | -0.909 | 59.091 | | 47 | 0.227 | 76.935 | | 69 | 1.301 | 85.108 |
| 4 | -3.247 | 14.832 | | 26 | -0.848 | 60.280 | | 48 | 0.272 | 77.369 | | 70 | 1.366 | 85.586 |
| 5 | -2.993 | 18.111 | | 27 | -0.788 | 61.483 | | 49 | 0.316 | 77.800 | | 71 | 1.435 | 85.988 |
| 6 | -2.781 | 21.267 | | 28 | -0.729 | 62.700 | | 50 | 0.361 | 78.233 | | 72 | 1.508 | 86.497 |
| 7 | -2.600 | 24.180 | | 29 | -0.671 | 63.823 | | 51 | 0.405 | 78.663 | | 73 | 1.586 | 87.019 |
| 8 | -2.439 | 27.038 | | 30 | -0.615 | 64.838 | | 52 | 0.449 | 79.031 | | 74 | 1.669 | 87.603 |
| 9 | -2.296 | 29.645 | | 31 | -0.559 | 65.862 | | 53 | 0.493 | 79.416 | | 75 | 1.757 | 88.187 |
| 10 | -2.165 | 32.221 | | 32 | -0.504 | 66.812 | | 54 | 0.538 | 79.823 | | 76 | 1.853 | 88.888 |
| 11 | -2.046 | 34.637 | | 33 | -0.451 | 67.732 | | 55 | 0.582 | 80.162 | | 77 | 1.958 | 89.533 |
| 12 | -1.935 | 36.934 | | 34 | -0.398 | 68.605 | | 56 | 0.627 | 80.508 | | 78 | 2.073 | 90.333 |
| 13 | -1.832 | 39.090 | | 35 | -0.346 | 69.434 | | 57 | 0.672 | 80.847 | | 79 | 2.200 | 91.114 |
| 14 | -1.734 | 41.167 | | 36 | -0.295 | 70.260 | | 58 | 0.718 | 81.125 | | 80 | 2.344 | 91.988 |
| 15 | -1.643 | 43.187 | | 37 | -0.245 | 71.047 | | 59 | 0.765 | 81.457 | | 81 | 2.509 | 92.948 |
| 16 | -1.556 | 45.104 | | 38 | -0.195 | 71.778 | | 60 | 0.812 | 81.811 | | 82 | 2.703 | 93.893 |
| 17 | -1.473 | 46.936 | | 39 | -0.146 | 72.492 | | 61 | 0.860 | 82.170 | | 83 | 2.938 | 95.006 |
| 18 | -1.393 | 48.664 | | 40 | -0.098 | 73.126 | | 62 | 0.909 | 82.498 | | 84 | 3.238 | 96.139 |
| 19 | -1.317 | 50.347 | | 41 | -0.050 | 73.760 | | 63 | 0.960 | 82.804 | | 85 | 3.657 | 97.304 |
| 20 | -1.244 | 51.971 | | 42 | -0.003 | 74.381 | | 64 | 1.012 | 83.186 | | 86 | 4.364 | 98.553 |
| 21 | -1.173 | 53.511 | | 43 | 0.044 | 74.938 | | 65 | 1.065 | 83.548 | | 87 | 5.071 | 99.624 |