

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN7: Percentage of students who described their general health as fair or poor

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	8.6	( 6.9 - 10.2)	1,563	8.0	( 5.7 - 10.4)	787	9.1	( 6.1 - 12.1)	771
<b>Age</b>									
15 or younger	9.1	( 6.4 - 11.9)	757	8.2	( 4.3 - 12.1)	381	10.0	( 6.4 - 13.7)	373
16 or 17	8.1	( 5.9 - 10.3)	687	7.8	( 5.1 - 10.5)	341	8.4	( 4.2 - 12.7)	344
18 or older	8.4	( 1.4 - 15.4)	118	-	-	64	-	-	54
<b>Grade</b>									
9th	8.4	( 4.7 - 12.2)	480	7.7	( 3.1 - 12.2)	254	9.1	( 4.5 - 13.7)	224
10th	9.4	( 6.7 - 12.1)	503	8.8	( 4.4 - 13.2)	244	10.1	( 6.7 - 13.4)	257
11th	8.2	( 4.2 - 12.3)	301	8.1	( 3.5 - 12.8)	156	8.3	( 2.5 - 14.1)	144
12th	8.2	( 4.0 - 12.4)	275	7.5	( 1.1 - 13.9)	130	8.9	( 2.2 - 15.7)	145
<b>Race/Ethnicity</b>									
Black	-	-	88	-	-	48	-	-	40
Hispanic/ Latino	9.8	( 4.8 - 14.8)	166	-	-	77	-	-	88
White	8.0	( 6.2 - 9.7)	1,180	7.8	( 5.4 - 10.2)	597	8.1	( 5.2 - 11.0)	580
All other races	-	-	80	-	-	44	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 5 students who did not provide usable data for QN7.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN8: Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	76.2	( 72.1 - 80.2 )	1,158	78.6	( 74.6 - 82.6 )	637	73.2	( 67.1 - 79.3 )	516
<b>Age</b>									
15 or younger	70.5	( 64.9 - 76.1 )	611	73.4	( 66.8 - 80.0 )	323	67.3	( 60.5 - 74.2 )	285
16 or 17	81.9	( 77.1 - 86.7 )	471	82.3	( 77.0 - 87.6 )	268	81.3	( 73.7 - 88.9 )	201
18 or older	-	-	76	-	-	46	-	-	30
<b>Grade</b>									
9th	70.5	( 63.4 - 77.6 )	404	75.3	( 67.0 - 83.6 )	224	65.3	( 56.3 - 74.2 )	178
10th	75.6	( 69.8 - 81.4 )	377	74.4	( 65.9 - 82.8 )	195	76.9	( 68.5 - 85.4 )	180
11th	84.7	( 78.2 - 91.1 )	210	84.4	( 76.2 - 92.6 )	128	-	-	81
12th	76.9	( 66.9 - 86.9 )	167	-	-	90	-	-	77
<b>Race/Ethnicity</b>									
Black	-	-	57	-	-	32	-	-	25
Hispanic/ Latino	90.4	( 85.3 - 95.6 )	121	-	-	67	-	-	53
White	73.6	( 69.3 - 77.9 )	880	76.2	( 71.8 - 80.7 )	486	70.4	( 63.9 - 76.8 )	391
All other races	-	-	61	-	-	33	-	-	27
Multiple races	-	-	30	-	-	16	-	-	14

Note: There were 410 students who were excluded from this analysis or who did not provide usable data for QN8.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	7.6	( 5.4 - 9.8 )	1,566	10.2	( 7.0 - 13.4 )	789	5.0	( 3.0 - 7.0 )	772
<b>Age</b>									
15 or younger	9.4	( 5.5 - 13.3 )	757	11.7	( 6.7 - 16.8 )	381	6.9	( 2.7 - 11.1 )	373
16 or 17	6.0	( 3.7 - 8.3 )	690	8.4	( 5.0 - 11.8 )	343	3.8	( 1.3 - 6.2 )	345
18 or older	8.2	( 2.5 - 13.9 )	118	-	-	64	-	-	54
<b>Grade</b>									
9th	11.4	( 6.5 - 16.2 )	481	15.3	( 8.0 - 22.5 )	255	7.2	( 2.0 - 12.4 )	224
10th	5.6	( 3.1 - 8.1 )	504	7.2	( 3.9 - 10.4 )	245	4.0	( 0.8 - 7.2 )	257
11th	8.7	( 4.4 - 12.9 )	301	11.1	( 5.6 - 16.7 )	156	6.2	( 1.5 - 10.9 )	144
12th	4.2	( 1.6 - 6.9 )	276	6.1	( 1.7 - 10.6 )	130	2.3	( 0.0 - 5.2 )	146
<b>Race/Ethnicity</b>									
Black	-	-	89	-	-	49	-	-	40
Hispanic/ Latino	10.5	( 5.1 - 15.9 )	167	-	-	78	-	-	88
White	5.4	( 3.5 - 7.4 )	1,181	7.9	( 4.4 - 11.4 )	597	2.9	( 1.4 - 4.5 )	581
All other races	-	-	81	-	-	45	-	-	35
Multiple races	-	-	38	-	-	17	-	-	21

Note: There were 2 students who did not provide usable data for QN9.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN10: Percentage of students who rode in a car or other vehicle driven by someone who had been drinking alcohol one or more times during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	21.5	( 18.6 - 24.4 )	1,564	22.6	( 18.1 - 27.2 )	789	20.3	( 16.9 - 23.7 )	770
<b>Age</b>									
15 or younger	19.8	( 16.4 - 23.1 )	755	20.6	( 16.0 - 25.2 )	380	18.9	( 14.6 - 23.2 )	372
16 or 17	21.4	( 17.3 - 25.6 )	690	21.9	( 15.7 - 28.1 )	344	20.8	( 15.8 - 25.7 )	344
18 or older	29.5	( 17.3 - 41.7 )	118	-	-	64	-	-	54
<b>Grade</b>									
9th	21.3	( 17.8 - 24.8 )	481	22.9	( 17.3 - 28.5 )	255	19.6	( 14.6 - 24.6 )	224
10th	17.3	( 13.8 - 20.9 )	501	16.7	( 12.1 - 21.3 )	244	17.9	( 13.2 - 22.6 )	255
11th	22.1	( 15.8 - 28.4 )	302	21.1	( 12.4 - 29.7 )	157	22.8	( 14.3 - 31.2 )	144
12th	26.1	( 19.3 - 32.9 )	276	30.9	( 20.6 - 41.2 )	130	21.3	( 11.6 - 30.9 )	146
<b>Race/Ethnicity</b>									
Black	-	-	89	-	-	49	-	-	40
Hispanic/ Latino	24.8	( 17.7 - 31.9 )	167	-	-	78	-	-	88
White	20.5	( 17.4 - 23.5 )	1,178	21.0	( 16.8 - 25.1 )	596	19.9	( 16.4 - 23.4 )	579
All other races	-	-	81	-	-	45	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 4 students who did not provide usable data for QN10.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN11: Percentage of students who drove a car or other vehicle when they had been drinking alcohol one or more times during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	6.8	( 5.3 - 8.3 )	1,558	8.1	( 5.8 - 10.4 )	784	5.4	( 3.5 - 7.3 )	769
<b>Age</b>									
15 or younger	4.5	( 3.0 - 6.1 )	753	6.2	( 3.7 - 8.7 )	379	2.8	( 1.0 - 4.6 )	371
16 or 17	8.3	( 5.6 - 11.1 )	688	9.3	( 5.1 - 13.4 )	341	7.5	( 4.1 - 10.9 )	345
18 or older	8.8	( 5.0 - 12.5 )	116	-	-	63	-	-	53
<b>Grade</b>									
9th	5.9	( 3.5 - 8.3 )	476	8.6	( 4.5 - 12.7 )	252	3.0	( 1.0 - 5.0 )	222
10th	5.2	( 2.9 - 7.4 )	503	4.5	( 1.5 - 7.5 )	245	5.9	( 3.1 - 8.7 )	256
11th	5.5	( 2.6 - 8.4 )	302	6.3	( 2.5 - 10.1 )	157	4.7	( 0.8 - 8.6 )	144
12th	11.2	( 8.9 - 13.5 )	273	13.7	( 8.4 - 19.0 )	127	8.7	( 5.1 - 12.3 )	146
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	8.3	( 3.3 - 13.3 )	164	-	-	78	-	-	85
White	7.2	( 5.6 - 8.9 )	1,180	8.9	( 6.1 - 11.6 )	596	5.6	( 3.5 - 7.7 )	581
All other races	-	-	79	-	-	43	-	-	35
Multiple races	-	-	38	-	-	17	-	-	21

Note: There were 10 students who did not provide usable data for QN11.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN12: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	13.2	( 11.3 - 15.2 )	1,552	21.5	( 18.3 - 24.7 )	779	4.8	( 3.0 - 6.5 )	768
<b>Age</b>									
15 or younger	14.3	( 11.5 - 17.1 )	749	21.0	( 16.6 - 25.4 )	376	7.2	( 4.0 - 10.4 )	370
16 or 17	12.2	( 10.3 - 14.1 )	686	21.5	( 17.2 - 25.8 )	339	3.4	( 1.6 - 5.3 )	345
18 or older	13.4	( 4.1 - 22.7 )	116	-	-	63	-	-	53
<b>Grade</b>									
9th	17.2	( 13.3 - 21.1 )	474	25.6	( 19.5 - 31.8 )	250	8.4	( 4.1 - 12.6 )	222
10th	11.1	( 8.2 - 14.1 )	500	17.5	( 12.5 - 22.6 )	243	4.3	( 1.6 - 6.9 )	255
11th	11.6	( 9.0 - 14.3 )	301	19.5	( 13.7 - 25.2 )	156	3.9	( 0.6 - 7.1 )	144
12th	12.3	( 8.5 - 16.0 )	273	23.0	( 15.3 - 30.6 )	127	1.9	( 0.0 - 3.8 )	146
<b>Race/Ethnicity</b>									
Black	-	-	88	-	-	48	-	-	40
Hispanic/ Latino	14.3	( 8.1 - 20.5 )	164	-	-	77	-	-	86
White	12.0	( 10.0 - 14.0 )	1,173	20.5	( 16.9 - 24.1 )	591	3.3	( 1.7 - 4.8 )	579
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 16 students who did not provide usable data for QN12.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN13: Percentage of students who carried a gun on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	2.7	( 2.0 - 3.4)	1,555	5.3	( 4.0 - 6.6)	780	0.1	( 0.0 - 0.3)	770
<b>Age</b>									
15 or younger	2.7	( 1.5 - 3.9)	751	5.1	( 2.8 - 7.3)	376	0.3	( 0.0 - 0.8)	372
16 or 17	2.6	( 1.4 - 3.9)	687	5.4	( 2.9 - 7.9)	340	0.0	( 0.0 - 0.0)	345
18 or older	3.2	( 0.0 - 7.7)	116	-	-	63	-	-	53
<b>Grade</b>									
9th	3.9	( 2.4 - 5.4)	475	7.7	( 5.2 - 10.1)	250	0.0	( 0.0 - 0.0)	223
10th	1.7	( 0.4 - 3.1)	502	3.0	( 0.5 - 5.6)	244	0.4	( 0.0 - 1.3)	256
11th	2.0	( 0.5 - 3.5)	300	4.0	( 1.0 - 7.0)	155	0.0	( 0.0 - 0.0)	144
12th	3.1	( 0.9 - 5.4)	274	6.3	( 2.0 - 10.6)	128	0.0	( 0.0 - 0.0)	146
<b>Race/Ethnicity</b>									
Black	-	-	88	-	-	48	-	-	40
Hispanic/ Latino	3.5	( 0.3 - 6.7)	164	-	-	77	-	-	86
White	2.2	( 1.5 - 2.9)	1,175	4.3	( 2.9 - 5.8)	591	0.0	( 0.0 - 0.0)	581
All other races	-	-	79	-	-	43	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 13 students who did not provide usable data for QN13.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN14: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	4.2	( 3.3 - 5.2)	1,555	6.6	( 5.0 - 8.2)	782	1.8	( 0.7 - 3.0)	768
<b>Age</b>									
15 or younger	4.6	( 3.2 - 6.0)	753	6.5	( 4.0 - 9.0)	380	2.7	( 0.4 - 5.0)	370
16 or 17	3.5	( 2.2 - 4.8)	684	5.7	( 3.0 - 8.4)	337	1.4	( 0.2 - 2.7)	345
18 or older	5.8	( 2.7 - 8.9)	117	-	-	64	-	-	53
<b>Grade</b>									
9th	6.1	( 4.0 - 8.2)	478	9.2	( 5.6 - 12.7)	254	2.7	( 0.0 - 5.9)	222
10th	2.4	( 1.1 - 3.8)	500	3.5	( 1.1 - 5.8)	243	1.4	( 0.0 - 2.8)	255
11th	3.5	( 1.5 - 5.6)	300	5.8	( 1.7 - 9.8)	155	1.3	( 0.0 - 3.2)	144
12th	4.6	( 2.6 - 6.6)	273	7.5	( 3.8 - 11.2)	127	1.7	( 0.0 - 3.6)	146
<b>Race/Ethnicity</b>									
Black	-	-	89	-	-	49	-	-	40
Hispanic/ Latino	7.9	( 3.9 - 12.0)	164	-	-	77	-	-	86
White	3.6	( 2.5 - 4.7)	1,175	6.0	( 4.0 - 8.0)	593	1.1	( 0.2 - 2.1)	579
All other races	-	-	79	-	-	43	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 13 students who did not provide usable data for QN14.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN15: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	3.3	( 2.3 - 4.4 )	1,565	4.0	( 2.2 - 5.7 )	789	2.7	( 1.7 - 3.7 )	771
<b>Age</b>									
15 or younger	4.0	( 2.4 - 5.5 )	758	3.4	( 1.0 - 5.8 )	382	4.6	( 2.3 - 6.9 )	373
16 or 17	2.4	( 1.3 - 3.5 )	689	3.5	( 1.6 - 5.5 )	343	1.3	( 0.4 - 2.3 )	344
18 or older	5.2	( 0.8 - 9.6 )	117	-	-	63	-	-	54
<b>Grade</b>									
9th	4.3	( 1.9 - 6.8 )	482	4.2	( 0.9 - 7.6 )	256	4.5	( 0.7 - 8.2 )	224
10th	3.5	( 1.8 - 5.1 )	504	3.8	( 1.4 - 6.2 )	245	3.1	( 1.3 - 5.0 )	257
11th	1.9	( 0.4 - 3.4 )	300	2.5	( 0.0 - 5.0 )	156	1.3	( 0.0 - 2.6 )	143
12th	3.5	( 1.4 - 5.6 )	275	5.3	( 1.2 - 9.5 )	129	1.6	( 0.0 - 3.3 )	146
<b>Race/Ethnicity</b>									
Black	-	-	89	-	-	49	-	-	40
Hispanic/ Latino	4.2	( 0.7 - 7.6 )	167	-	-	78	-	-	88
White	2.8	( 1.8 - 3.7 )	1,180	3.3	( 1.8 - 4.8 )	597	2.2	( 1.3 - 3.2 )	580
All other races	-	-	80	-	-	44	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 3 students who did not provide usable data for QN15.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN16: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	6.8	( 5.5 - 8.0)	1,565	9.5	( 7.7 - 11.2)	789	4.0	( 2.3 - 5.8)	771
<b>Age</b>									
15 or younger	7.2	( 5.0 - 9.3)	758	9.3	( 6.5 - 12.1)	382	4.9	( 1.8 - 8.1)	373
16 or 17	6.7	( 4.9 - 8.5)	688	9.8	( 7.3 - 12.2)	342	3.8	( 1.1 - 6.6)	344
18 or older	4.9	( 1.9 - 7.9)	118	-	-	64	-	-	54
<b>Grade</b>									
9th	7.9	( 4.7 - 11.2)	482	10.2	( 6.4 - 14.0)	256	5.5	( 1.2 - 9.7)	224
10th	6.6	( 4.2 - 8.9)	504	8.1	( 4.1 - 12.1)	245	5.0	( 2.6 - 7.5)	257
11th	6.1	( 3.7 - 8.6)	300	9.4	( 5.8 - 13.1)	156	2.8	( 0.0 - 5.9)	143
12th	6.0	( 3.4 - 8.7)	276	9.7	( 5.3 - 14.0)	130	2.4	( 0.0 - 5.6)	146
<b>Race/Ethnicity</b>									
Black	-	-	89	-	-	49	-	-	40
Hispanic/ Latino	8.8	( 4.8 - 12.9)	167	-	-	78	-	-	88
White	6.1	( 4.8 - 7.5)	1,179	9.1	( 6.9 - 11.4)	596	3.1	( 1.5 - 4.6)	580
All other races	-	-	81	-	-	45	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 3 students who did not provide usable data for QN16.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN17: Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	23.0	( 20.8 - 25.1 )	1,566	25.9	( 22.7 - 29.1 )	790	19.9	( 16.9 - 22.8 )	771
<b>Age</b>									
15 or younger	27.4	( 23.6 - 31.2 )	758	31.7	( 27.2 - 36.2 )	382	23.1	( 18.1 - 28.1 )	373
16 or 17	20.3	( 17.1 - 23.5 )	689	23.0	( 17.5 - 28.5 )	343	17.6	( 13.6 - 21.5 )	344
18 or older	16.0	( 9.5 - 22.5 )	118	-	-	64	-	-	54
<b>Grade</b>									
9th	29.6	( 25.4 - 33.9 )	482	34.2	( 29.2 - 39.3 )	256	24.9	( 18.3 - 31.4 )	224
10th	21.3	( 16.6 - 26.0 )	504	23.7	( 18.4 - 28.9 )	245	19.0	( 12.4 - 25.5 )	257
11th	18.7	( 15.0 - 22.5 )	300	18.5	( 13.0 - 23.9 )	156	18.6	( 11.4 - 25.7 )	143
12th	20.6	( 15.2 - 25.9 )	276	24.9	( 15.9 - 33.9 )	130	16.1	( 9.8 - 22.5 )	146
<b>Race/Ethnicity</b>									
Black	-	-	89	-	-	49	-	-	40
Hispanic/ Latino	20.5	( 14.1 - 26.9 )	167	-	-	78	-	-	88
White	24.0	( 21.5 - 26.4 )	1,180	26.6	( 23.0 - 30.1 )	597	21.2	( 17.9 - 24.5 )	580
All other races	-	-	81	-	-	45	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 2 students who did not provide usable data for QN17.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN18: Percentage of students who were in a physical fight one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	30.2	( 27.3 - 33.1)	1,550	39.9	( 35.7 - 44.0)	778	20.4	( 16.8 - 23.9)	767
<b>Age</b>									
15 or younger	33.9	( 29.6 - 38.3)	752	42.6	( 37.0 - 48.2)	378	25.0	( 18.7 - 31.3)	371
16 or 17	29.8	( 25.7 - 33.9)	683	41.2	( 35.2 - 47.1)	338	19.0	( 14.5 - 23.5)	343
18 or older	15.1	( 6.9 - 23.4)	114	-	-	61	-	-	53
<b>Grade</b>									
9th	36.2	( 31.1 - 41.2)	477	46.5	( 40.7 - 52.3)	253	25.4	( 18.6 - 32.1)	222
10th	32.6	( 27.5 - 37.7)	498	40.1	( 32.7 - 47.4)	240	24.9	( 17.3 - 32.5)	256
11th	29.5	( 24.0 - 34.9)	300	37.2	( 30.4 - 44.0)	156	21.8	( 14.5 - 29.0)	143
12th	20.4	( 15.8 - 25.1)	271	33.2	( 22.8 - 43.7)	126	7.8	( 3.3 - 12.3)	145
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	24.4	( 15.4 - 33.4)	165	-	-	78	-	-	86
White	28.8	( 25.8 - 31.8)	1,173	40.5	( 35.8 - 45.1)	591	16.9	( 13.6 - 20.3)	579
All other races	-	-	77	-	-	41	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 18 students who did not provide usable data for QN18.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN19: Percentage of students who were injured in a physical fight and had to be treated by a doctor or nurse one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	3.5	( 2.3 - 4.7)	1,556	5.1	( 3.5 - 6.8)	783	1.7	( 0.4 - 3.0)	768
<b>Age</b>									
15 or younger	3.2	( 1.4 - 5.0)	755	4.5	( 2.2 - 6.8)	380	1.8	( 0.0 - 3.7)	372
16 or 17	3.9	( 2.3 - 5.5)	684	5.9	( 3.4 - 8.5)	339	2.0	( 0.0 - 3.9)	343
18 or older	2.5	( 0.2 - 4.8)	116	-	-	63	-	-	53
<b>Grade</b>									
9th	3.9	( 1.3 - 6.4)	478	5.4	( 2.3 - 8.4)	253	2.3	( 0.0 - 5.3)	223
10th	2.4	( 1.4 - 3.4)	500	3.7	( 2.2 - 5.2)	242	0.7	( 0.0 - 1.7)	256
11th	4.2	( 2.3 - 6.0)	300	6.1	( 2.3 - 9.9)	156	2.3	( 0.0 - 5.3)	143
12th	3.6	( 0.9 - 6.2)	274	5.6	( 1.0 - 10.2)	129	1.5	( 0.0 - 4.5)	145
<b>Race/Ethnicity</b>									
Black	-	-	88	-	-	48	-	-	40
Hispanic/ Latino	2.0	( 0.0 - 4.0)	165	-	-	78	-	-	86
White	3.1	( 2.1 - 4.1)	1,177	5.3	( 3.6 - 7.0)	595	0.8	( 0.2 - 1.4)	579
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	38	-	-	17	-	-	21

Note: There were 12 students who did not provide usable data for QN19.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	11.7	( 9.7 - 13.6)	1,561	16.2	( 13.4 - 19.0)	785	7.1	( 5.1 - 9.1)	771
<b>Age</b>									
15 or younger	14.6	( 11.5 - 17.7)	757	20.1	( 16.2 - 24.0)	381	9.0	( 5.7 - 12.3)	373
16 or 17	10.6	( 8.0 - 13.1)	686	14.9	( 11.2 - 18.7)	340	6.4	( 3.4 - 9.4)	344
18 or older	3.8	( 0.5 - 7.0)	117	-	-	63	-	-	54
<b>Grade</b>									
9th	17.0	( 12.9 - 21.2)	481	23.9	( 19.2 - 28.6)	255	9.8	( 5.0 - 14.7)	224
10th	10.7	( 8.0 - 13.3)	501	13.8	( 9.4 - 18.3)	242	7.6	( 3.9 - 11.3)	257
11th	10.1	( 6.8 - 13.4)	302	12.2	( 7.2 - 17.2)	157	8.0	( 3.8 - 12.3)	144
12th	7.5	( 3.7 - 11.3)	273	12.9	( 5.3 - 20.4)	128	2.2	( 0.0 - 5.3)	145
<b>Race/Ethnicity</b>									
Black	-	-	88	-	-	48	-	-	40
Hispanic/ Latino	9.7	( 5.2 - 14.3)	167	-	-	78	-	-	88
White	10.9	( 8.8 - 13.0)	1,178	16.1	( 12.9 - 19.3)	595	5.7	( 3.5 - 7.8)	580
All other races	-	-	79	-	-	43	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 7 students who did not provide usable data for QN20.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN21: Percentage of students who were hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	7.3	( 5.8 - 8.8 )	1,565	7.5	( 5.7 - 9.4 )	789	7.0	( 4.9 - 9.2 )	771
<b>Age</b>									
15 or younger	5.6	( 4.1 - 7.1 )	755	4.6	( 2.9 - 6.4 )	380	6.6	( 4.3 - 8.9 )	372
16 or 17	9.3	( 7.1 - 11.5 )	691	10.3	( 7.6 - 13.1 )	344	8.4	( 4.7 - 12.0 )	345
18 or older	4.7	( 1.7 - 7.6 )	118	-	-	64	-	-	54
<b>Grade</b>									
9th	6.7	( 4.0 - 9.5 )	480	7.0	( 3.4 - 10.6 )	254	6.3	( 2.1 - 10.6 )	224
10th	5.6	( 3.1 - 8.1 )	503	3.3	( 0.9 - 5.6 )	245	8.0	( 4.3 - 11.7 )	256
11th	7.0	( 4.4 - 9.6 )	302	6.8	( 3.3 - 10.2 )	157	7.2	( 2.4 - 12.0 )	144
12th	10.2	( 6.2 - 14.3 )	276	13.8	( 8.0 - 19.6 )	130	6.7	( 1.1 - 12.2 )	146
<b>Race/Ethnicity</b>									
Black	-	-	89	-	-	49	-	-	40
Hispanic/ Latino	6.7	( 4.2 - 9.3 )	167	-	-	78	-	-	88
White	6.9	( 5.3 - 8.5 )	1,179	7.3	( 5.1 - 9.4 )	596	6.5	( 4.3 - 8.7 )	580
All other races	-	-	81	-	-	45	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 3 students who did not provide usable data for QN21.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN22: Percentage of students who have ever been physically forced to have sexual intercourse when they did not want to

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	5.3	( 4.0 - 6.5 )	1,563	3.4	( 2.3 - 4.6 )	787	7.2	( 5.3 - 9.1 )	771
<b>Age</b>									
15 or younger	3.7	( 2.2 - 5.3 )	754	2.9	( 1.3 - 4.6 )	379	4.6	( 2.2 - 7.0 )	372
16 or 17	6.4	( 4.9 - 7.9 )	690	3.7	( 1.9 - 5.5 )	343	9.0	( 6.5 - 11.5 )	345
18 or older	6.3	( 2.5 - 10.2 )	118	-	-	64	-	-	54
<b>Grade</b>									
9th	3.4	( 1.4 - 5.3 )	478	2.4	( 0.1 - 4.7 )	253	4.4	( 1.6 - 7.2 )	223
10th	5.7	( 3.8 - 7.7 )	504	4.1	( 1.8 - 6.3 )	245	7.5	( 4.5 - 10.4 )	257
11th	5.3	( 2.5 - 8.2 )	301	2.8	( 0.3 - 5.3 )	156	7.9	( 4.0 - 11.8 )	144
12th	7.0	( 4.0 - 10.0 )	276	4.4	( 1.2 - 7.6 )	130	9.7	( 5.5 - 13.8 )	146
<b>Race/Ethnicity</b>									
Black	-	-	88	-	-	49	-	-	39
Hispanic/ Latino	7.7	( 3.7 - 11.7 )	167	-	-	78	-	-	88
White	5.0	( 3.5 - 6.4 )	1,178	3.0	( 1.4 - 4.5 )	594	7.0	( 5.0 - 9.1 )	581
All other races	-	-	81	-	-	45	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 5 students who did not provide usable data for QN22.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN23: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	24.7	( 22.1 - 27.3 )	1,565	16.7	( 12.9 - 20.5 )	790	32.8	( 29.2 - 36.3 )	770
<b>Age</b>									
15 or younger	25.2	( 21.6 - 28.9 )	756	16.6	( 12.2 - 21.1 )	381	33.8	( 28.2 - 39.4 )	372
16 or 17	24.3	( 21.0 - 27.6 )	690	16.7	( 11.6 - 21.8 )	344	31.5	( 26.2 - 36.9 )	344
18 or older	23.9	( 14.8 - 32.9 )	118	-	-	64	-	-	54
<b>Grade</b>									
9th	24.0	( 20.5 - 27.6 )	481	16.2	( 11.9 - 20.6 )	255	31.8	( 25.4 - 38.1 )	224
10th	25.6	( 20.6 - 30.6 )	502	15.1	( 9.8 - 20.4 )	245	36.6	( 29.4 - 43.8 )	255
11th	23.1	( 19.9 - 26.3 )	302	14.7	( 10.2 - 19.3 )	157	31.1	( 23.8 - 38.3 )	144
12th	26.1	( 20.7 - 31.5 )	276	20.7	( 12.3 - 29.1 )	130	31.6	( 24.3 - 38.9 )	146
<b>Race/Ethnicity</b>									
Black	-	-	89	-	-	49	-	-	40
Hispanic/ Latino	31.9	( 24.5 - 39.3 )	167	-	-	78	-	-	88
White	23.1	( 20.1 - 26.1 )	1,179	15.9	( 12.2 - 19.6 )	597	30.3	( 25.5 - 35.1 )	579
All other races	-	-	81	-	-	45	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 3 students who did not provide usable data for QN23.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN24: Percentage of students who seriously considered attempting suicide during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	13.9	( 12.0 - 15.9)	1,562	9.6	( 7.5 - 11.6)	788	18.2	( 15.0 - 21.4)	769
<b>Age</b>									
15 or younger	15.7	( 12.7 - 18.8)	756	9.7	( 6.8 - 12.6)	381	21.6	( 15.8 - 27.4)	372
16 or 17	12.3	( 9.4 - 15.2)	688	9.3	( 6.2 - 12.5)	343	15.0	( 10.8 - 19.2)	343
18 or older	14.3	( 9.1 - 19.5)	118	-	-	64	-	-	54
<b>Grade</b>									
9th	15.5	( 13.1 - 17.9)	480	9.7	( 5.8 - 13.6)	255	21.1	( 16.7 - 25.6)	223
10th	15.2	( 11.0 - 19.4)	502	9.4	( 5.4 - 13.3)	244	21.2	( 14.7 - 27.7)	256
11th	12.3	( 8.3 - 16.2)	301	10.6	( 5.9 - 15.2)	157	13.5	( 7.4 - 19.7)	143
12th	12.3	( 8.4 - 16.2)	276	8.4	( 4.2 - 12.6)	130	16.3	( 10.5 - 22.1)	146
<b>Race/Ethnicity</b>									
Black	-	-	89	-	-	49	-	-	40
Hispanic/ Latino	16.5	( 12.1 - 20.9)	166	-	-	77	-	-	88
White	13.4	( 11.2 - 15.5)	1,177	8.8	( 6.4 - 11.1)	596	17.8	( 14.7 - 21.0)	578
All other races	-	-	81	-	-	45	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 6 students who did not provide usable data for QN24.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN25: Percentage of students who made a plan about how they would attempt suicide during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	9.4	( 7.5 - 11.2)	1,560	6.9	( 5.1 - 8.7)	784	11.9	( 8.9 - 14.9)	771
<b>Age</b>									
15 or younger	11.0	( 8.5 - 13.5)	755	7.1	( 4.5 - 9.6)	379	15.0	( 10.4 - 19.6)	373
16 or 17	9.1	( 6.6 - 11.6)	687	7.4	( 4.1 - 10.7)	341	10.7	( 7.4 - 14.0)	344
18 or older	3.9	( 1.0 - 6.8)	118	-	-	64	-	-	54
<b>Grade</b>									
9th	11.2	( 8.9 - 13.5)	477	7.4	( 4.1 - 10.8)	251	15.0	( 10.9 - 19.0)	224
10th	10.1	( 6.5 - 13.7)	502	6.8	( 3.6 - 10.1)	244	13.5	( 7.9 - 19.2)	256
11th	9.3	( 6.0 - 12.5)	302	8.4	( 4.5 - 12.3)	157	10.2	( 5.3 - 15.2)	144
12th	6.4	( 3.5 - 9.3)	276	4.7	( 2.6 - 6.7)	130	8.1	( 3.2 - 13.0)	146
<b>Race/Ethnicity</b>									
Black	-	-	89	-	-	49	-	-	40
Hispanic/ Latino	11.7	( 7.1 - 16.3)	166	-	-	77	-	-	88
White	9.3	( 7.2 - 11.3)	1,177	7.0	( 4.7 - 9.3)	594	11.6	( 8.3 - 14.8)	580
All other races	-	-	79	-	-	43	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 8 students who did not provide usable data for QN25.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN26: Percentage of students who actually attempted suicide one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	5.8	( 4.6 - 7.1)	1,434	4.3	( 2.6 - 6.1)	712	7.2	( 5.4 - 8.9)	717
<b>Age</b>									
15 or younger	7.3	( 5.4 - 9.2)	696	4.6	( 2.7 - 6.5)	350	10.0	( 6.9 - 13.1)	343
16 or 17	4.8	( 3.2 - 6.5)	632	3.6	( 1.2 - 6.1)	304	5.7	( 3.4 - 7.9)	326
18 or older	4.4	( 0.0 - 9.2)	106	-	-	58	-	-	48
<b>Grade</b>									
9th	7.8	( 5.7 - 9.9)	438	6.5	( 3.7 - 9.3)	234	9.1	( 5.9 - 12.2)	202
10th	6.7	( 4.0 - 9.5)	462	2.9	( 0.3 - 5.4)	219	10.6	( 6.0 - 15.2)	241
11th	4.7	( 1.8 - 7.5)	273	2.2	( 0.0 - 4.6)	137	6.3	( 2.3 - 10.4)	135
12th	3.7	( 1.0 - 6.4)	258	5.4	( 0.0 - 10.9)	120	2.0	( 0.0 - 4.2)	138
<b>Race/Ethnicity</b>									
Black	-	-	65	-	-	33	-	-	32
Hispanic/ Latino	7.0	( 3.6 - 10.5)	148	-	-	67	-	-	80
White	5.6	( 4.2 - 7.0)	1,105	3.5	( 1.9 - 5.1)	557	7.5	( 5.4 - 9.6)	545
All other races	-	-	69	-	-	36	-	-	32
Multiple races	-	-	38	-	-	17	-	-	21

Note: There were 134 students who did not provide usable data for QN26.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN27: Percentage of students whose suicide attempt resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	1.4	( 0.8 - 2.0)	1,430	1.2	( 0.4 - 2.0)	710	1.5	( 0.5 - 2.6)	715
<b>Age</b>									
15 or younger	1.5	( 0.5 - 2.5)	695	1.5	( 0.1 - 2.9)	349	1.5	( 0.1 - 2.9)	343
16 or 17	1.4	( 0.5 - 2.2)	629	0.9	( 0.0 - 1.8)	303	1.8	( 0.4 - 3.2)	324
18 or older	1.0	( 0.0 - 2.7)	106	-	-	58	-	-	48
<b>Grade</b>									
9th	1.7	( 0.5 - 2.9)	438	1.7	( 0.0 - 3.6)	234	1.5	( 0.0 - 3.2)	202
10th	1.2	( 0.0 - 2.5)	461	0.5	( 0.0 - 1.5)	219	1.9	( 0.0 - 4.1)	240
11th	2.1	( 0.6 - 3.6)	270	1.4	( 0.0 - 3.2)	135	2.7	( 0.2 - 5.2)	134
12th	0.6	( 0.0 - 1.4)	258	1.3	( 0.0 - 2.8)	120	0.0	( 0.0 - 0.0)	138
<b>Race/Ethnicity</b>									
Black	-	-	64	-	-	32	-	-	32
Hispanic/ Latino	2.9	( 0.3 - 5.4)	147	-	-	67	-	-	79
White	1.4	( 0.6 - 2.1)	1,103	1.2	( 0.2 - 2.1)	556	1.6	( 0.4 - 2.7)	544
All other races	-	-	69	-	-	36	-	-	32
Multiple races	-	-	38	-	-	17	-	-	21

Note: There were 138 students who did not provide usable data for QN27.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN28: Percentage of students who ever tried cigarette smoking, even one or two puffs

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	46.9	( 42.6 - 51.2 )	1,543	44.0	( 39.3 - 48.7 )	775	49.7	( 44.8 - 54.6 )	763
<b>Age</b>									
15 or younger	37.6	( 32.6 - 42.5 )	746	33.9	( 28.5 - 39.3 )	374	40.9	( 34.8 - 47.1 )	369
16 or 17	52.5	( 46.8 - 58.2 )	680	49.2	( 41.7 - 56.7 )	337	55.5	( 49.3 - 61.8 )	341
18 or older	60.0	( 49.2 - 70.7 )	116	-	-	63	-	-	53
<b>Grade</b>									
9th	38.1	( 31.9 - 44.4 )	472	35.6	( 28.3 - 42.9 )	250	40.4	( 33.3 - 47.6 )	220
10th	44.1	( 36.8 - 51.4 )	498	40.0	( 33.8 - 46.1 )	241	48.1	( 37.6 - 58.7 )	255
11th	54.6	( 46.0 - 63.1 )	298	46.4	( 37.0 - 55.7 )	154	62.5	( 52.2 - 72.8 )	143
12th	53.3	( 46.1 - 60.5 )	271	56.7	( 48.2 - 65.3 )	127	49.8	( 40.3 - 59.4 )	144
<b>Race/Ethnicity</b>									
Black	-	-	89	-	-	49	-	-	40
Hispanic/ Latino	53.0	( 43.7 - 62.4 )	163	-	-	77	-	-	85
White	46.3	( 41.3 - 51.2 )	1,168	44.0	( 38.9 - 49.1 )	590	48.4	( 42.2 - 54.5 )	575
All other races	-	-	74	-	-	38	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 25 students who did not provide usable data for QN28.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN29: Percentage of students who smoked a whole cigarette for the first time before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	11.0	( 8.6 - 13.5)	1,538	11.5	( 8.5 - 14.5)	772	10.5	( 7.6 - 13.3)	761
<b>Age</b>									
15 or younger	10.4	( 7.2 - 13.6)	746	9.0	( 5.4 - 12.6)	374	11.8	( 6.8 - 16.8)	369
16 or 17	11.9	( 8.7 - 15.0)	675	13.6	( 9.0 - 18.2)	334	10.0	( 7.2 - 12.7)	339
18 or older	9.3	( 2.4 - 16.3)	116	-	-	63	-	-	53
<b>Grade</b>									
9th	12.5	( 8.2 - 16.9)	472	10.8	( 6.0 - 15.7)	250	14.3	( 7.5 - 21.0)	220
10th	8.6	( 6.1 - 11.2)	497	8.3	( 4.7 - 12.0)	242	9.0	( 5.6 - 12.4)	253
11th	11.9	( 7.9 - 15.9)	295	13.8	( 8.3 - 19.3)	151	9.5	( 5.3 - 13.7)	143
12th	10.9	( 6.2 - 15.6)	271	13.2	( 6.3 - 20.1)	127	8.6	( 4.6 - 12.6)	144
<b>Race/Ethnicity</b>									
Black	-	-	89	-	-	49	-	-	40
Hispanic/ Latino	13.5	( 7.3 - 19.8)	163	-	-	77	-	-	85
White	10.9	( 7.7 - 14.1)	1,165	12.4	( 8.3 - 16.5)	589	9.3	( 6.2 - 12.4)	573
All other races	-	-	74	-	-	38	-	-	35
Multiple races	-	-	38	-	-	17	-	-	21

Note: There were 30 students who did not provide usable data for QN29.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN30: Percentage of students who smoked cigarettes on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	18.7	( 15.5 - 21.9 )	1,523	18.6	( 14.8 - 22.4 )	760	18.7	( 14.7 - 22.7 )	758
<b>Age</b>									
15 or younger	12.3	( 8.7 - 15.9 )	740	10.2	( 6.5 - 13.8 )	370	14.4	( 8.7 - 20.0 )	367
16 or 17	23.5	( 18.4 - 28.5 )	669	24.2	( 17.7 - 30.7 )	330	22.6	( 16.5 - 28.7 )	337
18 or older	22.7	( 15.0 - 30.5 )	113	-	-	59	-	-	54
<b>Grade</b>									
9th	12.6	( 7.9 - 17.4 )	469	10.2	( 5.4 - 15.0 )	246	15.1	( 7.9 - 22.2 )	221
10th	16.1	( 11.7 - 20.6 )	489	15.8	( 10.8 - 20.8 )	235	16.5	( 9.5 - 23.5 )	252
11th	26.4	( 18.6 - 34.3 )	295	24.9	( 17.0 - 32.7 )	154	27.6	( 17.9 - 37.3 )	140
12th	21.0	( 15.0 - 27.0 )	266	25.7	( 15.3 - 36.1 )	122	16.5	( 12.2 - 20.9 )	144
<b>Race/Ethnicity</b>									
Black	-	-	86	-	-	46	-	-	40
Hispanic/ Latino	14.4	( 6.8 - 22.0 )	162	-	-	77	-	-	84
White	20.0	( 16.3 - 23.7 )	1,153	20.3	( 16.2 - 24.3 )	578	19.6	( 14.7 - 24.4 )	572
All other races	-	-	74	-	-	38	-	-	35
Multiple races	-	-	38	-	-	18	-	-	20

Note: There were 45 students who did not provide usable data for QN30.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QNFRFCIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	7.7	( 5.7 - 9.8 )	1,523	7.8	( 5.3 - 10.3 )	760	7.5	( 5.3 - 9.8 )	758
<b>Age</b>									
15 or younger	4.4	( 2.6 - 6.2 )	740	2.6	( 1.3 - 3.9 )	370	6.2	( 3.0 - 9.4 )	367
16 or 17	10.6	( 7.1 - 14.1 )	669	11.8	( 7.3 - 16.4 )	330	9.2	( 5.1 - 13.2 )	337
18 or older	8.1	( 3.8 - 12.4 )	113	-	-	59	-	-	54
<b>Grade</b>									
9th	4.0	( 2.3 - 5.6 )	469	2.7	( 1.0 - 4.4 )	246	5.1	( 1.9 - 8.3 )	221
10th	7.0	( 4.3 - 9.7 )	489	6.1	( 2.9 - 9.3 )	235	8.0	( 3.9 - 12.1 )	252
11th	12.0	( 5.3 - 18.8 )	295	11.5	( 4.3 - 18.6 )	154	12.1	( 4.4 - 19.8 )	140
12th	8.8	( 5.2 - 12.3 )	266	12.5	( 5.7 - 19.2 )	122	5.2	( 2.5 - 8.0 )	144
<b>Race/Ethnicity</b>									
Black	-	-	86	-	-	46	-	-	40
Hispanic/ Latino	2.5	( 0.4 - 4.5 )	162	-	-	77	-	-	84
White	8.5	( 6.0 - 10.9 )	1,153	8.7	( 5.9 - 11.4 )	578	8.2	( 5.3 - 11.0 )	572
All other races	-	-	74	-	-	38	-	-	35
Multiple races	-	-	38	-	-	18	-	-	20

Note: There were 45 students who did not provide usable data for QNFRFCIG.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN31: Among students who are current smokers, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	6.7	( 3.1 - 10.3 )	266	9.9	( 4.0 - 15.9 )	128	3.4	( 0.2 - 6.5 )	136
<b>Age</b>									
15 or younger	-	-	89	-	-	36	-	-	52
16 or 17	7.1	( 3.1 - 11.1 )	152	-	-	77	-	-	74
18 or older	-	-	24	-	-	14	-	-	10
<b>Grade</b>									
9th	-	-	56	-	-	25	-	-	30
10th	-	-	79	-	-	34	-	-	45
11th	-	-	77	-	-	39	-	-	37
12th	-	-	53	-	-	29	-	-	24
<b>Race/Ethnicity</b>									
Black	-	-	11	-	-	5	-	-	6
Hispanic/ Latino	-	-	26	-	-	12	-	-	13
White	7.1	( 2.8 - 11.3 )	214	10.6	( 3.7 - 17.6 )	105	3.4	( 0.0 - 7.0 )	108
All other races	-	-	7	-	-	3	-	-	4
Multiple races	-	-	6	-	-	3	-	-	3

Note: There were 1302 students who were excluded from this analysis or who did not provide usable data for QN31.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN32: Among students who are less than 18 years of age and who are current smokers, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	16.5	( 12.3 - 20.8 )	238	15.0	( 7.9 - 22.1 )	112	18.2	( 11.5 - 24.8 )	124
<b>Age</b>									
15 or younger	-	-	87	-	-	36	-	-	50
16 or 17	16.4	( 11.5 - 21.3 )	151	-	-	76	-	-	74
18 or older	-	-	0	-	-	0	-	-	0
<b>Grade</b>									
9th	-	-	56	-	-	25	-	-	30
10th	-	-	75	-	-	33	-	-	42
11th	-	-	73	-	-	35	-	-	37
12th	-	-	34	-	-	19	-	-	15
<b>Race/Ethnicity</b>									
Black	-	-	9	-	-	3	-	-	6
Hispanic/ Latino	-	-	23	-	-	10	-	-	12
White	14.7	( 10.3 - 19.1 )	195	-	-	95	-	-	99
All other races	-	-	6	-	-	2	-	-	4
Multiple races	-	-	4	-	-	2	-	-	2

Note: There were 1330 students who were excluded from this analysis or who did not provide usable data for QN32.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN33: Percentage of students who smoked cigarettes on school property on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	6.1	( 4.4 - 7.8 )	1,553	6.7	( 4.4 - 9.1 )	778	5.5	( 3.5 - 7.5 )	770
<b>Age</b>									
15 or younger	4.3	( 2.6 - 5.9 )	754	3.1	( 1.5 - 4.6 )	379	5.5	( 2.9 - 8.0 )	372
16 or 17	7.6	( 4.3 - 10.8 )	684	9.2	( 5.1 - 13.3 )	338	6.0	( 2.3 - 9.7 )	344
18 or older	7.0	( 2.7 - 11.3 )	114	-	-	60	-	-	54
<b>Grade</b>									
9th	3.8	( 1.8 - 5.9 )	478	3.0	( 1.2 - 4.8 )	252	4.6	( 1.6 - 7.6 )	224
10th	5.4	( 3.1 - 7.7 )	501	5.5	( 2.2 - 8.7 )	243	5.3	( 1.9 - 8.8 )	256
11th	9.4	( 4.7 - 14.1 )	300	10.5	( 5.0 - 15.9 )	156	8.4	( 2.4 - 14.3 )	143
12th	6.5	( 3.1 - 9.8 )	270	9.3	( 3.4 - 15.1 )	124	3.8	( 1.5 - 6.1 )	146
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	4.2	( 0.4 - 8.0 )	165	-	-	78	-	-	86
White	6.3	( 4.2 - 8.4 )	1,175	7.3	( 4.6 - 10.1 )	591	5.2	( 2.9 - 7.5 )	581
All other races	-	-	77	-	-	41	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 15 students who did not provide usable data for QN33.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN34: Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	11.8	( 9.1 - 14.5 )	1,550	12.4	( 8.7 - 16.1 )	779	11.1	( 8.4 - 13.8 )	766
<b>Age</b>									
15 or younger	7.7	( 5.0 - 10.4 )	751	5.6	( 3.3 - 7.9 )	378	9.9	( 5.9 - 13.8 )	370
16 or 17	14.3	( 10.0 - 18.6 )	681	15.4	( 9.3 - 21.6 )	337	12.9	( 8.4 - 17.5 )	342
18 or older	16.9	( 10.5 - 23.3 )	117	-	-	63	-	-	54
<b>Grade</b>									
9th	7.6	( 3.8 - 11.4 )	476	6.9	( 2.4 - 11.3 )	253	8.2	( 3.9 - 12.5 )	221
10th	9.8	( 6.3 - 13.3 )	500	8.5	( 4.4 - 12.5 )	243	11.2	( 6.6 - 15.9 )	255
11th	15.8	( 9.6 - 22.0 )	298	16.2	( 8.5 - 23.9 )	153	14.9	( 7.7 - 22.1 )	144
12th	15.1	( 9.8 - 20.3 )	273	19.6	( 10.7 - 28.6 )	128	10.5	( 5.5 - 15.5 )	145
<b>Race/Ethnicity</b>									
Black	-	-	88	-	-	48	-	-	40
Hispanic/ Latino	9.6	( 5.4 - 13.8 )	167	-	-	78	-	-	88
White	12.2	( 8.8 - 15.5 )	1,168	12.0	( 8.0 - 16.1 )	590	12.2	( 8.7 - 15.7 )	575
All other races	-	-	79	-	-	43	-	-	35
Multiple races	-	-	38	-	-	17	-	-	21

Note: There were 18 students who did not provide usable data for QN34.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN35: Among students who are current smokers, the percentage who tried to quit smoking during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	51.5	( 44.6 - 58.4 )	266	47.9	( 38.3 - 57.5 )	127	54.8	( 46.5 - 63.0 )	137
<b>Age</b>									
15 or younger	-	-	89	-	-	36	-	-	52
16 or 17	48.2	( 39.0 - 57.4 )	154	-	-	78	-	-	75
18 or older	-	-	23	-	-	13	-	-	10
<b>Grade</b>									
9th	-	-	56	-	-	25	-	-	30
10th	-	-	80	-	-	35	-	-	45
11th	-	-	77	-	-	39	-	-	37
12th	-	-	53	-	-	28	-	-	25
<b>Race/Ethnicity</b>									
Black	-	-	11	-	-	5	-	-	6
Hispanic/ Latino	-	-	26	-	-	11	-	-	14
White	50.0	( 43.4 - 56.5 )	214	43.6	( 34.6 - 52.7 )	105	56.0	( 47.2 - 64.9 )	108
All other races	-	-	7	-	-	3	-	-	4
Multiple races	-	-	6	-	-	3	-	-	3

Note: There were 1302 students who were excluded from this analysis or who did not provide usable data for QN35.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN36: Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	4.6	( 3.5 - 5.8 )	1,559	8.0	( 6.1 - 10.0 )	783	1.2	( 0.3 - 2.0 )	771
<b>Age</b>									
15 or younger	3.1	( 1.6 - 4.5 )	754	4.9	( 2.6 - 7.3 )	379	1.1	( 0.0 - 2.5 )	372
16 or 17	5.0	( 3.2 - 6.8 )	687	9.2	( 6.1 - 12.3 )	340	1.0	( 0.0 - 2.1 )	345
18 or older	9.8	( 3.0 - 16.7 )	117	-	-	63	-	-	54
<b>Grade</b>									
9th	3.2	( 1.2 - 5.1 )	478	4.8	( 1.8 - 7.9 )	252	1.3	( 0.0 - 3.2 )	224
10th	5.0	( 2.8 - 7.2 )	501	8.8	( 5.1 - 12.4 )	243	1.2	( 0.0 - 2.6 )	256
11th	5.0	( 2.4 - 7.5 )	301	9.0	( 4.5 - 13.5 )	156	1.0	( 0.0 - 2.7 )	144
12th	5.8	( 2.9 - 8.6 )	275	10.4	( 5.1 - 15.6 )	129	1.2	( 0.0 - 2.5 )	146
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	3.8	( 0.8 - 6.8 )	166	-	-	78	-	-	87
White	4.9	( 3.5 - 6.3 )	1,178	9.0	( 6.5 - 11.4 )	594	0.8	( 0.0 - 1.6 )	581
All other races	-	-	79	-	-	43	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 9 students who did not provide usable data for QN36.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN37: Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	2.3	( 1.4 - 3.3)	1,558	4.6	( 2.8 - 6.3)	782	0.1	( 0.0 - 0.1)	771
<b>Age</b>									
15 or younger	1.6	( 0.5 - 2.7)	754	3.1	( 1.1 - 5.2)	379	0.0	( 0.0 - 0.0)	372
16 or 17	2.8	( 1.6 - 3.9)	686	5.6	( 3.2 - 7.9)	339	0.1	( 0.0 - 0.3)	345
18 or older	3.4	( 0.0 - 7.9)	117	-	-	63	-	-	54
<b>Grade</b>									
9th	2.0	( 0.5 - 3.6)	478	3.9	( 1.1 - 6.6)	252	0.0	( 0.0 - 0.0)	224
10th	2.8	( 1.3 - 4.3)	501	5.6	( 2.7 - 8.5)	243	0.0	( 0.0 - 0.0)	256
11th	2.1	( 0.6 - 3.5)	300	3.9	( 1.2 - 6.6)	155	0.2	( 0.0 - 0.6)	144
12th	2.5	( 0.3 - 4.6)	275	5.0	( 0.9 - 9.0)	129	0.0	( 0.0 - 0.0)	146
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	2.6	( 0.0 - 5.6)	166	-	-	78	-	-	87
White	2.6	( 1.3 - 3.8)	1,177	5.1	( 2.7 - 7.5)	593	0.0	( 0.0 - 0.0)	581
All other races	-	-	79	-	-	43	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 10 students who did not provide usable data for QN37.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN38: Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	11.7	( 9.7 - 13.7)	1,562	18.5	( 15.5 - 21.5)	787	4.7	( 2.9 - 6.5)	770
<b>Age</b>									
15 or younger	8.4	( 6.1 - 10.7)	756	12.4	( 8.8 - 15.9)	381	4.3	( 2.0 - 6.7)	372
16 or 17	14.0	( 10.5 - 17.5)	688	23.3	( 18.3 - 28.2)	342	5.3	( 2.8 - 7.7)	344
18 or older	13.8	( 9.1 - 18.4)	117	-	-	63	-	-	54
<b>Grade</b>									
9th	9.5	( 6.4 - 12.5)	481	14.8	( 9.8 - 19.8)	255	3.8	( 1.4 - 6.1)	224
10th	9.5	( 5.7 - 13.2)	502	12.9	( 8.2 - 17.6)	244	6.0	( 2.3 - 9.6)	256
11th	15.2	( 10.4 - 20.1)	301	24.4	( 17.7 - 31.0)	156	6.1	( 2.5 - 9.8)	144
12th	13.2	( 8.9 - 17.5)	274	23.3	( 15.4 - 31.2)	129	3.0	( 0.3 - 5.7)	145
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	9.5	( 3.4 - 15.5)	167	-	-	78	-	-	88
White	12.3	( 10.0 - 14.7)	1,178	20.1	( 16.8 - 23.4)	596	4.4	( 2.4 - 6.5)	579
All other races	-	-	81	-	-	45	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 6 students who did not provide usable data for QN38.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QNANYTOB: Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	23.0	( 19.6 - 26.4 )	1,516	26.3	( 22.2 - 30.4 )	755	19.6	( 15.6 - 23.6 )	756
<b>Age</b>									
15 or younger	15.9	( 12.3 - 19.5 )	737	16.2	( 12.2 - 20.2 )	368	15.7	( 10.2 - 21.2 )	366
16 or 17	28.3	( 22.8 - 33.7 )	666	33.3	( 26.5 - 40.1 )	328	23.3	( 17.2 - 29.4 )	336
18 or older	27.6	( 19.0 - 36.1 )	112	-	-	58	-	-	54
<b>Grade</b>									
9th	16.4	( 11.5 - 21.3 )	467	17.0	( 11.1 - 23.0 )	244	15.8	( 9.0 - 22.5 )	221
10th	20.9	( 15.9 - 25.9 )	487	22.6	( 17.5 - 27.7 )	234	19.3	( 11.7 - 26.8 )	251
11th	31.2	( 22.4 - 40.0 )	294	33.8	( 24.2 - 43.4 )	153	28.2	( 18.5 - 37.9 )	140
12th	25.0	( 19.8 - 30.3 )	264	34.5	( 25.9 - 43.2 )	121	16.0	( 11.6 - 20.5 )	143
<b>Race/Ethnicity</b>									
Black	-	-	84	-	-	44	-	-	40
Hispanic/ Latino	17.4	( 9.4 - 25.4 )	162	-	-	77	-	-	84
White	24.6	( 20.9 - 28.3 )	1,148	28.6	( 24.4 - 32.8 )	575	20.5	( 15.7 - 25.3 )	570
All other races	-	-	74	-	-	38	-	-	35
Multiple races	-	-	38	-	-	18	-	-	20

Note: There were 52 students who did not provide usable data for QNANYTOB.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN39: Percentage of students who had at least one drink of alcohol on one or more days during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	77.8	( 74.6 - 81.0)	1,461	76.9	( 73.3 - 80.5)	734	78.7	( 75.1 - 82.2)	722
<b>Age</b>									
15 or younger	71.3	( 67.3 - 75.2)	693	69.7	( 64.4 - 75.0)	350	72.7	( 67.6 - 77.8)	340
16 or 17	81.7	( 77.9 - 85.5)	655	80.6	( 76.5 - 84.8)	322	82.6	( 77.9 - 87.3)	331
18 or older	86.3	( 78.1 - 94.6)	112	-	-	61	-	-	51
<b>Grade</b>									
9th	71.2	( 67.0 - 75.3)	438	70.3	( 64.1 - 76.5)	233	71.9	( 66.5 - 77.3)	203
10th	74.2	( 68.9 - 79.5)	473	71.7	( 65.9 - 77.5)	229	76.7	( 69.6 - 83.7)	242
11th	81.1	( 75.6 - 86.5)	285	80.1	( 74.5 - 85.7)	147	81.9	( 75.2 - 88.7)	137
12th	86.8	( 81.0 - 92.6)	261	88.2	( 81.5 - 94.9)	122	85.4	( 78.7 - 92.1)	139
<b>Race/Ethnicity</b>									
Black	-	-	78	-	-	41	-	-	37
Hispanic/ Latino	82.8	( 74.6 - 91.0)	151	-	-	70	-	-	80
White	78.9	( 75.6 - 82.2)	1,117	77.7	( 74.1 - 81.4)	567	80.0	( 75.9 - 84.2)	547
All other races	-	-	70	-	-	37	-	-	32
Multiple races	-	-	36	-	-	16	-	-	20

Note: There were 107 students who did not provide usable data for QN39.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN40: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	22.6	( 19.9 - 25.4 )	1,465	24.9	( 21.5 - 28.2 )	735	20.2	( 16.8 - 23.6 )	725
<b>Age</b>									
15 or younger	26.8	( 22.1 - 31.6 )	694	26.2	( 21.1 - 31.4 )	349	27.0	( 20.9 - 33.1 )	342
16 or 17	18.7	( 15.5 - 21.9 )	658	21.3	( 16.8 - 25.7 )	324	16.3	( 12.5 - 20.2 )	332
18 or older	24.3	( 14.7 - 34.0 )	112	-	-	61	-	-	51
<b>Grade</b>									
9th	27.9	( 22.4 - 33.5 )	441	27.1	( 19.7 - 34.5 )	235	28.5	( 21.7 - 35.2 )	204
10th	23.2	( 19.2 - 27.3 )	472	23.1	( 18.8 - 27.4 )	227	22.9	( 16.1 - 29.7 )	243
11th	19.9	( 15.3 - 24.6 )	285	24.5	( 17.9 - 31.0 )	147	15.5	( 9.4 - 21.6 )	137
12th	18.6	( 13.3 - 23.8 )	263	24.7	( 17.0 - 32.4 )	123	12.5	( 4.9 - 20.0 )	140
<b>Race/Ethnicity</b>									
Black	-	-	77	-	-	41	-	-	36
Hispanic/ Latino	35.9	( 24.7 - 47.1 )	151	-	-	70	-	-	80
White	20.5	( 17.8 - 23.1 )	1,119	22.8	( 19.4 - 26.2 )	567	17.9	( 14.3 - 21.5 )	549
All other races	-	-	72	-	-	38	-	-	33
Multiple races	-	-	37	-	-	16	-	-	21

Note: There were 103 students who did not provide usable data for QN40.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN41: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	47.3	( 43.3 - 51.4 )	1,524	46.8	( 42.4 - 51.1 )	763	47.8	( 42.6 - 53.0 )	756
<b>Age</b>									
15 or younger	39.1	( 34.5 - 43.7 )	738	39.7	( 33.4 - 46.0 )	371	38.4	( 31.3 - 45.5 )	364
16 or 17	53.4	( 48.1 - 58.7 )	671	52.6	( 46.3 - 58.9 )	329	54.1	( 47.0 - 61.1 )	340
18 or older	53.0	( 42.4 - 63.6 )	114	-	-	62	-	-	52
<b>Grade</b>									
9th	40.3	( 34.6 - 46.0 )	463	40.3	( 31.9 - 48.7 )	244	39.9	( 32.4 - 47.5 )	217
10th	41.4	( 35.2 - 47.5 )	495	40.2	( 34.3 - 46.1 )	239	42.7	( 33.5 - 51.8 )	254
11th	51.8	( 44.9 - 58.6 )	297	48.6	( 41.1 - 56.0 )	154	54.8	( 45.8 - 63.7 )	142
12th	58.4	( 49.9 - 66.8 )	265	61.1	( 48.8 - 73.4 )	123	55.7	( 46.8 - 64.6 )	142
<b>Race/Ethnicity</b>									
Black	-	-	83	-	-	44	-	-	39
Hispanic/ Latino	43.5	( 33.8 - 53.3 )	159	-	-	76	-	-	82
White	50.3	( 45.9 - 54.6 )	1,161	49.3	( 44.4 - 54.3 )	584	51.1	( 45.3 - 56.9 )	574
All other races	-	-	74	-	-	39	-	-	34
Multiple races	-	-	37	-	-	17	-	-	20

Note: There were 44 students who did not provide usable data for QN41.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN42: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	29.2	( 25.6 - 32.8 )	1,546	32.1	( 28.0 - 36.2 )	776	26.1	( 21.7 - 30.4 )	765
<b>Age</b>									
15 or younger	21.1	( 17.5 - 24.8 )	747	22.8	( 17.6 - 28.1 )	376	19.2	( 13.8 - 24.6 )	368
16 or 17	35.5	( 30.4 - 40.6 )	682	40.0	( 34.1 - 45.9 )	336	31.1	( 25.0 - 37.1 )	344
18 or older	33.0	( 21.5 - 44.5 )	116	-	-	63	-	-	53
<b>Grade</b>									
9th	21.1	( 17.3 - 24.9 )	474	23.3	( 17.1 - 29.5 )	251	18.4	( 14.1 - 22.6 )	221
10th	26.1	( 19.7 - 32.4 )	497	26.8	( 20.5 - 33.1 )	240	25.4	( 17.1 - 33.6 )	255
11th	32.8	( 26.4 - 39.2 )	299	34.5	( 27.4 - 41.6 )	154	30.8	( 23.4 - 38.2 )	144
12th	39.4	( 31.4 - 47.3 )	272	47.2	( 36.6 - 57.9 )	128	31.4	( 21.8 - 41.1 )	144
<b>Race/Ethnicity</b>									
Black	-	-	85	-	-	46	-	-	39
Hispanic/ Latino	21.1	( 12.7 - 29.4 )	162	-	-	76	-	-	85
White	32.2	( 28.7 - 35.8 )	1,174	35.8	( 31.4 - 40.2 )	591	28.4	( 24.1 - 32.8 )	580
All other races	-	-	77	-	-	42	-	-	34
Multiple races	-	-	38	-	-	18	-	-	20

Note: There were 22 students who did not provide usable data for QN42.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN43: Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	3.5	( 2.3 - 4.7)	1,556	4.9	( 2.6 - 7.2)	781	1.9	( 0.8 - 3.1)	770
<b>Age</b>									
15 or younger	3.0	( 1.5 - 4.5)	753	4.0	( 1.3 - 6.7)	379	1.9	( 0.3 - 3.4)	371
16 or 17	3.9	( 2.3 - 5.6)	685	5.4	( 2.3 - 8.4)	338	2.3	( 0.6 - 4.0)	345
18 or older	3.3	( 0.0 - 6.6)	117	-	-	63	-	-	54
<b>Grade</b>									
9th	2.9	( 1.1 - 4.8)	478	4.9	( 1.6 - 8.2)	253	0.8	( 0.0 - 1.9)	223
10th	3.2	( 1.5 - 4.9)	499	2.7	( 0.0 - 5.4)	241	3.7	( 1.0 - 6.4)	256
11th	3.3	( 1.2 - 5.3)	301	3.8	( 0.7 - 7.0)	156	2.2	( 0.0 - 4.9)	144
12th	4.7	( 1.5 - 7.8)	274	8.3	( 2.0 - 14.6)	128	1.1	( 0.0 - 2.3)	146
<b>Race/Ethnicity</b>									
Black	-	-	84	-	-	45	-	-	39
Hispanic/ Latino	4.7	( 1.4 - 8.1)	165	-	-	77	-	-	87
White	3.6	( 2.2 - 4.9)	1,178	5.3	( 2.8 - 7.9)	594	1.6	( 0.4 - 2.8)	581
All other races	-	-	80	-	-	44	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 12 students who did not provide usable data for QN43.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN44: Percentage of students who used marijuana one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	38.0	( 34.0 - 42.1 )	1,553	40.3	( 36.3 - 44.4 )	776	35.5	( 30.9 - 40.1 )	772
<b>Age</b>									
15 or younger	27.4	( 23.3 - 31.5 )	753	27.9	( 22.4 - 33.4 )	377	26.6	( 21.5 - 31.7 )	373
16 or 17	45.7	( 41.3 - 50.1 )	682	48.8	( 44.1 - 53.5 )	335	42.6	( 37.4 - 47.8 )	345
18 or older	46.3	( 32.5 - 60.1 )	117	-	-	63	-	-	54
<b>Grade</b>									
9th	26.4	( 21.5 - 31.3 )	477	29.2	( 21.7 - 36.7 )	251	23.1	( 18.2 - 28.1 )	224
10th	35.4	( 28.3 - 42.6 )	499	35.5	( 28.6 - 42.4 )	240	35.2	( 25.4 - 45.0 )	257
11th	45.5	( 39.1 - 51.9 )	298	43.8	( 36.5 - 51.1 )	153	46.9	( 38.7 - 55.0 )	144
12th	47.9	( 39.2 - 56.7 )	275	56.4	( 45.4 - 67.4 )	129	39.5	( 30.6 - 48.4 )	146
<b>Race/Ethnicity</b>									
Black	-	-	86	-	-	46	-	-	40
Hispanic/ Latino	28.5	( 22.0 - 35.0 )	165	-	-	76	-	-	88
White	38.2	( 33.6 - 42.9 )	1,175	40.7	( 35.8 - 45.6 )	591	35.4	( 30.1 - 40.8 )	581
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 15 students who did not provide usable data for QN44.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN45: Percentage of students who tried marijuana for the first time before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	5.6	( 4.0 - 7.3 )	1,553	8.4	( 5.7 - 11.2 )	777	2.8	( 1.6 - 4.0 )	771
<b>Age</b>									
15 or younger	5.5	( 3.1 - 7.8 )	753	7.7	( 3.5 - 12.0 )	378	3.1	( 1.4 - 4.9 )	372
16 or 17	5.9	( 3.8 - 8.0 )	681	9.3	( 6.0 - 12.5 )	334	2.9	( 0.9 - 4.8 )	345
18 or older	4.4	( 0.0 - 9.5 )	118	-	-	64	-	-	54
<b>Grade</b>									
9th	7.6	( 4.8 - 10.5 )	479	10.6	( 5.4 - 15.9 )	253	4.4	( 1.6 - 7.2 )	224
10th	4.0	( 2.0 - 6.0 )	498	6.2	( 2.9 - 9.5 )	240	1.9	( 0.0 - 4.4 )	256
11th	6.0	( 3.0 - 9.1 )	296	9.3	( 4.9 - 13.8 )	151	2.8	( 0.0 - 5.7 )	144
12th	4.4	( 1.4 - 7.4 )	276	6.9	( 1.8 - 12.1 )	130	1.8	( 0.0 - 4.3 )	146
<b>Race/Ethnicity</b>									
Black	-	-	85	-	-	45	-	-	40
Hispanic/ Latino	7.1	( 3.3 - 11.0 )	165	-	-	77	-	-	87
White	4.9	( 3.1 - 6.7 )	1,176	8.0	( 4.9 - 11.2 )	592	1.7	( 0.6 - 2.9 )	581
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 15 students who did not provide usable data for QN45.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN46: Percentage of students who used marijuana one or more times during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	21.4	( 18.4 - 24.5 )	1,552	23.3	( 19.5 - 27.1 )	775	19.4	( 15.8 - 23.0 )	772
<b>Age</b>									
15 or younger	14.8	( 11.7 - 17.9 )	753	15.0	( 10.3 - 19.6 )	377	14.3	( 10.2 - 18.5 )	373
16 or 17	27.0	( 22.4 - 31.7 )	681	30.3	( 24.3 - 36.3 )	334	23.8	( 18.7 - 28.8 )	345
18 or older	22.4	( 11.8 - 33.0 )	117	-	-	63	-	-	54
<b>Grade</b>									
9th	15.2	( 11.8 - 18.5 )	477	15.4	( 9.7 - 21.0 )	251	14.5	( 10.0 - 18.9 )	224
10th	19.0	( 13.3 - 24.8 )	497	19.0	( 12.2 - 25.8 )	238	19.1	( 12.0 - 26.2 )	257
11th	24.9	( 19.0 - 30.8 )	299	24.9	( 17.1 - 32.8 )	154	24.4	( 17.0 - 31.9 )	144
12th	28.4	( 20.7 - 36.1 )	275	36.3	( 25.8 - 46.9 )	129	20.5	( 12.6 - 28.4 )	146
<b>Race/Ethnicity</b>									
Black	-	-	85	-	-	45	-	-	40
Hispanic/ Latino	11.1	( 5.1 - 17.1 )	164	-	-	75	-	-	88
White	22.1	( 18.9 - 25.4 )	1,175	24.2	( 20.3 - 28.1 )	591	19.9	( 16.0 - 23.7 )	581
All other races	-	-	79	-	-	43	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 16 students who did not provide usable data for QN46.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN47: Percentage of students who used marijuana on school property one or more times during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	3.7	( 2.6 - 4.9)	1,551	4.9	( 2.9 - 6.8)	776	2.4	( 1.2 - 3.6)	770
<b>Age</b>									
15 or younger	2.2	( 0.9 - 3.6)	754	1.7	( 0.0 - 3.5)	378	2.6	( 0.6 - 4.7)	373
16 or 17	5.6	( 3.7 - 7.5)	679	8.3	( 5.2 - 11.5)	334	2.7	( 0.9 - 4.4)	343
18 or older	0.8	( 0.0 - 2.3)	117	-	-	63	-	-	54
<b>Grade</b>									
9th	2.5	( 0.7 - 4.3)	477	1.8	( 0.0 - 3.9)	251	3.1	( 0.2 - 5.9)	224
10th	2.6	( 1.0 - 4.2)	498	3.2	( 0.5 - 5.8)	239	2.0	( 0.5 - 3.6)	257
11th	5.9	( 3.2 - 8.5)	298	7.6	( 4.3 - 10.9)	154	3.6	( 0.3 - 6.9)	143
12th	4.1	( 1.7 - 6.6)	274	7.4	( 2.4 - 12.3)	129	0.9	( 0.0 - 2.5)	145
<b>Race/Ethnicity</b>									
Black	-	-	84	-	-	45	-	-	39
Hispanic/ Latino	3.5	( 0.4 - 6.6)	164	-	-	75	-	-	88
White	3.5	( 2.3 - 4.7)	1,175	5.1	( 3.0 - 7.2)	592	1.7	( 0.8 - 2.5)	580
All other races	-	-	79	-	-	43	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 17 students who did not provide usable data for QN47.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN48: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	5.9	( 4.5 - 7.4)	1,555	7.1	( 5.4 - 8.8)	780	4.5	( 2.7 - 6.3)	770
<b>Age</b>									
15 or younger	4.1	( 2.2 - 5.9)	754	3.9	( 1.4 - 6.3)	379	3.9	( 1.8 - 6.0)	372
16 or 17	7.3	( 5.0 - 9.7)	683	9.2	( 6.2 - 12.2)	337	5.3	( 2.7 - 7.9)	344
18 or older	6.7	( 1.8 - 11.7)	117	-	-	63	-	-	54
<b>Grade</b>									
9th	4.8	( 2.4 - 7.2)	480	5.9	( 3.0 - 8.9)	254	3.1	( 0.7 - 5.6)	224
10th	4.7	( 2.1 - 7.2)	496	4.3	( 1.9 - 6.6)	238	5.1	( 1.3 - 8.9)	256
11th	7.1	( 3.5 - 10.7)	301	6.5	( 3.0 - 10.0)	156	7.2	( 2.4 - 12.1)	144
12th	7.4	( 4.1 - 10.6)	274	12.1	( 5.6 - 18.6)	129	2.6	( 0.2 - 5.1)	145
<b>Race/Ethnicity</b>									
Black	-	-	85	-	-	45	-	-	40
Hispanic/ Latino	7.7	( 3.1 - 12.2)	166	-	-	78	-	-	87
White	6.4	( 4.8 - 8.0)	1,177	7.7	( 5.5 - 9.8)	593	4.8	( 2.8 - 6.9)	581
All other races	-	-	79	-	-	43	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 13 students who did not provide usable data for QN48.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN49: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	2.4	( 1.6 - 3.3)	1,556	2.7	( 1.4 - 4.0)	780	1.9	( 1.0 - 2.9)	771
<b>Age</b>									
15 or younger	1.4	( 0.6 - 2.2)	755	1.1	( 0.0 - 2.2)	379	1.7	( 0.5 - 2.9)	373
16 or 17	3.6	( 2.0 - 5.1)	683	4.5	( 2.2 - 6.8)	337	2.4	( 0.8 - 4.0)	344
18 or older	1.1	( 0.0 - 2.8)	117	-	-	63	-	-	54
<b>Grade</b>									
9th	1.7	( 0.6 - 2.8)	480	1.5	( 0.0 - 3.1)	254	1.7	( 0.2 - 3.3)	224
10th	1.6	( 0.4 - 2.8)	497	1.9	( 0.1 - 3.7)	238	1.2	( 0.2 - 2.3)	257
11th	4.0	( 1.8 - 6.1)	301	3.4	( 0.8 - 6.0)	156	4.0	( 0.8 - 7.1)	144
12th	2.6	( 0.6 - 4.7)	274	4.4	( 0.3 - 8.5)	129	0.9	( 0.0 - 2.2)	145
<b>Race/Ethnicity</b>									
Black	-	-	85	-	-	45	-	-	40
Hispanic/ Latino	2.9	( 0.4 - 5.4)	166	-	-	78	-	-	87
White	2.5	( 1.5 - 3.6)	1,177	2.8	( 1.2 - 4.3)	593	2.2	( 0.9 - 3.4)	581
All other races	-	-	79	-	-	43	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 12 students who did not provide usable data for QN49.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN50: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	8.6	( 6.8 - 10.3 )	1,563	7.2	( 5.0 - 9.4 )	786	9.8	( 7.5 - 12.1 )	772
<b>Age</b>									
15 or younger	9.6	( 7.1 - 12.0 )	757	6.8	( 3.5 - 10.0 )	381	12.1	( 9.2 - 15.0 )	373
16 or 17	8.1	( 6.1 - 10.1 )	687	7.8	( 4.7 - 10.9 )	340	8.5	( 5.9 - 11.0 )	345
18 or older	5.8	( 2.6 - 9.1 )	118	-	-	64	-	-	54
<b>Grade</b>									
9th	10.5	( 6.9 - 14.1 )	480	7.4	( 3.4 - 11.4 )	254	13.3	( 9.0 - 17.6 )	224
10th	8.1	( 5.4 - 10.8 )	502	6.4	( 3.0 - 9.7 )	243	9.9	( 6.3 - 13.5 )	257
11th	8.9	( 5.5 - 12.3 )	301	7.7	( 3.9 - 11.6 )	156	10.1	( 5.0 - 15.2 )	144
12th	6.1	( 3.9 - 8.4 )	276	7.0	( 3.3 - 10.7 )	130	5.2	( 2.2 - 8.3 )	146
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	8.9	( 3.8 - 14.0 )	167	-	-	78	-	-	88
White	9.2	( 7.0 - 11.5 )	1,180	8.0	( 5.2 - 10.9 )	596	10.4	( 7.8 - 12.9 )	581
All other races	-	-	80	-	-	44	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 5 students who did not provide usable data for QN50.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN51: Percentage of students who used heroin one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	1.8	( 1.1 - 2.5 )	1,562	2.5	( 1.3 - 3.7 )	786	0.9	( 0.2 - 1.5 )	771
<b>Age</b>									
15 or younger	1.3	( 0.2 - 2.3 )	755	1.7	( 0.2 - 3.3 )	380	0.7	( 0.0 - 1.5 )	372
16 or 17	2.2	( 1.2 - 3.2 )	688	3.2	( 1.5 - 4.9 )	341	1.0	( 0.1 - 2.0 )	345
18 or older	1.8	( 0.0 - 4.5 )	118	-	-	64	-	-	54
<b>Grade</b>									
9th	1.7	( 0.2 - 3.1 )	480	2.3	( 0.1 - 4.5 )	254	0.8	( 0.0 - 2.0 )	224
10th	1.8	( 0.6 - 3.0 )	501	2.9	( 0.8 - 5.0 )	243	0.7	( 0.0 - 1.7 )	256
11th	1.8	( 0.3 - 3.2 )	301	2.2	( 0.1 - 4.4 )	156	0.8	( 0.0 - 2.0 )	144
12th	1.9	( 0.5 - 3.3 )	276	2.7	( 0.2 - 5.1 )	130	1.1	( 0.0 - 2.4 )	146
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	4.4	( 0.9 - 8.0 )	166	-	-	78	-	-	87
White	1.4	( 0.6 - 2.1 )	1,179	2.1	( 0.9 - 3.3 )	595	0.5	( 0.0 - 1.1 )	581
All other races	-	-	81	-	-	45	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 6 students who did not provide usable data for QN51.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN52: Percentage of students who used methamphetamines one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	3.7	( 2.7 - 4.8 )	1,562	4.6	( 3.2 - 6.0 )	785	2.7	( 1.4 - 4.0 )	772
<b>Age</b>									
15 or younger	2.8	( 1.5 - 4.1 )	755	2.9	( 1.2 - 4.6 )	379	2.6	( 0.7 - 4.5 )	373
16 or 17	4.8	( 3.0 - 6.7 )	688	6.3	( 3.4 - 9.1 )	341	3.2	( 1.2 - 5.2 )	345
18 or older	2.6	( 0.0 - 5.4 )	118	-	-	64	-	-	54
<b>Grade</b>									
9th	2.7	( 1.4 - 4.0 )	480	3.1	( 0.9 - 5.3 )	254	2.2	( 0.8 - 3.5 )	224
10th	5.0	( 1.8 - 8.2 )	501	5.9	( 2.3 - 9.5 )	242	4.1	( 0.9 - 7.3 )	257
11th	4.3	( 1.9 - 6.7 )	301	5.2	( 2.3 - 8.1 )	156	2.9	( 0.0 - 6.1 )	144
12th	3.0	( 1.6 - 4.5 )	276	4.3	( 1.6 - 7.1 )	130	1.7	( 0.0 - 3.4 )	146
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	4.9	( 1.0 - 8.8 )	167	-	-	78	-	-	88
White	3.8	( 2.6 - 4.9 )	1,178	4.6	( 3.1 - 6.2 )	594	2.7	( 1.2 - 4.2 )	581
All other races	-	-	81	-	-	45	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 6 students who did not provide usable data for QN52.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN53: Percentage of students who used ecstasy one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	4.3	( 3.0 - 5.6)	1,563	5.1	( 3.3 - 7.0)	786	3.5	( 2.1 - 4.9)	772
<b>Age</b>									
15 or younger	2.8	( 1.1 - 4.4)	756	2.5	( 0.2 - 4.7)	380	3.0	( 0.6 - 5.4)	373
16 or 17	5.5	( 3.6 - 7.4)	688	6.7	( 3.8 - 9.6)	341	4.4	( 2.1 - 6.7)	345
18 or older	4.9	( 0.2 - 9.7)	118	-	-	64	-	-	54
<b>Grade</b>									
9th	3.5	( 1.4 - 5.5)	480	3.2	( 0.3 - 6.2)	254	3.6	( 0.4 - 6.9)	224
10th	2.5	( 0.8 - 4.2)	502	3.5	( 0.5 - 6.5)	243	1.5	( 0.2 - 2.8)	257
11th	5.9	( 3.4 - 8.3)	301	5.1	( 1.6 - 8.6)	156	6.7	( 2.4 - 10.9)	144
12th	5.8	( 2.7 - 8.8)	276	9.1	( 3.5 - 14.7)	130	2.4	( 0.7 - 4.1)	146
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	7.1	( 2.2 - 11.9)	167	-	-	78	-	-	88
White	4.1	( 2.6 - 5.5)	1,179	4.9	( 2.9 - 7.0)	595	3.2	( 1.4 - 5.0)	581
All other races	-	-	81	-	-	45	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 5 students who did not provide usable data for QN53.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN54: Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	3.3	( 2.4 - 4.2)	1,562	4.4	( 3.1 - 5.8)	785	2.2	( 1.0 - 3.4)	772
<b>Age</b>									
15 or younger	2.5	( 1.1 - 3.8)	755	2.6	( 0.8 - 4.3)	379	2.3	( 0.0 - 4.8)	373
16 or 17	3.3	( 2.0 - 4.7)	688	4.6	( 2.5 - 6.8)	341	2.1	( 0.6 - 3.6)	345
18 or older	6.6	( 1.4 - 11.7)	118	-	-	64	-	-	54
<b>Grade</b>									
9th	3.4	( 1.4 - 5.5)	479	3.9	( 1.0 - 6.9)	253	2.8	( 0.0 - 5.5)	224
10th	2.1	( 0.7 - 3.5)	502	3.1	( 0.4 - 5.9)	243	1.1	( 0.0 - 2.8)	257
11th	4.4	( 2.0 - 6.9)	301	4.3	( 1.7 - 6.9)	156	4.6	( 0.8 - 8.4)	144
12th	3.3	( 1.3 - 5.2)	276	6.3	( 2.7 - 9.8)	130	0.2	( 0.0 - 0.7)	146
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	3.2	( 0.9 - 5.5)	167	-	-	78	-	-	88
White	2.9	( 2.0 - 3.8)	1,178	3.8	( 2.6 - 5.1)	594	1.9	( 0.8 - 3.1)	581
All other races	-	-	81	-	-	45	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 6 students who did not provide usable data for QN54.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN55: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	1.4	( 0.8 - 1.9)	1,562	2.2	( 1.2 - 3.3)	785	0.5	( 0.1 - 1.0)	772
<b>Age</b>									
15 or younger	1.3	( 0.6 - 1.9)	755	1.8	( 0.8 - 2.8)	379	0.7	( 0.0 - 1.5)	373
16 or 17	1.4	( 0.6 - 2.2)	688	2.5	( 1.0 - 4.0)	341	0.4	( 0.0 - 1.0)	345
18 or older	1.8	( 0.0 - 4.5)	118	-	-	64	-	-	54
<b>Grade</b>									
9th	1.4	( 0.1 - 2.6)	480	1.8	( 0.0 - 4.0)	254	0.8	( 0.0 - 1.9)	224
10th	1.6	( 0.4 - 2.7)	501	2.9	( 0.8 - 5.0)	242	0.3	( 0.0 - 0.6)	257
11th	1.5	( 0.2 - 2.8)	301	2.2	( 0.1 - 4.4)	156	0.8	( 0.0 - 2.0)	144
12th	1.1	( 0.0 - 2.2)	276	1.9	( 0.0 - 4.1)	130	0.2	( 0.0 - 0.7)	146
<b>Race/Ethnicity</b>									
Black	-	-	86	-	-	46	-	-	40
Hispanic/ Latino	3.9	( 0.7 - 7.0)	167	-	-	78	-	-	88
White	0.9	( 0.4 - 1.5)	1,179	1.7	( 0.6 - 2.8)	595	0.2	( 0.0 - 0.5)	581
All other races	-	-	81	-	-	45	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 6 students who did not provide usable data for QN55.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN56: Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	22.5	( 20.7 - 24.3 )	1,561	26.8	( 24.4 - 29.3 )	784	17.9	( 15.1 - 20.6 )	772
<b>Age</b>									
15 or younger	21.8	( 19.1 - 24.5 )	756	24.9	( 21.4 - 28.5 )	380	18.4	( 14.6 - 22.3 )	373
16 or 17	23.7	( 20.7 - 26.6 )	686	28.3	( 23.4 - 33.2 )	339	19.0	( 15.1 - 23.0 )	345
18 or older	19.8	( 14.0 - 25.6 )	118	-	-	64	-	-	54
<b>Grade</b>									
9th	22.5	( 18.6 - 26.4 )	480	24.2	( 18.7 - 29.7 )	254	20.3	( 15.6 - 25.0 )	224
10th	23.1	( 19.9 - 26.2 )	501	27.6	( 22.9 - 32.3 )	242	18.5	( 13.9 - 23.1 )	257
11th	20.3	( 16.1 - 24.6 )	300	23.6	( 18.0 - 29.2 )	155	16.6	( 10.3 - 23.0 )	144
12th	24.2	( 20.0 - 28.3 )	276	32.7	( 24.6 - 40.8 )	130	15.6	( 10.2 - 20.9 )	146
<b>Race/Ethnicity</b>									
Black	-	-	86	-	-	46	-	-	40
Hispanic/ Latino	26.3	( 18.6 - 34.0 )	166	-	-	77	-	-	88
White	23.0	( 20.8 - 25.1 )	1,179	27.5	( 24.5 - 30.5 )	595	18.1	( 15.0 - 21.2 )	581
All other races	-	-	81	-	-	45	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 7 students who did not provide usable data for QN56.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN57: Percentage of students who ever had sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	39.3	( 34.2 - 44.3 )	1,515	41.1	( 35.7 - 46.4 )	754	37.4	( 31.7 - 43.1 )	757
<b>Age</b>									
15 or younger	24.9	( 20.7 - 29.0 )	735	26.8	( 20.9 - 32.6 )	368	22.9	( 17.7 - 28.2 )	365
16 or 17	48.4	( 43.0 - 53.8 )	669	48.9	( 42.8 - 55.0 )	326	47.9	( 40.2 - 55.6 )	341
18 or older	57.2	( 44.6 - 69.9 )	110	-	-	59	-	-	51
<b>Grade</b>									
9th	24.2	( 18.0 - 30.4 )	466	30.5	( 21.5 - 39.4 )	244	17.7	( 11.5 - 23.9 )	221
10th	34.8	( 29.3 - 40.2 )	484	31.2	( 24.2 - 38.2 )	231	38.4	( 30.3 - 46.6 )	251
11th	46.6	( 39.4 - 53.8 )	295	43.0	( 33.3 - 52.6 )	153	50.0	( 39.7 - 60.3 )	141
12th	55.7	( 46.9 - 64.6 )	267	64.1	( 54.1 - 74.1 )	124	47.6	( 35.8 - 59.4 )	143
<b>Race/Ethnicity</b>									
Black	-	-	83	-	-	43	-	-	40
Hispanic/ Latino	53.2	( 46.9 - 59.6 )	162	-	-	77	-	-	84
White	36.0	( 31.0 - 40.9 )	1,153	36.8	( 31.3 - 42.2 )	579	35.1	( 29.3 - 40.9 )	572
All other races	-	-	72	-	-	38	-	-	33
Multiple races	-	-	35	-	-	14	-	-	21

Note: There were 53 students who did not provide usable data for QN57.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN58: Percentage of students who had sexual intercourse for the first time before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	3.4	( 2.0 - 4.8)	1,510	4.7	( 2.5 - 6.9)	753	2.1	( 1.0 - 3.1)	753
<b>Age</b>									
15 or younger	5.0	( 2.2 - 7.8)	733	6.2	( 2.0 - 10.5)	368	3.7	( 1.5 - 5.8)	363
16 or 17	1.5	( 0.5 - 2.5)	667	2.2	( 0.6 - 3.8)	325	0.9	( 0.0 - 1.9)	340
18 or older	5.6	( 0.0 - 12.5)	109	-	-	59	-	-	50
<b>Grade</b>									
9th	5.9	( 2.5 - 9.2)	464	7.5	( 1.5 - 13.6)	244	4.0	( 1.3 - 6.7)	219
10th	3.4	( 2.0 - 4.8)	483	4.6	( 2.7 - 6.6)	231	2.2	( 0.0 - 4.4)	250
11th	2.7	( 0.0 - 5.7)	294	3.9	( 0.0 - 9.9)	152	1.4	( 0.0 - 3.0)	141
12th	1.0	( 0.0 - 2.3)	266	1.8	( 0.0 - 4.3)	124	0.2	( 0.0 - 0.7)	142
<b>Race/Ethnicity</b>									
Black	-	-	83	-	-	43	-	-	40
Hispanic/ Latino	5.4	( 2.5 - 8.3)	160	-	-	77	-	-	82
White	2.3	( 1.0 - 3.6)	1,150	3.5	( 1.4 - 5.7)	578	1.1	( 0.2 - 2.1)	570
All other races	-	-	72	-	-	38	-	-	33
Multiple races	-	-	35	-	-	14	-	-	21

Note: There were 58 students who did not provide usable data for QN58.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN59: Percentage of students who had sexual intercourse with four or more people during their life

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	10.0	( 7.3 - 12.8)	1,511	12.8	( 8.8 - 16.9)	751	7.3	( 4.6 - 9.9)	756
<b>Age</b>									
15 or younger	5.4	( 3.0 - 7.8)	734	7.0	( 3.6 - 10.5)	368	3.7	( 1.2 - 6.1)	364
16 or 17	11.6	( 7.5 - 15.8)	666	14.9	( 8.7 - 21.1)	323	8.7	( 4.7 - 12.6)	341
18 or older	23.2	( 14.9 - 31.5)	110	-	-	59	-	-	51
<b>Grade</b>									
9th	6.9	( 3.7 - 10.0)	466	9.9	( 4.9 - 14.9)	244	3.7	( 0.6 - 6.8)	221
10th	7.5	( 4.3 - 10.7)	483	9.6	( 5.4 - 13.7)	231	5.5	( 2.2 - 8.8)	250
11th	11.3	( 5.2 - 17.4)	292	15.5	( 6.0 - 24.9)	150	7.3	( 3.2 - 11.4)	141
12th	15.7	( 9.8 - 21.6)	267	17.8	( 7.9 - 27.8)	124	13.7	( 7.4 - 19.9)	143
<b>Race/Ethnicity</b>									
Black	-	-	83	-	-	43	-	-	40
Hispanic/ Latino	12.9	( 9.3 - 16.5)	161	-	-	76	-	-	84
White	7.4	( 5.2 - 9.6)	1,150	8.9	( 5.9 - 12.0)	577	5.9	( 3.1 - 8.7)	571
All other races	-	-	72	-	-	38	-	-	33
Multiple races	-	-	35	-	-	14	-	-	21

Note: There were 57 students who did not provide usable data for QN59.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN60: Percentage of students who had sexual intercourse with one or more people during the past three months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	28.9	( 24.5 - 33.4 )	1,509	28.8	( 23.9 - 33.7 )	749	29.0	( 23.9 - 34.0 )	756
<b>Age</b>									
15 or younger	16.6	( 12.8 - 20.3 )	734	17.9	( 12.5 - 23.2 )	368	15.2	( 10.8 - 19.5 )	364
16 or 17	37.0	( 31.8 - 42.2 )	664	35.4	( 28.4 - 42.4 )	321	38.3	( 31.9 - 44.7 )	341
18 or older	43.4	( 30.8 - 56.1 )	110	-	-	59	-	-	51
<b>Grade</b>									
9th	15.3	( 10.0 - 20.6 )	466	19.3	( 11.5 - 27.1 )	244	11.1	( 6.3 - 15.9 )	221
10th	27.6	( 22.5 - 32.8 )	483	25.2	( 18.5 - 32.0 )	231	30.2	( 23.3 - 37.1 )	250
11th	33.0	( 25.7 - 40.3 )	291	29.4	( 20.6 - 38.2 )	149	36.1	( 26.2 - 46.0 )	141
12th	43.4	( 34.6 - 52.2 )	266	44.5	( 34.4 - 54.6 )	123	42.3	( 31.2 - 53.5 )	143
<b>Race/Ethnicity</b>									
Black	-	-	83	-	-	43	-	-	40
Hispanic/ Latino	43.5	( 35.2 - 51.8 )	161	-	-	76	-	-	84
White	25.8	( 21.3 - 30.2 )	1,148	24.1	( 19.5 - 28.7 )	575	27.4	( 21.8 - 32.9 )	571
All other races	-	-	72	-	-	38	-	-	33
Multiple races	-	-	35	-	-	14	-	-	21

Note: There were 59 students who did not provide usable data for QN60.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN61: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	20.4	( 16.8 - 24.0)	405	24.2	( 18.2 - 30.2)	197	16.7	( 10.7 - 22.7)	206
<b>Age</b>									
15 or younger	19.4	( 10.9 - 28.0)	118	-	-	61	-	-	56
16 or 17	21.2	( 16.6 - 25.7)	241	25.1	( 17.8 - 32.4)	111	18.0	( 10.9 - 25.0)	129
18 or older	-	-	45	-	-	24	-	-	21
<b>Grade</b>									
9th	-	-	68	-	-	46	-	-	21
10th	17.4	( 10.0 - 24.8)	128	-	-	53	-	-	75
11th	-	-	96	-	-	44	-	-	51
12th	16.8	( 11.9 - 21.8)	112	-	-	53	-	-	59
<b>Race/Ethnicity</b>									
Black	-	-	36	-	-	22	-	-	14
Hispanic/ Latino	-	-	69	-	-	32	-	-	36
White	23.4	( 18.8 - 27.9)	282	29.9	( 22.4 - 37.4)	129	17.7	( 12.0 - 23.5)	152
All other races	-	-	11	-	-	8	-	-	3
Multiple races	-	-	7	-	-	6	-	-	1

Note: There were 1163 students who were excluded from this analysis or who did not provide usable data for QN61.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN62: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	71.4	( 64.3 - 78.5 )	401	75.3	( 69.0 - 81.5 )	194	68.0	( 57.8 - 78.3 )	205
<b>Age</b>									
15 or younger	77.1	( 67.8 - 86.5 )	117	-	-	60	-	-	56
16 or 17	69.0	( 60.1 - 77.9 )	239	73.2	( 64.1 - 82.3 )	109	66.0	( 53.1 - 79.0 )	129
18 or older	-	-	44	-	-	24	-	-	20
<b>Grade</b>									
9th	-	-	68	-	-	45	-	-	22
10th	71.4	( 61.8 - 81.0 )	126	-	-	52	-	-	74
11th	-	-	95	-	-	43	-	-	51
12th	75.5	( 64.7 - 86.3 )	111	-	-	53	-	-	58
<b>Race/Ethnicity</b>									
Black	-	-	34	-	-	20	-	-	14
Hispanic/ Latino	-	-	69	-	-	32	-	-	36
White	68.9	( 61.0 - 76.9 )	280	73.4	( 66.3 - 80.5 )	128	65.5	( 54.5 - 76.4 )	151
All other races	-	-	11	-	-	8	-	-	3
Multiple races	-	-	7	-	-	6	-	-	1

Note: There were 1167 students who were excluded from this analysis or who did not provide usable data for QN62.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN63: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	16.5	( 11.7 - 21.4 )	391	15.1	( 8.3 - 22.0 )	189	18.0	( 11.9 - 24.1 )	200
<b>Age</b>									
15 or younger	9.4	( 3.0 - 15.9 )	113	-	-	59	-	-	53
16 or 17	18.6	( 12.2 - 25.0 )	233	17.1	( 7.9 - 26.4 )	106	20.0	( 12.6 - 27.3 )	126
18 or older	-	-	44	-	-	23	-	-	21
<b>Grade</b>									
9th	-	-	64	-	-	43	-	-	20
10th	12.6	( 5.6 - 19.7 )	123	-	-	51	-	-	72
11th	-	-	94	-	-	42	-	-	51
12th	19.7	( 11.4 - 28.1 )	109	-	-	52	-	-	57
<b>Race/Ethnicity</b>									
Black	-	-	31	-	-	19	-	-	12
Hispanic/ Latino	-	-	69	-	-	32	-	-	36
White	18.5	( 11.9 - 25.1 )	273	15.9	( 6.6 - 25.1 )	124	20.9	( 13.4 - 28.4 )	148
All other races	-	-	11	-	-	8	-	-	3
Multiple races	-	-	7	-	-	6	-	-	1

Note: There were 1177 students who were excluded from this analysis or who did not provide usable data for QN63.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QNROVWGT: Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)\*

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	17.5	( 15.3 - 19.7)	1,419	18.1	( 14.6 - 21.7)	718	16.9	( 14.1 - 19.6)	701
<b>Age</b>									
15 or younger	18.8	( 15.5 - 22.2)	686	19.8	( 15.4 - 24.3)	346	17.7	( 13.3 - 22.2)	340
16 or 17	17.2	( 14.0 - 20.4)	625	16.7	( 11.8 - 21.5)	312	17.7	( 13.3 - 22.1)	313
18 or older	13.4	( 7.0 - 19.8)	108	-	-	60	-	-	48
<b>Grade</b>									
9th	21.1	( 17.0 - 25.2)	428	22.1	( 16.6 - 27.7)	230	20.0	( 14.6 - 25.5)	198
10th	14.6	( 10.3 - 18.9)	461	15.3	( 9.2 - 21.5)	221	13.9	( 8.8 - 19.0)	240
11th	18.8	( 14.8 - 22.7)	275	17.5	( 10.5 - 24.5)	145	20.1	( 13.9 - 26.2)	130
12th	15.2	( 10.2 - 20.2)	254	16.9	( 9.7 - 24.1)	122	13.4	( 7.2 - 19.6)	132
<b>Race/Ethnicity</b>									
Black	-	-	77	-	-	45	-	-	32
Hispanic/ Latino	15.7	( 10.1 - 21.4)	151	-	-	70	-	-	81
White	17.5	( 15.3 - 19.7)	1,079	18.3	( 15.3 - 21.4)	548	16.7	( 13.9 - 19.5)	531
All other races	-	-	69	-	-	37	-	-	32
Multiple races	-	-	34	-	-	15	-	-	19

Note: There were 149 students who did not provide usable data for QNROVWGT.

N = Number of unweighted observations.

- = Fewer than 100 cases.

\*Based on reference data from the National Health and Nutrition Examination Survey I.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QNOVWGT: Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)\*

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	9.9	( 7.9 - 11.9)	1,419	12.2	( 9.1 - 15.3)	718	7.5	( 5.2 - 9.9)	701
<b>Age</b>									
15 or younger	10.6	( 7.6 - 13.7)	686	12.7	( 7.9 - 17.5)	346	8.5	( 4.6 - 12.4)	340
16 or 17	9.7	( 7.4 - 12.1)	625	12.7	( 8.7 - 16.7)	312	6.8	( 3.7 - 9.9)	313
18 or older	8.0	( 2.1 - 13.9)	108	-	-	60	-	-	48
<b>Grade</b>									
9th	11.2	( 7.6 - 14.7)	428	11.3	( 8.1 - 14.5)	230	11.0	( 4.4 - 17.6)	198
10th	10.6	( 6.4 - 14.8)	461	14.1	( 7.2 - 21.1)	221	7.1	( 3.3 - 11.0)	240
11th	10.3	( 6.2 - 14.5)	275	16.2	( 8.8 - 23.5)	145	4.2	( 0.7 - 7.7)	130
12th	7.3	( 4.4 - 10.3)	254	7.2	( 2.8 - 11.6)	122	7.5	( 3.9 - 11.1)	132
<b>Race/Ethnicity</b>									
Black	-	-	77	-	-	45	-	-	32
Hispanic/ Latino	17.9	( 10.0 - 25.8)	151	-	-	70	-	-	81
White	9.1	( 6.9 - 11.3)	1,079	10.8	( 7.6 - 13.9)	548	7.4	( 4.9 - 10.0)	531
All other races	-	-	69	-	-	37	-	-	32
Multiple races	-	-	34	-	-	15	-	-	19

Note: There were 149 students who did not provide usable data for QNOVWGT.

N = Number of unweighted observations.

- = Fewer than 100 cases.

\*Based on reference data from the National Health and Nutrition Examination Survey I.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN64: Percentage of students who described themselves as slightly or very overweight

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	33.3	( 30.3 - 36.3 )	1,557	27.5	( 23.8 - 31.2 )	783	39.1	( 35.1 - 43.1 )	769
<b>Age</b>									
15 or younger	31.9	( 27.3 - 36.5 )	753	27.5	( 21.9 - 33.1 )	378	36.1	( 30.2 - 42.1 )	372
16 or 17	34.3	( 30.6 - 38.0 )	687	27.9	( 22.8 - 32.9 )	341	40.6	( 36.2 - 45.0 )	344
18 or older	33.8	( 26.0 - 41.6 )	116	-	-	63	-	-	53
<b>Grade</b>									
9th	30.4	( 25.3 - 35.5 )	478	25.5	( 18.8 - 32.2 )	253	35.3	( 29.0 - 41.5 )	223
10th	34.7	( 29.3 - 40.2 )	502	31.4	( 23.6 - 39.3 )	243	37.9	( 31.0 - 44.7 )	257
11th	33.1	( 28.1 - 38.2 )	300	27.7	( 22.1 - 33.4 )	155	38.8	( 31.2 - 46.3 )	144
12th	35.4	( 30.0 - 40.8 )	273	25.1	( 18.8 - 31.3 )	129	45.9	( 38.5 - 53.2 )	144
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	38.6	( 30.3 - 46.9 )	164	-	-	76	-	-	87
White	32.9	( 29.6 - 36.3 )	1,176	27.2	( 22.5 - 31.8 )	594	38.7	( 34.3 - 43.1 )	579
All other races	-	-	81	-	-	45	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 11 students who did not provide usable data for QN64.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN65: Percentage of students who were trying to lose weight

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	48.4	( 45.4 - 51.5 )	1,554	31.6	( 27.0 - 36.1 )	781	65.4	( 62.1 - 68.6 )	768
<b>Age</b>									
15 or younger	48.7	( 44.0 - 53.4 )	753	30.5	( 24.3 - 36.8 )	377	66.7	( 60.8 - 72.5 )	373
16 or 17	49.9	( 46.7 - 53.1 )	684	34.5	( 30.1 - 39.0 )	340	64.5	( 60.0 - 69.1 )	342
18 or older	40.2	( 25.6 - 54.9 )	116	-	-	63	-	-	53
<b>Grade</b>									
9th	50.8	( 44.7 - 56.8 )	477	30.8	( 22.7 - 38.9 )	253	71.3	( 64.6 - 78.1 )	222
10th	46.3	( 41.4 - 51.2 )	499	31.4	( 24.1 - 38.8 )	240	61.2	( 54.7 - 67.6 )	257
11th	50.8	( 45.9 - 55.6 )	301	39.9	( 32.6 - 47.2 )	156	61.3	( 55.3 - 67.3 )	144
12th	45.4	( 37.5 - 53.3 )	273	24.3	( 16.4 - 32.2 )	129	66.8	( 58.0 - 75.7 )	144
<b>Race/Ethnicity</b>									
Black	-	-	86	-	-	46	-	-	40
Hispanic/ Latino	52.6	( 46.8 - 58.4 )	165	-	-	78	-	-	86
White	48.5	( 45.4 - 51.6 )	1,175	30.2	( 25.5 - 35.0 )	593	67.0	( 63.8 - 70.2 )	579
All other races	-	-	80	-	-	44	-	-	35
Multiple races	-	-	38	-	-	17	-	-	21

Note: There were 14 students who did not provide usable data for QN65.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN66: Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	63.3	( 59.8 - 66.9 )	1,559	52.1	( 47.3 - 56.9 )	784	74.7	( 70.7 - 78.6 )	770
<b>Age</b>									
15 or younger	65.5	( 61.1 - 69.9 )	755	53.1	( 46.4 - 59.8 )	380	78.0	( 73.1 - 83.0 )	372
16 or 17	61.8	( 57.6 - 66.0 )	686	52.2	( 47.1 - 57.3 )	340	70.9	( 65.5 - 76.4 )	344
18 or older	61.6	( 48.8 - 74.5 )	117	-	-	63	-	-	54
<b>Grade</b>									
9th	68.3	( 63.4 - 73.3 )	480	54.0	( 47.3 - 60.7 )	254	83.2	( 78.2 - 88.3 )	224
10th	60.6	( 55.5 - 65.7 )	501	54.3	( 45.6 - 63.0 )	243	66.9	( 60.5 - 73.3 )	256
11th	59.6	( 54.1 - 65.0 )	300	47.3	( 40.3 - 54.2 )	155	71.6	( 63.8 - 79.4 )	144
12th	64.0	( 56.4 - 71.5 )	274	52.1	( 43.8 - 60.5 )	129	76.0	( 67.3 - 84.6 )	145
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	61.4	( 54.6 - 68.2 )	166	-	-	78	-	-	87
White	64.9	( 61.6 - 68.2 )	1,179	52.4	( 47.5 - 57.4 )	596	77.6	( 74.0 - 81.1 )	580
All other races	-	-	79	-	-	43	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 9 students who did not provide usable data for QN66.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN67: Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	43.2	( 40.0 - 46.5 )	1,561	26.9	( 23.0 - 30.8 )	785	59.7	( 56.0 - 63.4 )	771
<b>Age</b>									
15 or younger	43.7	( 39.0 - 48.3 )	755	25.9	( 20.7 - 31.1 )	380	61.5	( 55.7 - 67.3 )	372
16 or 17	43.5	( 39.2 - 47.9 )	688	29.4	( 24.3 - 34.6 )	341	56.9	( 51.3 - 62.5 )	345
18 or older	40.3	( 29.4 - 51.1 )	117	-	-	63	-	-	54
<b>Grade</b>									
9th	44.4	( 38.1 - 50.6 )	479	26.2	( 20.0 - 32.4 )	254	63.0	( 55.0 - 71.0 )	223
10th	41.9	( 36.0 - 47.8 )	502	27.1	( 19.9 - 34.2 )	243	56.8	( 50.4 - 63.2 )	257
11th	42.7	( 36.1 - 49.2 )	301	31.3	( 24.8 - 37.9 )	156	53.7	( 45.0 - 62.4 )	144
12th	44.0	( 39.2 - 48.8 )	275	23.1	( 16.7 - 29.5 )	129	65.0	( 58.8 - 71.2 )	146
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	42.9	( 31.3 - 54.5 )	167	-	-	78	-	-	88
White	45.0	( 42.0 - 48.1 )	1,179	27.4	( 23.2 - 31.7 )	596	62.8	( 59.3 - 66.3 )	580
All other races	-	-	79	-	-	43	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 7 students who did not provide usable data for QN67.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN68: Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	10.0	( 8.5 - 11.5 )	1,561	5.3	( 4.1 - 6.6 )	784	14.4	( 12.0 - 16.8 )	772
<b>Age</b>									
15 or younger	9.5	( 7.3 - 11.7 )	756	4.5	( 2.6 - 6.3 )	380	14.1	( 10.4 - 17.8 )	373
16 or 17	10.8	( 8.6 - 12.9 )	688	7.1	( 4.7 - 9.5 )	341	14.0	( 10.7 - 17.3 )	345
18 or older	8.4	( 4.0 - 12.8 )	116	-	-	62	-	-	54
<b>Grade</b>									
9th	10.8	( 7.7 - 13.8 )	480	6.3	( 3.1 - 9.5 )	254	14.9	( 10.3 - 19.5 )	224
10th	8.6	( 6.6 - 10.6 )	502	4.9	( 2.1 - 7.6 )	243	12.1	( 9.1 - 15.1 )	257
11th	12.5	( 8.6 - 16.4 )	301	7.2	( 3.9 - 10.5 )	156	17.3	( 11.4 - 23.2 )	144
12th	8.0	( 5.2 - 10.8 )	274	2.6	( 0.0 - 5.3 )	128	13.4	( 9.0 - 17.7 )	146
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	10.5	( 5.7 - 15.3 )	167	-	-	78	-	-	88
White	9.9	( 8.2 - 11.7 )	1,180	4.9	( 3.1 - 6.7 )	596	14.7	( 12.0 - 17.4 )	581
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 7 students who did not provide usable data for QN68.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN69: Percentage of students who took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	4.1	( 2.9 - 5.3 )	1,560	2.9	( 1.9 - 4.0 )	784	5.2	( 3.2 - 7.2 )	771
<b>Age</b>									
15 or younger	3.2	( 2.0 - 4.3 )	756	3.6	( 1.7 - 5.4 )	380	2.4	( 0.9 - 3.9 )	373
16 or 17	4.1	( 2.3 - 5.9 )	687	1.7	( 0.6 - 2.9 )	341	6.4	( 3.0 - 9.8 )	344
18 or older	8.5	( 2.9 - 14.1 )	116	-	-	62	-	-	54
<b>Grade</b>									
9th	3.9	( 2.0 - 5.7 )	480	4.8	( 1.7 - 7.8 )	254	2.8	( 0.8 - 4.8 )	224
10th	2.8	( 1.4 - 4.2 )	502	2.9	( 0.8 - 4.9 )	243	2.4	( 0.7 - 4.2 )	257
11th	2.8	( 0.3 - 5.3 )	301	0.6	( 0.0 - 1.9 )	156	5.0	( 0.5 - 9.5 )	144
12th	7.3	( 4.7 - 10.0 )	273	2.9	( 0.5 - 5.4 )	128	11.8	( 7.0 - 16.5 )	145
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	6.5	( 3.5 - 9.5 )	167	-	-	78	-	-	88
White	3.8	( 2.5 - 5.1 )	1,179	2.2	( 0.9 - 3.4 )	596	5.4	( 3.4 - 7.5 )	580
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 8 students who did not provide usable data for QN69.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN70: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	4.0	( 3.1 - 4.8 )	1,558	1.9	( 0.9 - 2.8 )	783	6.0	( 4.5 - 7.4 )	770
<b>Age</b>									
15 or younger	3.8	( 2.5 - 5.1 )	755	1.8	( 0.7 - 3.0 )	379	5.8	( 3.7 - 7.8 )	373
16 or 17	4.4	( 3.1 - 5.6 )	686	1.7	( 0.7 - 2.6 )	341	6.7	( 4.4 - 9.0 )	343
18 or older	2.7	( 0.0 - 5.8 )	116	-	-	62	-	-	54
<b>Grade</b>									
9th	3.7	( 2.3 - 5.2 )	479	2.5	( 0.6 - 4.5 )	254	4.8	( 2.5 - 7.2 )	223
10th	4.3	( 2.5 - 6.0 )	501	2.7	( 0.8 - 4.7 )	242	5.8	( 3.3 - 8.3 )	257
11th	4.5	( 2.5 - 6.4 )	301	0.0	( 0.0 - 0.0 )	156	8.4	( 4.8 - 11.9 )	144
12th	3.4	( 1.2 - 5.5 )	273	1.8	( 0.0 - 4.0 )	128	5.0	( 1.4 - 8.5 )	145
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	4.5	( 1.2 - 7.8 )	167	-	-	78	-	-	88
White	3.8	( 2.7 - 4.9 )	1,177	1.0	( 0.2 - 1.8 )	595	6.5	( 4.6 - 8.5 )	579
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 10 students who did not provide usable data for QN70.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN71: Percentage of students who drank 100% fruit juices one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	82.6	( 80.5 - 84.7 )	1,557	86.1	( 83.5 - 88.6 )	780	79.2	( 75.9 - 82.4 )	772
<b>Age</b>									
15 or younger	81.9	( 78.2 - 85.6 )	752	86.1	( 81.5 - 90.7 )	376	77.9	( 72.1 - 83.7 )	373
16 or 17	83.9	( 80.6 - 87.2 )	688	87.5	( 84.4 - 90.5 )	341	80.4	( 75.2 - 85.5 )	345
18 or older	79.5	( 72.7 - 86.3 )	116	-	-	62	-	-	54
<b>Grade</b>									
9th	81.8	( 77.8 - 85.9 )	477	87.6	( 81.8 - 93.3 )	251	76.0	( 67.9 - 84.0 )	224
10th	82.6	( 79.6 - 85.5 )	501	86.1	( 80.5 - 91.6 )	242	79.3	( 74.5 - 84.2 )	257
11th	84.7	( 81.2 - 88.3 )	301	86.5	( 81.3 - 91.7 )	156	82.9	( 76.1 - 89.7 )	144
12th	81.3	( 75.5 - 87.1 )	274	83.8	( 77.7 - 89.9 )	128	78.9	( 70.3 - 87.4 )	146
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	77.2	( 72.2 - 82.1 )	167	-	-	78	-	-	88
White	82.5	( 80.4 - 84.7 )	1,176	86.6	( 83.8 - 89.4 )	592	78.5	( 74.8 - 82.1 )	581
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 11 students who did not provide usable data for QN71.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN72: Percentage of students who ate fruit one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	85.4	( 82.9 - 88.0)	1,559	84.9	( 82.2 - 87.7)	783	86.0	( 83.0 - 89.1)	771
<b>Age</b>									
15 or younger	85.4	( 81.8 - 89.1)	755	86.4	( 82.8 - 89.9)	379	84.7	( 79.3 - 90.1)	373
16 or 17	85.8	( 82.8 - 88.7)	687	86.1	( 82.8 - 89.4)	341	85.4	( 81.9 - 89.0)	344
18 or older	83.7	( 75.6 - 91.9)	116	-	-	62	-	-	54
<b>Grade</b>									
9th	85.7	( 81.6 - 89.8)	479	87.6	( 83.7 - 91.5)	253	83.8	( 76.6 - 90.9)	224
10th	85.4	( 81.3 - 89.6)	502	83.8	( 78.1 - 89.6)	243	87.4	( 82.7 - 92.0)	257
11th	85.2	( 80.8 - 89.6)	301	84.3	( 77.7 - 90.9)	156	86.1	( 81.0 - 91.1)	144
12th	85.4	( 81.3 - 89.4)	273	83.5	( 78.9 - 88.1)	128	87.2	( 80.6 - 93.8)	145
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	85.3	( 80.9 - 89.8)	166	-	-	78	-	-	87
White	88.1	( 86.0 - 90.2)	1,179	87.8	( 85.2 - 90.4)	595	88.5	( 85.8 - 91.1)	581
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 9 students who did not provide usable data for QN72.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN73: Percentage of students who ate green salad one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	73.4	( 70.6 - 76.1 )	1,559	68.5	( 64.3 - 72.6 )	782	78.4	( 75.3 - 81.4 )	772
<b>Age</b>									
15 or younger	73.4	( 68.8 - 78.0 )	756	69.5	( 63.0 - 76.0 )	380	77.5	( 71.8 - 83.3 )	373
16 or 17	73.1	( 69.8 - 76.3 )	686	68.2	( 63.0 - 73.4 )	339	77.6	( 74.1 - 81.1 )	345
18 or older	74.6	( 66.8 - 82.5 )	116	-	-	62	-	-	54
<b>Grade</b>									
9th	73.6	( 67.2 - 80.0 )	480	69.5	( 59.9 - 79.1 )	254	77.8	( 70.3 - 85.4 )	224
10th	71.0	( 66.4 - 75.6 )	502	65.5	( 58.7 - 72.3 )	243	76.9	( 71.2 - 82.5 )	257
11th	73.6	( 69.1 - 78.1 )	299	71.3	( 65.9 - 76.7 )	154	75.8	( 69.8 - 81.8 )	144
12th	75.4	( 71.6 - 79.3 )	274	67.6	( 61.8 - 73.4 )	128	83.2	( 78.3 - 88.2 )	146
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	69.9	( 62.0 - 77.9 )	166	-	-	77	-	-	88
White	76.1	( 73.4 - 78.9 )	1,179	70.9	( 66.8 - 74.9 )	595	81.5	( 78.6 - 84.5 )	581
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 9 students who did not provide usable data for QN73.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN74: Percentage of students who ate potatoes one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	69.7	( 67.3 - 72.0)	1,559	71.9	( 68.3 - 75.5)	782	67.3	( 63.6 - 71.0)	772
<b>Age</b>									
15 or younger	68.6	( 64.2 - 73.0)	756	71.3	( 67.1 - 75.6)	380	65.8	( 59.2 - 72.4)	373
16 or 17	71.5	( 68.1 - 75.0)	686	74.6	( 69.0 - 80.2)	339	68.5	( 62.5 - 74.6)	345
18 or older	64.8	( 57.7 - 71.8)	116	-	-	62	-	-	54
<b>Grade</b>									
9th	70.2	( 64.6 - 75.8)	480	71.7	( 65.8 - 77.7)	254	68.6	( 59.8 - 77.3)	224
10th	67.7	( 62.7 - 72.8)	502	73.1	( 68.1 - 78.1)	243	62.1	( 55.4 - 68.9)	257
11th	73.0	( 67.9 - 78.1)	299	74.6	( 68.8 - 80.5)	154	71.2	( 62.0 - 80.5)	144
12th	67.8	( 62.8 - 72.8)	274	68.4	( 62.6 - 74.2)	128	67.2	( 58.1 - 76.4)	146
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	75.1	( 64.5 - 85.7)	165	-	-	76	-	-	88
White	71.4	( 68.9 - 74.0)	1,180	75.2	( 72.2 - 78.2)	596	67.5	( 63.0 - 71.9)	581
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 9 students who did not provide usable data for QN74.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN75: Percentage of students who ate carrots one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	54.0	( 50.3 - 57.6 )	1,559	52.7	( 48.9 - 56.5 )	782	55.2	( 49.8 - 60.7 )	772
<b>Age</b>									
15 or younger	57.7	( 51.8 - 63.5 )	755	55.5	( 48.5 - 62.5 )	379	60.0	( 52.7 - 67.3 )	373
16 or 17	52.1	( 47.7 - 56.5 )	687	53.4	( 48.0 - 58.8 )	340	50.7	( 43.3 - 58.1 )	345
18 or older	46.6	( 39.4 - 53.7 )	116	-	-	62	-	-	54
<b>Grade</b>									
9th	55.8	( 48.2 - 63.5 )	479	55.1	( 46.7 - 63.6 )	253	56.4	( 46.8 - 66.1 )	224
10th	57.2	( 50.6 - 63.7 )	502	56.7	( 47.5 - 65.8 )	243	57.8	( 50.6 - 65.1 )	257
11th	52.1	( 46.0 - 58.3 )	300	54.7	( 48.1 - 61.3 )	155	49.3	( 37.3 - 61.3 )	144
12th	49.5	( 44.4 - 54.6 )	274	42.4	( 35.1 - 49.8 )	128	56.6	( 49.9 - 63.4 )	146
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	42.5	( 33.6 - 51.4 )	166	-	-	77	-	-	88
White	56.7	( 52.7 - 60.8 )	1,180	56.6	( 52.2 - 61.1 )	596	56.8	( 50.9 - 62.7 )	581
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	38	-	-	17	-	-	21

Note: There were 9 students who did not provide usable data for QN75.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN76: Percentage of students who ate other vegetables one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	85.6	( 83.7 - 87.6 )	1,558	84.8	( 82.8 - 86.8 )	782	86.5	( 83.9 - 89.2 )	771
<b>Age</b>									
15 or younger	85.7	( 82.9 - 88.5 )	755	84.7	( 81.1 - 88.3 )	380	87.0	( 83.3 - 90.7 )	372
16 or 17	86.1	( 83.5 - 88.6 )	686	85.7	( 82.5 - 88.9 )	339	86.4	( 82.6 - 90.1 )	345
18 or older	83.0	( 77.0 - 89.1 )	116	-	-	62	-	-	54
<b>Grade</b>									
9th	86.5	( 82.9 - 90.1 )	480	87.1	( 82.5 - 91.7 )	254	86.0	( 81.3 - 90.6 )	224
10th	84.5	( 80.7 - 88.4 )	500	82.6	( 78.1 - 87.1 )	242	86.8	( 82.7 - 90.8 )	256
11th	85.0	( 81.4 - 88.6 )	300	85.9	( 80.9 - 91.0 )	155	84.0	( 77.8 - 90.2 )	144
12th	86.4	( 83.1 - 89.7 )	274	83.3	( 77.6 - 89.0 )	128	89.5	( 84.8 - 94.2 )	146
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	79.2	( 70.7 - 87.8 )	166	-	-	77	-	-	88
White	86.9	( 85.2 - 88.6 )	1,178	86.1	( 83.7 - 88.4 )	595	87.9	( 85.2 - 90.5 )	580
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 10 students who did not provide usable data for QN76.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QNFRVG: Percentage of students who ate five or more servings per day of fruits and vegetables during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	23.0	( 20.7 - 25.3 )	1,549	26.3	( 23.8 - 28.7 )	774	19.6	( 16.0 - 23.2 )	770
<b>Age</b>									
15 or younger	26.4	( 22.4 - 30.3 )	749	28.6	( 24.5 - 32.7 )	374	24.0	( 18.2 - 29.8 )	372
16 or 17	20.9	( 17.9 - 23.9 )	683	25.5	( 21.2 - 29.9 )	337	16.5	( 12.4 - 20.6 )	344
18 or older	18.3	( 10.6 - 25.9 )	116	-	-	62	-	-	54
<b>Grade</b>									
9th	27.3	( 21.8 - 32.9 )	475	30.7	( 25.8 - 35.6 )	249	23.6	( 15.3 - 32.0 )	224
10th	24.1	( 20.7 - 27.6 )	499	25.2	( 20.6 - 29.9 )	241	23.0	( 18.6 - 27.5 )	256
11th	21.0	( 15.1 - 26.8 )	298	27.8	( 17.5 - 38.0 )	153	14.4	( 8.8 - 20.0 )	144
12th	18.4	( 12.2 - 24.5 )	273	20.2	( 12.7 - 27.7 )	128	16.5	( 9.3 - 23.7 )	145
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	27.0	( 20.9 - 33.2 )	164	-	-	76	-	-	87
White	21.8	( 19.2 - 24.5 )	1,172	24.7	( 21.8 - 27.6 )	589	18.9	( 14.9 - 23.0 )	580
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	38	-	-	17	-	-	21

Note: There were 19 students who did not provide usable data for QNFRVG.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN77: Percentage of students who drank three or more glasses per day of milk during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	17.9	( 15.4 - 20.3 )	1,556	22.9	( 19.5 - 26.3 )	780	12.7	( 9.9 - 15.5 )	771
<b>Age</b>									
15 or younger	20.5	( 16.9 - 24.1 )	754	24.8	( 19.5 - 30.2 )	379	15.9	( 12.3 - 19.4 )	372
16 or 17	15.4	( 12.2 - 18.7 )	686	20.4	( 15.2 - 25.6 )	339	10.8	( 6.8 - 14.7 )	345
18 or older	18.0	( 10.3 - 25.7 )	115	-	-	61	-	-	54
<b>Grade</b>									
9th	22.2	( 17.6 - 26.9 )	479	26.9	( 20.4 - 33.5 )	253	17.1	( 12.9 - 21.2 )	224
10th	18.5	( 13.9 - 23.1 )	500	22.9	( 15.7 - 30.1 )	242	14.1	( 8.6 - 19.6 )	256
11th	17.3	( 12.1 - 22.6 )	300	23.4	( 14.2 - 32.6 )	155	11.4	( 6.2 - 16.6 )	144
12th	12.0	( 8.1 - 16.0 )	273	16.9	( 9.7 - 24.1 )	127	7.2	( 3.9 - 10.6 )	146
<b>Race/Ethnicity</b>									
Black	-	-	86	-	-	46	-	-	40
Hispanic/ Latino	13.4	( 7.5 - 19.3 )	165	-	-	76	-	-	88
White	19.9	( 17.2 - 22.6 )	1,178	25.0	( 21.2 - 28.7 )	595	14.6	( 11.5 - 17.7 )	580
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 12 students who did not provide usable data for QN77.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN78: Percentage of students who exercised or participated in physical activity that made them sweat and breathe hard for 20 minutes or more on three or more of the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	64.9	( 62.1 - 67.7 )	1,556	70.0	( 66.6 - 73.3 )	781	59.8	( 55.8 - 63.8 )	770
<b>Age</b>									
15 or younger	70.0	( 66.1 - 73.9 )	755	75.1	( 70.9 - 79.3 )	380	64.9	( 59.1 - 70.7 )	372
16 or 17	60.7	( 57.8 - 63.6 )	685	65.8	( 60.5 - 71.0 )	339	56.0	( 51.0 - 61.0 )	344
18 or older	63.2	( 54.0 - 72.3 )	115	-	-	61	-	-	54
<b>Grade</b>									
9th	72.6	( 67.5 - 77.6 )	478	76.9	( 71.0 - 82.8 )	254	68.0	( 60.1 - 75.9 )	222
10th	62.6	( 57.6 - 67.7 )	501	68.0	( 62.1 - 74.0 )	242	57.3	( 51.3 - 63.4 )	257
11th	58.4	( 53.2 - 63.6 )	300	65.7	( 58.4 - 73.0 )	155	51.4	( 43.7 - 59.2 )	144
12th	64.5	( 58.6 - 70.3 )	273	68.0	( 59.6 - 76.3 )	127	61.0	( 54.2 - 67.9 )	146
<b>Race/Ethnicity</b>									
Black	-	-	86	-	-	46	-	-	40
Hispanic/ Latino	52.1	( 44.3 - 59.9 )	166	-	-	77	-	-	88
White	66.6	( 63.5 - 69.7 )	1,177	71.2	( 67.9 - 74.5 )	595	62.0	( 57.2 - 66.7 )	579
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 12 students who did not provide usable data for QN78.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN79: Percentage of students who participated in physical activity that did not make them sweat or breathe hard for 30 minutes or more on five or more of the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	21.9	( 19.3 - 24.6 )	1,555	21.3	( 17.6 - 25.0 )	781	22.7	( 19.6 - 25.8 )	769
<b>Age</b>									
15 or younger	20.0	( 18.0 - 22.0 )	755	19.4	( 15.2 - 23.5 )	380	20.8	( 16.9 - 24.7 )	372
16 or 17	21.7	( 18.7 - 24.7 )	684	20.3	( 16.1 - 24.5 )	339	23.2	( 19.0 - 27.3 )	343
18 or older	31.7	( 19.2 - 44.2 )	115	-	-	61	-	-	54
<b>Grade</b>									
9th	20.2	( 17.3 - 23.1 )	478	19.8	( 15.0 - 24.7 )	254	20.7	( 15.0 - 26.4 )	222
10th	18.7	( 15.6 - 21.9 )	501	17.8	( 13.6 - 22.0 )	242	19.8	( 15.6 - 24.0 )	257
11th	23.4	( 18.2 - 28.5 )	300	22.7	( 14.8 - 30.6 )	155	24.2	( 17.6 - 30.8 )	144
12th	26.5	( 19.6 - 33.4 )	272	26.0	( 16.7 - 35.3 )	127	27.0	( 18.8 - 35.1 )	145
<b>Race/Ethnicity</b>									
Black	-	-	86	-	-	46	-	-	40
Hispanic/ Latino	17.0	( 12.7 - 21.3 )	166	-	-	77	-	-	88
White	23.1	( 20.1 - 26.2 )	1,176	22.1	( 17.2 - 26.9 )	595	24.4	( 20.6 - 28.1 )	578
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 13 students who did not provide usable data for QN79.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QNMINPA: Percentage of students who had not participated in at least 20 minutes of vigorous physical activity on three or more of the past seven days and had not participated in at least 30 minutes of moderate physical activity on five or more of the past seven days

	Total			Males			Females		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	31.1	( 28.3 - 34.0)	1,555	27.3	( 23.9 - 30.7)	781	34.9	( 31.0 - 38.7)	769
<b>Age</b>									
15 or younger	27.1	( 23.4 - 30.7)	755	22.2	( 18.5 - 25.9)	380	31.9	( 26.0 - 37.7)	372
16 or 17	35.2	( 31.8 - 38.7)	684	32.3	( 26.9 - 37.7)	339	37.9	( 32.6 - 43.1)	343
18 or older	28.4	( 21.1 - 35.6)	115	-	-	61	-	-	54
<b>Grade</b>									
9th	25.1	( 20.1 - 30.2)	478	20.8	( 15.3 - 26.3)	254	29.7	( 21.6 - 37.8)	222
10th	33.8	( 28.9 - 38.7)	501	29.1	( 22.9 - 35.4)	242	38.3	( 32.6 - 44.1)	257
11th	37.7	( 32.7 - 42.7)	300	32.2	( 24.8 - 39.6)	155	42.9	( 35.7 - 50.0)	144
12th	28.7	( 23.2 - 34.1)	272	28.2	( 20.3 - 36.2)	127	29.1	( 22.1 - 36.1)	145
<b>Race/Ethnicity</b>									
Black	-	-	86	-	-	46	-	-	40
Hispanic/ Latino	45.0	( 37.4 - 52.6)	166	-	-	77	-	-	88
White	29.3	( 26.2 - 32.4)	1,176	25.7	( 22.1 - 29.3)	595	32.8	( 28.7 - 36.9)	578
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 13 students who did not provide usable data for QNMINPA.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QNNOPA: Percentage of students who had not participated in any vigorous or moderate physical activity during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	6.4	( 4.9 - 8.0)	1,555	5.7	( 4.3 - 7.1)	781	7.1	( 4.7 - 9.5)	769
<b>Age</b>									
15 or younger	5.1	( 3.5 - 6.8)	755	5.0	( 3.3 - 6.7)	380	5.2	( 3.0 - 7.3)	372
16 or 17	8.2	( 5.8 - 10.5)	684	6.4	( 3.5 - 9.2)	339	9.6	( 6.4 - 12.8)	343
18 or older	3.2	( 0.9 - 5.6)	115	-	-	61	-	-	54
<b>Grade</b>									
9th	4.6	( 2.4 - 6.7)	478	4.9	( 1.8 - 8.1)	254	4.1	( 1.6 - 6.6)	222
10th	6.7	( 4.4 - 9.0)	501	5.6	( 2.7 - 8.4)	242	7.9	( 4.6 - 11.2)	257
11th	9.1	( 5.6 - 12.7)	300	7.6	( 3.1 - 12.1)	155	10.1	( 5.7 - 14.5)	144
12th	5.5	( 2.3 - 8.7)	272	4.2	( 0.0 - 8.7)	127	6.7	( 2.2 - 11.1)	145
<b>Race/Ethnicity</b>									
Black	-	-	86	-	-	46	-	-	40
Hispanic/ Latino	12.5	( 6.4 - 18.6)	166	-	-	77	-	-	88
White	5.4	( 3.9 - 6.8)	1,176	5.1	( 3.4 - 6.9)	595	5.4	( 3.2 - 7.7)	578
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 13 students who did not provide usable data for QNNOPA.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN80: Percentage of students who were physically active for a total of 60 minutes or more per day on five or more of the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	30.8	( 27.5 - 34.1 )	1,552	34.3	( 29.9 - 38.7 )	781	27.2	( 23.5 - 30.8 )	766
<b>Age</b>									
15 or younger	35.6	( 31.2 - 40.1 )	753	38.3	( 32.5 - 44.1 )	379	32.8	( 27.5 - 38.1 )	371
16 or 17	26.4	( 22.2 - 30.7 )	682	29.3	( 23.0 - 35.5 )	339	23.7	( 18.8 - 28.7 )	341
18 or older	31.3	( 21.2 - 41.3 )	116	-	-	62	-	-	54
<b>Grade</b>									
9th	39.0	( 32.9 - 45.2 )	476	42.6	( 35.0 - 50.1 )	253	35.1	( 28.4 - 41.9 )	221
10th	27.4	( 23.5 - 31.4 )	500	30.0	( 23.4 - 36.5 )	242	24.9	( 20.6 - 29.2 )	256
11th	26.0	( 20.0 - 32.0 )	300	30.1	( 21.3 - 38.8 )	155	22.1	( 14.9 - 29.2 )	144
12th	29.3	( 23.2 - 35.3 )	272	33.5	( 26.0 - 41.0 )	128	24.9	( 17.3 - 32.6 )	144
<b>Race/Ethnicity</b>									
Black	-	-	86	-	-	47	-	-	39
Hispanic/ Latino	18.4	( 12.2 - 24.6 )	165	-	-	76	-	-	88
White	32.3	( 28.9 - 35.7 )	1,174	36.2	( 31.2 - 41.2 )	595	28.3	( 24.1 - 32.5 )	576
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 16 students who did not provide usable data for QN80.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN81: Percentage of students who watched three or more hours per day of TV on an average school day

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	36.0	( 32.3 - 39.7)	1,554	38.6	( 33.7 - 43.5)	779	33.5	( 29.1 - 37.8)	770
<b>Age</b>									
15 or younger	37.1	( 31.9 - 42.3)	754	38.4	( 31.5 - 45.4)	379	35.9	( 29.2 - 42.5)	372
16 or 17	35.8	( 31.8 - 39.8)	683	38.8	( 33.5 - 44.1)	337	33.1	( 27.2 - 39.0)	344
18 or older	32.0	( 21.9 - 42.1)	116	-	-	62	-	-	54
<b>Grade</b>									
9th	38.5	( 31.9 - 45.2)	477	38.9	( 30.5 - 47.3)	252	38.2	( 30.0 - 46.4)	223
10th	38.3	( 33.4 - 43.2)	501	40.7	( 34.2 - 47.3)	242	36.0	( 29.2 - 42.9)	257
11th	36.4	( 29.2 - 43.6)	299	39.1	( 29.2 - 49.0)	154	33.9	( 24.1 - 43.8)	144
12th	30.0	( 23.9 - 36.1)	273	35.5	( 28.3 - 42.7)	128	24.4	( 17.0 - 31.8)	145
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	52.1	( 44.2 - 60.1)	166	-	-	77	-	-	88
White	31.9	( 28.2 - 35.5)	1,174	33.8	( 29.4 - 38.3)	592	30.0	( 25.6 - 34.5)	579
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 14 students who did not provide usable data for QN81.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN82: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	98.0	( 97.2 - 98.7)	1,513	97.9	( 96.7 - 99.1)	754	98.0	( 97.0 - 99.0)	755
<b>Age</b>									
15 or younger	98.3	( 97.4 - 99.1)	737	98.0	( 96.5 - 99.5)	367	98.5	( 97.1 -100.0)	368
16 or 17	98.1	( 97.0 - 99.2)	666	98.3	( 96.7 - 99.9)	327	98.0	( 96.8 - 99.1)	337
18 or older	95.8	( 92.4 - 99.2)	109	-	-	59	-	-	50
<b>Grade</b>									
9th	99.1	( 98.2 -100.0)	468	98.7	( 97.1 -100.0)	246	99.5	( 98.6 -100.0)	221
10th	97.5	( 95.9 - 99.0)	486	97.8	( 96.1 - 99.5)	233	97.2	( 94.3 -100.0)	251
11th	98.7	( 97.9 - 99.5)	292	98.8	( 97.2 -100.0)	150	98.6	( 98.1 - 99.2)	141
12th	96.3	( 94.0 - 98.6)	263	96.1	( 92.5 - 99.7)	122	96.5	( 93.3 - 99.7)	141
<b>Race/Ethnicity</b>									
Black	-	-	85	-	-	45	-	-	40
Hispanic/ Latino	97.5	( 94.8 -100.0)	155	-	-	74	-	-	81
White	98.0	( 97.1 - 98.9)	1,153	98.3	( 97.0 - 99.7)	578	97.6	( 96.3 - 98.9)	572
All other races	-	-	73	-	-	38	-	-	34
Multiple races	-	-	37	-	-	16	-	-	21

Note: There were 55 students who did not provide usable data for QN82.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	6.2	( 4.0 - 8.4)	1,513	7.6	( 4.8 - 10.4)	754	4.9	( 2.7 - 7.0)	755
<b>Age</b>									
15 or younger	3.5	( 1.6 - 5.4)	737	4.2	( 1.8 - 6.6)	367	2.8	( 0.9 - 4.7)	368
16 or 17	8.1	( 4.7 - 11.4)	666	9.9	( 5.1 - 14.7)	327	6.4	( 2.5 - 10.2)	337
18 or older	9.1	( 4.1 - 14.1)	109	-	-	59	-	-	50
<b>Grade</b>									
9th	4.5	( 1.9 - 7.1)	468	6.2	( 2.8 - 9.6)	246	2.8	( 0.3 - 5.3)	221
10th	3.9	( 1.9 - 5.9)	486	4.3	( 1.8 - 6.7)	233	3.5	( 1.0 - 6.1)	251
11th	8.0	( 3.8 - 12.1)	292	9.2	( 3.3 - 15.1)	150	6.8	( 1.1 - 12.5)	141
12th	9.2	( 3.1 - 15.3)	263	11.6	( 3.7 - 19.5)	122	6.9	( 1.5 - 12.3)	141
<b>Race/Ethnicity</b>									
Black	-	-	85	-	-	45	-	-	40
Hispanic/ Latino	8.6	( 2.0 - 15.1)	155	-	-	74	-	-	81
White	5.0	( 3.1 - 6.9)	1,153	5.4	( 3.3 - 7.5)	578	4.6	( 2.1 - 7.0)	572
All other races	-	-	73	-	-	38	-	-	34
Multiple races	-	-	37	-	-	16	-	-	21

Note: There were 55 students who did not provide usable data for QNDLYPE.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN83: Among students enrolled in physical education (PE) class, the percentage who actually exercised or played sports more than 20 minutes during an average PE class

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	77.5	( 73.8 - 81.1 )	1,484	84.2	( 80.8 - 87.6 )	737	70.8	( 65.2 - 76.4 )	743
<b>Age</b>									
15 or younger	83.8	( 79.9 - 87.7 )	723	89.1	( 85.1 - 93.0 )	360	78.7	( 72.9 - 84.4 )	361
16 or 17	73.3	( 68.4 - 78.1 )	654	80.7	( 76.3 - 85.2 )	320	66.3	( 58.8 - 73.8 )	332
18 or older	70.3	( 63.7 - 76.9 )	106	-	-	56	-	-	50
<b>Grade</b>									
9th	86.8	( 82.4 - 91.1 )	463	92.2	( 88.7 - 95.6 )	242	81.2	( 73.4 - 89.0 )	220
10th	77.0	( 71.3 - 82.8 )	475	82.0	( 74.3 - 89.7 )	229	72.3	( 65.5 - 79.1 )	244
11th	74.2	( 66.3 - 82.2 )	290	82.3	( 78.3 - 86.3 )	148	66.3	( 52.8 - 79.7 )	141
12th	69.2	( 63.0 - 75.4 )	253	78.4	( 68.4 - 88.4 )	116	60.5	( 52.6 - 68.3 )	137
<b>Race/Ethnicity</b>									
Black	-	-	84	-	-	44	-	-	40
Hispanic/ Latino	70.5	( 62.6 - 78.5 )	152	-	-	71	-	-	81
White	78.2	( 74.4 - 82.0 )	1,133	83.8	( 79.7 - 87.9 )	569	72.6	( 66.6 - 78.6 )	561
All other races	-	-	71	-	-	37	-	-	33
Multiple races	-	-	34	-	-	13	-	-	21

Note: There were 84 students who were excluded from this analysis or who did not provide usable data for QN83.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data

QN84: Percentage of students who played on one or more sports teams during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	64.4	( 61.3 - 67.4 )	1,552	67.7	( 63.6 - 71.7 )	777	61.0	( 56.6 - 65.4 )	770
<b>Age</b>									
15 or younger	73.1	( 68.9 - 77.4 )	752	74.1	( 68.1 - 80.0 )	377	72.4	( 67.2 - 77.6 )	372
16 or 17	60.1	( 56.6 - 63.6 )	684	65.7	( 61.2 - 70.3 )	338	54.6	( 49.2 - 59.9 )	344
18 or older	47.0	( 39.1 - 54.8 )	115	-	-	61	-	-	54
<b>Grade</b>									
9th	74.4	( 68.8 - 80.0 )	477	75.3	( 67.3 - 83.4 )	252	73.4	( 66.5 - 80.3 )	223
10th	67.3	( 62.0 - 72.5 )	499	70.7	( 64.1 - 77.4 )	240	64.0	( 56.8 - 71.1 )	257
11th	59.1	( 54.1 - 64.1 )	300	66.0	( 58.6 - 73.4 )	155	52.0	( 44.8 - 59.2 )	144
12th	53.8	( 47.9 - 59.7 )	272	56.0	( 48.0 - 64.0 )	127	51.5	( 37.6 - 65.5 )	145
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	53.9	( 45.6 - 62.2 )	166	-	-	77	-	-	88
White	66.1	( 62.8 - 69.4 )	1,172	69.3	( 64.8 - 73.8 )	590	62.9	( 58.4 - 67.3 )	579
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 16 students who did not provide usable data for QN84.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN85: Percentage of students who had ever been taught in school about AIDS or HIV infection

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	90.9	( 88.9 - 93.0)	1,552	90.3	( 87.4 - 93.3)	778	91.6	( 89.2 - 94.0)	769
<b>Age</b>									
15 or younger	89.6	( 86.5 - 92.7)	750	91.2	( 87.5 - 94.9)	376	88.0	( 83.8 - 92.1)	371
16 or 17	92.6	( 90.5 - 94.7)	686	91.1	( 87.5 - 94.8)	339	94.2	( 91.7 - 96.8)	345
18 or older	88.7	( 81.7 - 95.6)	115	-	-	62	-	-	53
<b>Grade</b>									
9th	88.0	( 83.1 - 92.9)	476	89.6	( 83.9 - 95.3)	251	86.4	( 79.7 - 93.1)	223
10th	91.3	( 88.2 - 94.5)	499	90.8	( 86.7 - 94.9)	241	91.8	( 88.0 - 95.6)	256
11th	91.3	( 87.1 - 95.4)	300	92.5	( 86.5 - 98.5)	155	90.5	( 85.6 - 95.4)	144
12th	93.8	( 89.6 - 98.0)	273	88.8	( 81.0 - 96.6)	128	98.9	( 97.5 -100.0)	145
<b>Race/Ethnicity</b>									
Black	-	-	86	-	-	46	-	-	40
Hispanic/ Latino	81.1	( 74.5 - 87.7)	165	-	-	76	-	-	88
White	93.0	( 91.0 - 95.0)	1,175	92.9	( 90.1 - 95.6)	594	93.3	( 90.9 - 95.7)	578
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	38	-	-	17	-	-	21

Note: There were 16 students who did not provide usable data for QN85.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN86: Percentage of students who had ever been told by a doctor or nurse that they had asthma

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	20.4	( 17.6 - 23.2 )	1,554	20.6	( 16.3 - 24.9 )	778	20.1	( 17.2 - 23.0 )	771
<b>Age</b>									
15 or younger	19.0	( 16.2 - 21.7 )	751	18.2	( 13.6 - 22.8 )	376	19.6	( 15.0 - 24.3 )	372
16 or 17	22.5	( 18.6 - 26.5 )	687	23.5	( 17.8 - 29.3 )	340	21.4	( 16.6 - 26.1 )	345
18 or older	16.6	( 10.2 - 23.0 )	115	-	-	61	-	-	54
<b>Grade</b>									
9th	17.2	( 13.6 - 20.9 )	476	15.8	( 10.1 - 21.4 )	251	18.9	( 13.2 - 24.6 )	223
10th	21.9	( 18.3 - 25.5 )	501	21.7	( 16.6 - 26.9 )	242	21.9	( 16.8 - 26.9 )	257
11th	21.0	( 15.8 - 26.2 )	299	22.7	( 16.1 - 29.3 )	154	18.8	( 11.9 - 25.8 )	144
12th	22.2	( 16.6 - 27.8 )	274	23.4	( 14.7 - 32.1 )	128	21.1	( 15.0 - 27.2 )	146
<b>Race/Ethnicity</b>									
Black	-	-	87	-	-	47	-	-	40
Hispanic/ Latino	18.5	( 12.5 - 24.5 )	165	-	-	76	-	-	88
White	19.8	( 17.2 - 22.4 )	1,175	18.4	( 14.5 - 22.4 )	592	20.9	( 17.8 - 24.1 )	580
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 14 students who did not provide usable data for QN86.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QN87: Percentage of students who have ever been told by a doctor or nurse that they had asthma and who have asthma but had not had an episode of asthma or an asthma attack during the past 12 months or who had an episode of asthma or an asthma attack during the past 12 months (i.e., current asthma)

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
<b>Total</b>	17.3	( 15.0 - 19.6)	1,551	17.7	( 14.4 - 21.1)	776	16.8	( 14.0 - 19.7)	770
<b>Age</b>									
15 or younger	16.1	( 13.6 - 18.6)	750	15.8	( 11.7 - 19.9)	375	16.2	( 12.2 - 20.3)	372
16 or 17	18.7	( 15.5 - 21.9)	685	19.5	( 14.5 - 24.5)	339	17.9	( 13.3 - 22.5)	344
18 or older	15.9	( 8.9 - 22.9)	115	-	-	61	-	-	54
<b>Grade</b>									
9th	14.5	( 11.5 - 17.5)	476	13.4	( 8.6 - 18.2)	251	15.6	( 10.6 - 20.7)	223
10th	18.9	( 15.1 - 22.7)	499	19.4	( 14.1 - 24.7)	240	18.2	( 13.4 - 23.0)	257
11th	18.1	( 13.2 - 22.9)	299	18.6	( 13.1 - 24.2)	154	17.6	( 10.6 - 24.5)	144
12th	18.3	( 12.7 - 23.9)	273	20.6	( 11.3 - 29.8)	128	16.0	( 11.4 - 20.6)	145
<b>Race/Ethnicity</b>									
Black	-	-	86	-	-	46	-	-	40
Hispanic/ Latino	15.4	( 10.2 - 20.7)	165	-	-	76	-	-	88
White	17.3	( 14.9 - 19.6)	1,173	15.9	( 12.5 - 19.3)	591	18.6	( 15.6 - 21.6)	579
All other races	-	-	78	-	-	42	-	-	35
Multiple races	-	-	39	-	-	18	-	-	21

Note: There were 17 students who did not provide usable data for QN87.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York (Excluding New York City) High School Survey  
Summary Table - Weighted Data**

QNASATCK: Among students with current asthma, the percentage who had an episode of asthma or an asthma attack during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	35.7	( 27.4 - 43.9 )	261	31.3	( 20.1 - 42.5 )	130	40.6	( 31.3 - 49.8 )	130
<b>Age</b>									
15 or younger	36.7	( 28.6 - 44.7 )	118	-	-	58	-	-	59
16 or 17	32.1	( 21.6 - 42.6 )	127	-	-	62	-	-	65
18 or older	-	-	16	-	-	10	-	-	6
<b>Grade</b>									
9th	-	-	67	-	-	33	-	-	34
10th	-	-	94	-	-	45	-	-	48
11th	-	-	54	-	-	28	-	-	26
12th	-	-	46	-	-	24	-	-	22
<b>Race/Ethnicity</b>									
Black	-	-	18	-	-	13	-	-	5
Hispanic/ Latino	-	-	28	-	-	19	-	-	9
White	37.5	( 28.8 - 46.1 )	202	-	-	94	43.6	( 34.0 - 53.2 )	107
All other races	-	-	9	-	-	3	-	-	6
Multiple races	-	-	4	-	-	1	-	-	3

Note: There were 1307 students who were excluded from this analysis or who did not provide usable data for QNASATCK.

N = Number of unweighted observations.

- = Fewer than 100 cases.